

Test Certificate

Sample Description: TL Whey Protein Isolate French Vanilla Client Name: Elite Manufacturing and
Sample ID: 17021395 and Address: Packaging
Sample Lot No: 380 N. 880 W.
Sample Part Code: Lindon, UT 84042
Location:
PO No: Lab No: 131734-01
Received Date: 2/14/17 14:33 Completed Date: 2/17/2017

Analysis	Result	Per Unit	Method
Appearance	Fine Powder		Visual
Color	Cream		Visual
Odor	Slightly Vanilla Odor		Olfactory
Mercury	< 0.001	ppm	ICP-MS USP <730>
Lead	0.013	ppm	ICP-MS USP <730>
Arsenic	0.002	ppm	ICP-MS USP <730>
Cadmium	0.001	ppm	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: Brandy Conrad
Brandy Conrad, Quality Manager

Dated: 2/17/2017

Printed: 2/17/2017 12:21:38 PM





40 West Louise Ave., Salt Lake City, UT 84115
Phone: (801) 485-1800 Fax: (801) 484-9211
Email: utlab@advancedlabsinc.com
FDA Registration #3006423386

If you liked our service, please tell a friend. If you didn't, please tell us!

Test Certificate

Sample Description: TL Whey Protein Isolate French Vanilla
Sample ID: 17021395
Sample Lot No:
Sample Part Code:
Location:
PO No:
Received Date: 2/14/17 14:31
Client Name and Address: Elite Manufacturing and Packaging
380 N. 880 W.
Lindon, UT 84042
Lab No: 131733-01
Completed Date: 2/20/2017

Table with 4 columns: Analysis, Result, Per Unit, Method. Rows include Total Plate Count, Coliform, E.Coli, Staphylococcus aureus, Salmonella, and Y & M.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: Brandy Conrad (signature)
Brandy Conrad, Quality Manager
Dated: 2/20/2017

Printed: 2/20/2017 1:09:53 PM

