



40 West Louise Ave., Salt Lake City, UT 84115
Phone: (801) 485-1800 Fax: (801) 484-9211
Email: utlab@advancedlabsinc.com
FDA Registration #3006423386

If you liked our service, please tell a friend. If you didn't, please tell us!

Test Certificate

Description: TL Mass Gainer Milk Chocolate 2951g
Sample ID:
Lot No: 17112953
Part Code:
Location:
PO No:
Received: 12/1/2017

Client: Elite Manufacturing and Packaging
380 N. 880 W.
Lindon, UT 84042

Lab No: 145098-02
Completed: 12/8/2017

Table with 4 columns: Analysis, Result, Per Unit, Method. Rows include Appearance, Color, Odor, Mercury, Lead, Arsenic, Cadmium.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: [Signature]
Shane Shupe-Technical Manager

Dated: 12/8/2017

Printed: 12/8/2017 4:10:48 PM



Test Certificate

Description: TL Mass Gainer Milk Chocolate 2951g
Sample ID:
Lot No: 17112953
Part Code:
Location:
PO No:
Received: 12/1/2017

Client: Elite Manufacturing and
Packaging
380 N. 880 W.
Lindon, UT 84042

Lab No: 145097-02
Completed: 12/7/2017


Analysis	Result	Per Unit	Method
Total Aerobic Microbial Count	850	CFU/g	USP <2021>
Coliform	350	CFU/g	AOAC 991.14
E.Coli	Absent	per 10 grams	USP <2022>
Staphylococcus aureus	Absent	per 10 grams	USP <2022>
Salmonella	Absent	per 10 grams	USP <2022>
Total Yeast & Mold	15	CFU/g	USP <2021>
Yeast *	<10	CFU/g	
Mold *	15	CFU/g	

* For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:


Aide Zamora-Technical Manager

Dated: 12/7/2017

Printed: 12/7/2017 5:38:25 PM

