

## Test Certificate

Description: TL Stim-Free Strawberry Lemonade

Sample ID:

Lot No: 18011255

Part Code:

Location:

PO No:

Received: 1/16/2018

Client: Elite Manufacturing and

Packaging

380 N. 880 W.

Lindon, UT 84042

Lab No: 146920-01

Completed: 1/23/2018

Analysis	Result	Per Unit	Method
Total Aerobic Microbial Count	<10	CFU/g	USP <2021>
Coliform	<10	CFU/g	AOAC 991.14
E.Coli	Absent	per 10 grams	USP <2022>
Staphylococcus aureus	Absent	per 10 grams	USP <2022>
Salmonella	Absent	per 10 grams	USP <2022>
Total Yeast & Mold	<10	CFU/g	USP <2021>
Yeast *	<10	CFU/g	
Mold *	<10	CFU/g	

\* For informational purposes only.

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By:



Shane Shupe-Technical Manager

Dated:

1/23/2018

Printed: 1/27/2018 2:47:00 PM



## Test Certificate

Description: TL Stim-Free Strawberry Lemonade

Sample ID:

Lot No: 18011255

Part Code:

Location:

PO No:

Received: 1/16/2018

Client: Elite Manufacturing and

Packaging

380 N. 880 W.

Lindon, UT 84042

Lab No: 146923-01

Completed: 1/22/2018

Analysis	Result	Per Unit	Method
Appearance	Grainy powder		Visual
Color	White		Visual
Odor	Sweet/fruity		Olfactory
Mercury	< 0.001	ppm	ICP-MS USP <730>
Lead	< 0.001	ppm	ICP-MS USP <730>
Arsenic	< 0.001	ppm	ICP-MS USP <730>
Cadmium	0.002	ppm	ICP-MS USP <730>

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By:



Shane Shupe-Technical Manager

Dated:

1/22/2018

Printed: 1/22/2018 4:37:02 PM

