



40 West Louise Ave., Salt Lake City, UT 84115
 Phone: (801) 485-1800 Fax: (801) 484-9211
 Email: utlab@advancedlabsinc.com
FDA Registration #3006423386

If you liked our service, please tell a friend. If you didn't, please tell us!

Test Certificate

Description: TL 100% Grass-Fed French Vanilla 957g
 Sample ID:
 Lot No: 18020251
 Part Code:
 Location:
 PO No:
 Received: 2/7/2018

Client: Elite Manufacturing and Packaging
 380 N. 880 W.
 Lindon, UT 84042

Lab No: 147955-03
 Completed: 2/12/2018

Analysis	Result	Per Unit	Method
Total Aerobic Microbial Count	930	CFU/g	USP <2021>
Coliform	<10	CFU/g	AOAC 991.14
E.Coli	Absent	per 10 grams	USP <2022>
Staphylococcus aureus	Absent	per 10 grams	USP <2022>
Salmonella	Absent	per 10 grams	USP <2022>
Total Yeast & Mold	<10	CFU/g	USP <2021>
Yeast *	<10	CFU/g	
Mold *	<10	CFU/g	

* For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: 
 Alisa Farnsworth-Quality Technician

Dated: 2/12/2018

Printed: 2/12/2018 4:49:02 PM





40 West Louise Ave., Salt Lake City, UT 84115
Phone: (801) 485-1800 Fax: (801) 484-9211
Email: utlab@advancedlabsinc.com
FDA Registration #3006423386

If you liked our service, please tell a friend. If you didn't, please tell us!

Test Certificate

Description: TL 100% Grass-Fed French Vanilla 957g
Sample ID:
Lot No: 18020251
Part Code:
Location:
PO No:
Received: 2/7/2018

Client: Elite Manufacturing and Packaging
380 N. 880 W.
Lindon, UT 84042

Lab No: 147954-03
Completed: 2/14/2018

Analysis	Result	Per Unit	Method
Appearance	Fine Powder		Visual
Color	Light Yellow		Visual
Odor	Vanilla		Olfactory
Mercury	<0.001	ppm	ICP-MS USP <730>
Lead	0.007	ppm	ICP-MS USP <730>
Arsenic	<0.001	ppm	ICP-MS USP <730>
Cadmium	0.005	ppm	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: Alisa Farnsworth
Alisa Farnsworth-Quality Technician

Dated: 2/14/2018

Printed: 2/14/2018 5:35:29 PM

