

Test Certificate

Description: TL Mag Bisglycinate 90 caps
Sample ID:
Lot No: 18030252
Part Code:
Location:
PO No:
Received: 3/12/2018

Client: Elite Manufacturing and
Packaging
380 N. 880 W.
Lindon, UT 84042


Lab No: 149448-06
Completed: 3/19/2018

| Analysis | Result | Per Unit | Method |
|------------|-------------|----------|------------------|
| Appearance | Fine powder | | Visual |
| Color | White | | Visual |
| Odor | Odorless | | Olfactory |
| Mercury | 0.003 | ppm | ICP-MS USP <730> |
| Lead | 0.029 | ppm | ICP-MS USP <730> |
| Arsenic | 0.457 | ppm | ICP-MS USP <730> |
| Cadmium | 0.050 | ppm | ICP-MS USP <730> |

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:


Alisa Farnsworth-Quality Technician

Dated: 3/19/2018

Printed: 3/19/2018 5:37:14 PM





40 West Louise Ave., Salt Lake City, UT 84115
Phone: (801) 485-1800 Fax: (801) 484-9211
Email: utlab@advancedlabsinc.com
FDA Registration #3006423386

If you liked our service, please tell a friend. If you didn't, please tell us!

Test Certificate

Description: TL Mag Bisglycinate 90 caps
Sample ID:
Lot No: 18030252
Part Code:
Location:
PO No:
Received: 3/12/2018

Client: Elite Manufacturing and Packaging
380 N. 880 W.
Lindon, UT 84042

Lab No: 149451-06
Completed: 3/22/2018


| Analysis | Result | Per Unit | Method |
|-------------------------------|--------|--------------|-------------|
| Total Aerobic Microbial Count | 18 | CFU/g | USP <2021> |
| Coliform | <10 | CFU/g | AOAC 991.14 |
| E.Coli | Absent | per 10 grams | USP <2022> |
| Staphylococcus aureus | Absent | per 10 grams | USP <2022> |
| Salmonella | Absent | per 10 grams | USP <2022> |
| Total Yeast & Mold | <10 | CFU/g | USP <2021> |
| Yeast * | <10 | CFU/g | |
| Mold * | <10 | CFU/g | |

* For informational purposes only.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:


Alisa Farnsworth-Quality Technician

Dated:

3/22/2018

Printed: 3/22/2018 4:34:31 PM

