



ARL

Analytical Resource Laboratories

47-2854223
520 South 850 East, Suite B3
Lehi, UT 84043
801-847-7722
www.analyticalresource.com
info@analyticalresource.com

Certificate of Analysis

Client Information

Elite Manufacturing and Packaging
380 N 880 W
Lindon, UT
84042
801-877-2789

Sample Information

ARL ID: 248745
Date Received: 8/13/2018
Description: TL Grass-Fed WPC Vanilla (929 GMS)
Lot#: 18080951

Analysis	Method	MDL	Specification	Results	UOM
Complete Micro Profile, HM, Org	USP, AOAC				
Total Plate Count	USP <2021>	100	Record Only	1,000	cfu's/g
Coliforms	AOAC 991.14	10	Record Only	None Detected	cfu's/g
E. coli	USP <2022>	Absent	Record Only	Absent	cfu's/10g
Staphylococcus aureus	USP <2022>	Absent	Record Only	Absent	cfu's/10g
Salmonella	USP <2022>	Absent	Record Only	Absent	cfu's/10g
Yeast (Rapid)	AOAC RI	100	Record Only	None Detected	cfu's/g
Mold (Rapid)	AOAC RI	100	Record Only	None Detected	cfu's/g
Heavy Metals*	ARL ICPMS 2.60				
Arsenic (As)*	ARL ICPMS 2.60	0.001	Record Only	<0.001	ppm
Cadmium (Cd)*	ARL ICPMS 2.60	0.001	Record Only	0.001	ppm
Lead (Pb)*	ARL ICPMS 2.60	0.001	Record Only	0.004	ppm
Mercury (Hg)*	ARL ICPMS 2.60	0.001	Record Only	0.001	ppm
ID-FTIR	FTIR				
Appearance	ARL 2.03		Record Only	Powder	
Color	ARL 2.03		Record Only	Pale Yellow	
Odor	ARL 2.03		Record Only	Vanilla	
FT-IR Analysis	FT-IR 2.04	0.1	> 95	96.2	%

Form# arlcoa031201a

Printed on: Aug 17, 2018 4:33 PM

experience • professionalism • value


Released by: Dylan Kimball

Aug 17, 2018
Page 1

* ARL is an ISO/IEC 17025:2005 Accredited Laboratory. Certificate and Supplement available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.