



ARL
 Analytical Resource Laboratories
 47-2854223
 520 South 850 East, Suite B3
 Lehi, UT 84043
 801-847-7722
 www.analyticalresource.com
 info@analyticalresource.com

Certificate of Analysis

Client Information

Elite Manufacturing and Packaging
 380 N 880 W
 Lindon, UT
 84042
 801-877-2789

Sample Information


ARL ID: 250439
 Date Received: 8/27/2018
 Description: TL PRE LEAN Blue Raspberry (484 GMS)
 Lot#: 18082352

Analysis	Method	MDL	Specification	Results	UOM
Complete Micro Profile, HM, Org	USP, AOAC				
Total Plate Count	USP <2021>	100	Record Only	None Detected	cfu's/g
Coliforms	AOAC 991.14	10	Record Only	None Detected	cfu's/g
E. coli	USP <2022>	Absent	Record Only	Absent	cfu's/10g
Staphylococcus aureus	USP <2022>	Absent	Record Only	Absent	cfu's/10g
Salmonella	USP <2022>	Absent	Record Only	Absent	cfu's/10g
Yeast (Rapid)	AOAC RI	100	Record Only	None Detected	cfu's/g
Mold (Rapid)	AOAC RI	100	Record Only	None Detected	cfu's/g
Heavy Metals*	ARL ICPMS 2.60				
Arsenic (As)*	ARL ICPMS 2.60	0.001	Record Only	0.004	ppm
Cadmium (Cd)*	ARL ICPMS 2.60	0.001	Record Only	<0.001	ppm
Lead (Pb)*	ARL ICPMS 2.60	0.001	Record Only	0.049	ppm
Mercury (Hg)*	ARL ICPMS 2.60	0.001	Record Only	0.003	ppm
ID-FTIR	FTIR				
Appearance	ARL 2.03		Record Only	Powder	
Color	ARL 2.03		Record Only	White	
Odor	ARL 2.03		Record Only	Milky	
FT-IR Analysis	FT-IR 2.04	0.1	> 95	98.5	%

Form# arlcoa031201a

Printed on: Aug 31, 2018 1:00 PM

experience • professionalism • value

Released by:  Jacob Teller

Aug 31, 2018
 Page 1

* ARL is an ISO/IEC 17025:2005 Accredited Laboratory. Certificate and Supplement available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.