



**ARL**  
 Analytical Resource Laboratories  
 47-2854223  
 520 South 850 East, Suite B3  
 Lehi, UT 84043  
 801-847-7722  
 www.analyticalresource.com  
 info@analyticalresource.com

## Certificate of Analysis

### Client Information

Elite Manufacturing and Packaging  
 380 N 880 W  
 Lindon, UT  
 84042  
 801-877-2789

### Sample Information

ARL ID: 254903  
 Date Received: 9/28/2018  
 Description: TL PRE SF Orange (724 GMS)  
 Lot#: 18092654

Analysis	Method	MDL	Specification	Results	UOM
Complete Micro Profile, HM, Org	USP, AOAC				
Total Plate Count	USP <2021>	100	Record Only	None Detected	cfu's/g
Coliforms	AOAC 991.14	10	Record Only	None Detected	cfu's/g
E. coli	USP <2022>	Absent	Record Only	Absent	cfu's/10g
Staphylococcus aureus	USP <2022>	Absent	Record Only	Absent	cfu's/10g
Salmonella	USP <2022>	Absent	Record Only	Absent	cfu's/10g
Yeast (Rapid)	AOAC RI	100	Record Only	None Detected	cfu's/g
Mold (Rapid)	AOAC RI	100	Record Only	None Detected	cfu's/g
Heavy Metals*	ARL ICPMS 2.60				
Arsenic (As)*	ARL ICPMS 2.60	0.001	Record Only	0.269	ppm
Cadmium (Cd)*	ARL ICPMS 2.60	0.001	Record Only	<0.001	ppm
Mercury (Hg)*	ARL ICPMS 2.60	0.001	Record Only	0.005	ppm
Lead (Pb)*	ARL ICPMS 2.60	0.001	Record Only	0.055	ppm
ID-FTIR	FTIR				
Appearance	ARL 2.03		Record Only	Powder	
Color	ARL 2.03		Record Only	White	
Odor	ARL 2.03		Record Only	Sweet	
FT-IR Analysis	FT-IR 2.04	0.1	> 95	NA*	%


### Notes:

\*This sample is new to our FT-IR database. It is now in our database.

Form# arlcoa031201a

Printed on: Oct 1, 2018 10:02 AM

experience • professionalism • value

Released by:  Jacob Teller

Oct 1, 2018  
 Page 1

\* ARL is an ISO/IEC 17025:2005 Accredited Laboratory. Certificate and Supplement available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.