



**ARL**  
 Analytical Resource Laboratory  
 47-2854223  
 520 South 850 East, Suite B3  
 Lehi, UT 84043  
 801-847-7722  
 www.analyticalresource.com  
 info@analyticalresource.com

## Certificate of Analysis

### Client Information

### Sample Information


ARL ID: 277640  
 Date Received: 3/19/2019  
 Description: TL PRE SF Orange (724 GMS)  
 Lot#: 19031452

Analysis	Method	MDL	Specification	Results	UOM
Complete Micro Profile, HM, FTIR	USP, AOAC				
Total Plate Count	USP <2021>	100	Record Only	None Detected	cfu's/g
Coliforms	AOAC 991.14	10	Record Only	None Detected	cfu's/g
E. coli	USP <2022>	Absent	Record Only	Absent	cfu's/10g
Staphylococcus aureus	USP <2022>	Absent	Record Only	Absent	cfu's/10g
Salmonella	USP <2022>	Absent	Record Only	Absent	cfu's/10g
Yeast (Rapid)	AOAC RI	100	Record Only	None Detected	cfu's/g
Mold (Rapid)	AOAC RI	100	Record Only	None Detected	cfu's/g
Heavy Metals*	ARL ICPMS 2.60	10			
Arsenic (As)*	ARL ICPMS 2.60	0.001	Record Only	< 0.001	ppm
Cadmium (Cd)*	ARL ICPMS 2.60	0.001	Record Only	< 0.001	ppm
Mercury (Hg)*	ARL ICPMS 2.60	0.001	Record Only	0.003	ppm
Lead (Pb)*	ARL ICPMS 2.60	0.001	Record Only	0.028	ppm
FTIR Package	FTIR				
Appearance	ARL 2.03		Record Only	Powder	
Color	ARL 2.03		Record Only	Slightly Orange	
Flavor	ARL 2.03		Record Only	Orange	
Odor	ARL 2.03		Record Only	Mildly Sweet	
FT-IR Analysis	FT-IR 2.04	0.1	> 95	95.7	%

Form# arlcoa031201a

Printed on: Mar 22, 2019 12:57 PM

experience • professionalism • value

Released by:  Jacob Teller

Mar 22, 2019

Page 1

\* ARL is an ISO/IEC 17025:2005 Accredited Laboratory. Certificate and Supplement available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.