



ARL
 Analytical Resource Laboratories
 47-2854223
 520 South 850 East, Suite B3
 Lehi, UT 84043
 801-847-7722
 www.analyticalresource.com
 info@analyticalresource.com

Certificate of Analysis

Client Information

Elite Manufacturing and Packaging
 380 N 880 W
 Lindon, UT
 84042
 801-877-2789

Sample Information

ARL ID: 250712
 Date Received: 8/29/2018
 Description: TL Pre Lean Grape (482 GMS)
 Lot#: 18082765

Analysis	Method	MDL	Specification	Results	UOM
Complete Micro Profile, HM, Org	USP, AOAC				
Total Plate Count	USP <2021>	100	Record Only	None Detected	cfu's/g
Coliforms	AOAC 991.14	10	Record Only	None Detected	cfu's/g
E. coli	USP <2022>	Absent	Record Only	Absent	cfu's/10g
Staphylococcus aureus	USP <2022>	Absent	Record Only	Absent	cfu's/10g
Salmonella	USP <2022>	Absent	Record Only	Absent	cfu's/10g
Yeast (Rapid)	AOAC RI	100	Record Only	None Detected	cfu's/g
Mold (Rapid)	AOAC RI	100	Record Only	None Detected	cfu's/g
Heavy Metals*	ARL ICPMS 2.60				
Arsenic (As)*	ARL ICPMS 2.60	0.001	Record Only	< 0.001	ppm
Cadmium (Cd)*	ARL ICPMS 2.60	0.001	Record Only	< 0.001	ppm
Lead (Pb)*	ARL ICPMS 2.60	0.001	Record Only	0.040	ppm
Mercury (Hg)*	ARL ICPMS 2.60	0.001	Record Only	< 0.001	ppm
ID-FTIR	FTIR				
Appearance	ARL 2.03		Record Only	Powder	
Color	ARL 2.03		Record Only	White	
Odor	ARL 2.03		Record Only	Grape	
FT-IR Analysis	FT-IR 2.04	0.1	> 95	NA*	%

Notes:

*Sample new to FT-IR database. Added to library.

Form# arlcoa031201a

experience • professionalism • value

Released by: Dylan Kimball
 Sep 6, 2018
 Page 1

Printed on: Sep 6, 2018 10:46 AM

* ARL is an ISO/IEC 17025:2005 Accredited Laboratory. Certificate and Supplement available upon request.

This Certificate of Analysis represents data only for the sample provided and does not constitute a guarantee of quality for the entire production lot.