



Analytical Resource Laboratories

47-2854223
520 South 850 East, Suite B3
Lehi, UT 84043
801-847-7722
www.analyticalresource.com
info@yourqualitylab.com



Certificate of Analysis

Client Information

Elite Manufacturing and Packaging

277 E 1750 N
Vineyard, UT 84059
USA
801.735.3333

Sample Information

ARL ID: 646426
Date Received: 12/6/2022
Description: TPL Magnesium Bisglycinate Chelate (300 MG)(90 CAP) EMP
General
Lot#: 22111505
Serving Size: 2475.3330 mg

Results

Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
<u>Complete Micro Profile, HM (Rapid)</u>	USP, AOAC, ICP-MS					1
Total Plate Count	USP <2021>	100	Record Only	None Detected	cfu's/g	1
Coliforms	AOAC 991.14	10	Record Only	None Detected	cfu's/g	1
E. coli	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1
Staphylococcus aureus	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1
Salmonella	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1
Yeast and Mold (Rapid)	AOAC 2014.05	100	Record Record Only	None Detected	cfu's/g	1
<u>Heavy Metals</u>	ARL ICPMS 8.016					1
Arsenic (As)	ARL ICPMS 8.016	0.001	< 10	0.115	mcg/Serving	1
Cadmium (Cd)	ARL ICPMS 8.016	0.001	< 4.1	0.006	mcg/Serving	1
Mercury (Hg)	ARL ICPMS 8.016	0.001	< 10	<0.001	mcg/Serving	1
Lead (Pb)	ARL ICPMS 8.016	0.001	< 0.5	0.022	mcg/Serving	1

†Method Detection Limit (MDL):

In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

†Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

Form: arlcoa031201a Report: 646426

experience • professionalism • value

Released by: Spencer Ashby

Printed on: 12/9/2022 1:55:27 PM

Date Released: 12/9/2022

This Certificate of Analysis represents data only for the sample provided. It does not constitute a guarantee of quality for the entire production lot.

Page 1 of 2



Results

Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
----------	--------	------------	---------------	---------	-----	--------

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.

