
EENOUR

Hat Press Machine



User Manual

Model: CH2240

Please read this manual before use and follow its guidance. Keep this manual for future reference.

Introduction

Thank you for purchasing the EENOUR Portable Hat Press. Before use, please read the user manual of this product to ensure correct use after a complete understanding. After reading, please keep the user manual in a safe place for future reference. If you need any assistance, please contact our support team at: support@eenour.com with your product model number and Amazon order number.

Safety Instructions

- 1.Don't touch the curved heat plate as the machine is heating or still hot.
- 2.Be careful of hat pressing form or pressing base getting very hot during using them.
- 3.To reduce the risk of electric shock, do not immerse the hat press in water or other liquids.
- 4.Do not operate the hat press with a damaged cord or if the equipment has been dropped or damaged. To reduce the risk of electric shock, do not disassemble or attempt to repair the heat press.
- 5. This machine is not intended for use by children.

Using Notes:

- 1. Check the voltage before using it.
- 2. Return the hat press machine to the safety base when it's heating or not in use.
- 3. Do not clean the heating element with water.
- 4. Keep the hat and designed picture completely dry.
- 5. Please take the sample to test. The temperature and time depend on the material of picture, hat and the pressure.
- 6. Remember to turn off and unplug the power cord when not in use.
- 7. Do not allow cord to touch hot surfaces, allow heat press to cool completely before storing.

Note the Hat Types:

- 1. Make sure the hat is not lined, otherwise, it will completely melt under a heat press.
- 2.Not suitable for graduation caps as the cap itself is lined with fabric that melts at high temperatures.
- 3.It's not recommended that you do infusible ink or sublimation on the brim as you may damage the inner structure of the brim.
- 4. The visor (cotton or polyester) may have light indentations after being pressed, which can be flattened with a scraper.

Specifications

Product Name	CH2240 Portable Hat Press	Voltage	110V
Heating Element	5.5*3.4 inches	Power	150W
Heat Range	3 Heating Levels	Temp	302°F/338°F/374°F
Unit Size	6.7*6.2*4.5inches	Unit Weight	2.2lbs/0.97kg

Get to Know EENOUR CH2240 Hat Press



Hat Press



Hat Press Form (No fillers)



Hat Press Base



Safety Base

Heat Guide

Heating Level	L(low)	M(middle)	H(high)
Temp Range	302°F/150°C	338°F/170°C	374°F/190°C

3 Heat Level Indicator Lights



Low(302°F)



Medium(338°F)



High(374°F)

- •Warming up(Light Blinks)
- •Reached Set Temperature(Light Stays On)

How to Set Up EENOUR Hat Press?

Power On: Long press the power button for 3 seconds to turn it on, and then the hat press starts to heat and the heating indicator blinks.

Heat Levels Setting: Short press the power button to set the heating level when the hat press is on. Which light is in blinks indicates the heat level you have set.

Power Off: Long press the power button for 3 seconds to turn it off.

How to Use EENOUR Hat Pressing Form?



1.Fully fill up the hat pressing form first, it's recommended to use cotton or cloth.



2.Unfasten the hat and remove its insert.



3.Fold down the sweatband, and use both hands to place the hat over the form.



4.Use the handle to adjust the form inside the hat until snug.



5. Tightly fasten the hat around the form, to ensure the pressing surface is flat and firm.



6.Follow the instructions in "Steps to Press a Hat" on page**.

How to Use EENOUR Hat Pressing Base?



1.Unfasten the hat and remove its insert.



2.Place the pressing part on the press base.



3. Tuck the rest into the recess of the press base.



4. Adjust the position of the cap and base until it fits snugly.



5.Ensure the pressing surface is flat and firm, and the press base stable.



6.Follow the instructions in "Steps to Press a Hat" on page**.

Operation Steps Guide Part 1: Preparation Work



1.Prepare a heat-transfer vinyl film, transfer paper or sublimation paper with a pattern.



2.Fix it on the hat using heat-resistant tape.



3.Place and adjust the hat on the press form or the pressing base.

Part 2: Steps to Press a Hat



1.Plug into the compatible wall outlet (Only for 110V).



2.Long press the power button for 3s to start the hat press.



3.Cycle to desired heat setting by short press power button.(Please move to p2 for the operation of heat level setting; p2 for printing parameters)



4. Wait until the machine reached the set heating level. (The indicator light stays on after reached)



5.Hold the handle of the hat press, put the curved heat plate on the pattern part of the hat.



6.Stays for a suitable time. (If the pattern cannot be fully heated, tightly move the heat plate on the pattern)



7. After finished, place the hat press on the safety base or turn it off.



8. Tear off the paper and enjoy it.

Safety Instructions

	HTV			Heat Transfer Paper		Sublimation Paper	
	Flocking	PU Matte	PU	Printable	Dark color	Light color	
Cotton	M Level	H Level	M Level	H Level	H+25s	M+25s	
Polyester	25s Cools off	25s Heats off	15s Cools off	25s Cools off			H+35s

Note:

- 1. The temperature and time of heating transfer depend on the material and thickness of the transfer pattern.
- 2. The above parameters are for reference only. It's recommended to test first before mass production.

Warranty

The product is with a 12-month warranty from the date of purchase (damages from normal wear and tear, alteration, misuse, neglect, accident, service by anyone other than the authorized service center, or act of God are not included).

During the warranty period and upon verification of defects, this product will be replaced when returned with proof of purchase.

Customer Support

If you need help regarding product issues, after-sales service, or other relevant problems, please contact us via email: support@eenour.com, and provide the following information:

- Order ID
- Problem description

E-mail: support@eenour.com Website: https://eenour.com/

