



NOTES: UNLESS OTHERWISE SPECIFIED
 1. DIMENSIONS OF BRACKET ARE THEORETICALLY SHARP.
 2. DIMENSIONS OF FOAM BOARD HAVE TOLERANCE OF .25 +/-
 3. REMOVE BURRS AND BREAK ALL SHARP EDGES .03 MAX.
 4. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE STATED.
 5. PARTS SHALL BE FREE OF GREASE AND CUTTING FLUID.
 6. COATED WITH A BLACK RUST INHIBITOR FINISH.

Configuration Table	
Model	Length
DFSBK-24	24"
DFSBK-36	36"
DFSBK-48	48"
DFSBK-60	60"
DFSBK-72	72"

APPROVED

Foam Board





REVISION STATUS - EACH SHEET IS MARKED WITH ITS REVISION				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	A	INITIAL RELEASE	09/15/20	

Front View

Original Shower Bench Bracket

Side View



Displayed: **DFSBK-24**


Kit includes:

1. Foam Board (2x)
2. The Original Shower Bench Bracket (2x)
3. Mesh tape


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: ANGLES .XX = .01 XX' = 1° .XXX = .005	ENGINEER				TITLE	The Original Floating Shower Bench Kit™ with Dural®	
	ENGINEER				SIZE	CAGE CODE	DWG NO
INTERPRET DRAWINGS IN ACCORDANCE WITH: ASME Y14.100 ENGINEERING DRAWING PRACTICES ASME Y14.38 ABBREVIATIONS ASME Y14.5 DIMENSIONING AND TOLERANCING ASME Y14.6 SCREW THREAD REPRESENTATION AWS A2.4 WELDING SYMBOLS IEEE STD 315 SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMS	CHECKED	SMR	11/21/23	MANAGER APPROVAL	SCALE		SHEET 1 of 1
	DRAWN					DFSBK-24	A

Foam Board


Top View




Front View



Front View



Side View



Original Shower Bench Bracket


APPROVED

Displayed: **DFSBK-36**

Kit includes:


1. Foam Board (2x)
2. The Original Shower Bench Bracket (2x)
3. Mesh tape

NOTES: UNLESS OTHERWISE SPECIFIED
 1. DIMENSIONS OF BRACKET ARE THEORETICALLY SHARP.
 2. DIMENSIONS OF FOAM BOARD HAVE TOLERANCE OF .25 +/-
 3. REMOVE BURRS AND BREAK ALL SHARP EDGES .03 MAX.
 4. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE STATED.
 5. PARTS SHALL BE FREE OF GREASE AND CUTTING FLUID.
 6. COATED WITH A BLACK RUST INHIBITOR FINISH.


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		ENGINEER			
TOLERANCES ARE:		ENGINEER			
ANGLES		ENGINEER			
.XX = .01 XX° = 1°		CHECKED			
.XXX = .005		DRAWN	SMR	11/21/23	TITLE
INTERPRET DRAWINGS IN ACCORDANCE WITH: ASME Y14.100 ENGINEERING DRAWING PRACTICES; ASME Y14.38 ABBREVIATIONS; ASME Y14.5 DIMENSIONING AND TOLERANCING; ASME Y14.6 SCREW THREAD REPRESENTATION; AWS A2.4 WELDING SYMBOLS; IEEE STD 315 SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMMS		THE INFORMATION ON THIS DRAWING IS PROPRIETARY AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED FOR PROCUREMENT OR MANUFACTURING PURPOSES WITHOUT THE EXPRESS WRITTEN CONSENT OF THE ORIGINAL GRANITE BRACKET.			The Original Floating Shower Bench Kit™ with Dural®
SIZE	CAGE CODE	DWG NO	REV		
D		DFSBK-36	A		
SCALE				SHEET	1 of 1

Foam Board


Top View



Front View




Front View



Side View

Original Shower Bench Bracket




APPROVED

Displayed: **DFS BK-48**

Kit includes:


1. Foam Board (2x)
2. The Original Shower Bench Bracket (3x)
3. Mesh tape

- NOTES: UNLESS OTHERWISE SPECIFIED
1. DIMENSIONS OF BRACKET ARE THEORETICALLY SHARP.
 2. DIMENSIONS OF FOAM BOARD HAVE TOLERANCE OF .25 +/-
 3. REMOVE BURRS AND BREAK ALL SHARP EDGES .03 MAX.
 4. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE STATED.
 5. PARTS SHALL BE FREE OF GREASE AND CUTTING FLUID.
 6. COATED WITH A BLACK RUST INHIBITOR FINISH.


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		ENGINEER			
TOLERANCES ARE:		ENGINEER			
ANGLES		CHECKED			
.XX = .01 XX° = 1°		DRAWN	SMR	11/21/23	
.XXX = .005		MANAGER APPROVAL			TITLE
INTERPRET DRAWINGS IN ACCORDANCE WITH: ASME Y14.100 ENGINEERING DRAWING PRACTICES ASME Y14.38 ABBREVIATIONS ASME Y14.5 DIMENSIONING AND TOLERANCING ASME Y14.6 SCREW THREAD REPRESENTATION AWS A2.4 WELDING SYMBOLS IEEE STD 315 SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMMS		THE INFORMATION ON THIS DRAWING IS PROPRIETARY AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED FOR PROCUREMENT OR MANUFACTURING PURPOSES WITHOUT THE EXPRESS WRITTEN CONSENT OF THE ORIGINAL GRANITE BRACKET.			The Original Floating Shower Bench Kit™ with Dural®
SIZE	CAGE CODE	DWG NO	REV		
D		DFS BK-48	A		
SCALE				SHEET	1 of 1

Foam Board


Top View




Front View



Front View



Side View



Original Shower Bench Bracket


APPROVED

Displayed: **DFS BK-60**

Kit includes:

- 1. Foam Board (2x)
- 2. The Original Shower Bench Bracket (4x)
- 3. Mesh tape

- NOTES: UNLESS OTHERWISE SPECIFIED
1. DIMENSIONS OF BRACKET ARE THEORETICALLY SHARP.
 2. DIMENSIONS OF FOAM BOARD HAVE TOLERANCE OF .25 +/-
 3. REMOVE BURRS AND BREAK ALL SHARP EDGES .03 MAX.
 4. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE STATED.
 5. PARTS SHALL BE FREE OF GREASE AND CUTTING FLUID.
 6. COATED WITH A BLACK RUST INHIBITOR FINISH.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		ENGINEER			
TOLERANCES ARE:		ENGINEER			
ANGLES		ENGINEER			
.XX = .01 XX° = 1°		CHECKED			
.XXX = .005		DRAWN	SMR	11/21/23	TITLE
INTERPRET DRAWINGS IN ACCORDANCE WITH:		MANAGER APPROVAL			The Original Floating Shower Bench Kit™ with Dural®
ASME Y14.100 ENGINEERING DRAWING PRACTICES		THE INFORMATION ON THIS DRAWING IS PROPRIETARY AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED FOR PROCUREMENT OR MANUFACTURING PURPOSES WITHOUT THE EXPRESS WRITTEN CONSENT OF THE ORIGINAL GRANITE BRACKET.			SIZE
ASME Y14.30 ABBREVIATIONS					CAGE CODE
ASME Y14.5 DIMENSIONING AND TOLERANCING					DWG NO
ASME Y14.6 SCREW THREAD REPRESENTATION					DFS BK-60
AWS A2.4 WELDING SYMBOLS					REV
IEEE STD 315 SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMS					A
					SCALE
					SHEET 1 of 1

Foam Board

Top View

72.00

14.00

Front View

72.00

2.00

Front View

16.00

13.50

2.50

0.75

1.00

0.75

0.50

1.50

1.50

1.50

1.50

1.50

1.50

1.50

0.50

0.2

0.2

Side View

Original Shower Bench Bracket

0.50

2.75

2.50

5.00

11.00

1.00

5.00

0.2

0.2

APPROVED


Displayed: DFSBK-72

Kit includes:

- 1. Foam Board (2x)
- 2. The Original Shower Bench Bracket (5x)
- 3. Mesh tape

NOTES: UNLESS OTHERWISE SPECIFIED

- 1. DIMENSIONS OF BRACKET ARE THEORETICALLY SHARP.
- 2. DIMENSIONS OF FOAM BOARD HAVE TOLERANCE OF .25 +/-
- 3. REMOVE BURRS AND BREAK ALL SHARP EDGES .03 MAX.
- 4. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE STATED.
- 5. PARTS SHALL BE FREE OF GREASE AND CUTTING FLUID.
- 6. COATED WITH A BLACK RUST INHIBITOR FINISH.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: ANGLES .XX = .01 XX° = 1° .XXX = .005	ENGINEER														
	ENGINEER														
<small>INTERPRET DRAWINGS IN ACCORDANCE WITH: ASME Y14.100 ENGINEERING DRAWING PRACTICES ASME Y14.38 ABBREVIATIONS ASME Y14.5 DIMENSIONING AND TOLERANCING ASME Y14.6 SCREW THREAD REPRESENTATION AWS A2.4 WELDING SYMBOLS IEEE STD 315 SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMMS</small>	CHECKED		TITLE												
	DRAWN	SMR	11/21/23	The Original Floating Shower Bench Kit™ with Dural®											
<small>THE INFORMATION ON THIS DRAWING IS PROPRIETARY AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED FOR PROCUREMENT OR MANUFACTURING PURPOSES WITHOUT THE EXPRESS WRITTEN CONSENT OF THE ORIGINAL GRANITE BRACKET.</small>		MANAGER APPROVAL	<table border="1"> <tr> <td>SIZE</td> <td>CAGE CODE</td> <td>DWG NO</td> <td>REV</td> </tr> <tr> <td>D</td> <td></td> <td>DFSBK-72</td> <td>A</td> </tr> <tr> <td>SCALE</td> <td colspan="2"></td> <td>SHEET 1 of 1</td> </tr> </table>	SIZE	CAGE CODE	DWG NO	REV	D		DFSBK-72	A	SCALE			SHEET 1 of 1
SIZE	CAGE CODE	DWG NO	REV												
D		DFSBK-72	A												
SCALE			SHEET 1 of 1												