


NOTES: UNLESS OTHERWISE SPECIFIED
 1. DIMENSIONS OF BRACKET ARE THEORETICALLY SHARP.
 2. DIMENSIONS OF FOAM BOARD HAVE TOLERANCE OF .25 +/-
 3. REMOVE BURRS AND BREAK ALL SHARP EDGES .03 MAX.
 4. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE STATED.
 5. PARTS SHALL BE FREE OF GREASE AND CUTTING FLUID.
 6. COATED WITH A BLACK RUST INHIBITOR FINISH.

Configuration Table	
Model	Length
KFSBK-24	24"
KFSBK-36	36"
KFSBK-48	48"
KFSBK-60	60"
KFSBK-72	72"


APPROVED

Foam Board




REVISION STATUS - EACH SHEET IS MARKED WITH ITS REVISION				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	A	INITIAL RELEASE	09/15/20	

Front View




Front View



Side View

Original Shower Bench Bracket



Displayed: **KFSBK-24**


Kit includes:

1. Foam Board (2x)
2. The Original Shower Bench Bracket (2x)
3. Mesh tape
4. Adhesive


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: ANGLES .XX = .01 XX' = 1° .XXX = .005	ENGINEER			TITLE	
	ENGINEER			The Original Floating Shower Bench Kit™ with Schluter®-- Kerdi	REV
<small>INTERPRET DRAWINGS IN ACCORDANCE WITH: ASME Y14.100 ENGINEERING DRAWING PRACTICES ASME Y14.38 ABBREVIATIONS ASME Y14.5 DIMENSIONING AND TOLERANCING ASME Y14.6 SCREW THREAD REPRESENTATION AWS A2.4 WELDING SYMBOLS IEEE STD 315 SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMS</small>	<small>THE INFORMATION ON THIS DRAWING IS PROPRIETARY AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED FOR PROCUREMENT OR MANUFACTURING PURPOSES WITHOUT THE EXPRESS WRITTEN CONSENT OF THE ORIGINAL GRANITE BRACKET.</small>	<small>SMR</small> DRAWN MANAGER APPROVAL	<small>11/21/23</small> DATE	<small>D</small> SCALE	<small>KFSBK-24</small> DWG NO
				<small>1 of 1</small> SHEET	

Foam Board


Top View




Front View



Front View



Side View



Original Shower Bench Bracket

APPROVED

Displayed: **KFSBK-36**

Kit includes:


1. Foam Board (2x)
2. The Original Shower Bench Bracket (2x)
3. Mesh tape
4. Adhesive

NOTES: UNLESS OTHERWISE SPECIFIED
 1. DIMENSIONS OF BRACKET ARE THEORETICALLY SHARP.
 2. DIMENSIONS OF FOAM BOARD HAVE TOLERANCE OF .25 +/-
 3. REMOVE BURRS AND BREAK ALL SHARP EDGES .03 MAX.
 4. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE STATED.
 5. PARTS SHALL BE FREE OF GREASE AND CUTTING FLUID.
 6. COATED WITH A BLACK RUST INHIBITOR FINISH.


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: ANGLES .XX = .01 XX' = 1° .XXX = .005	ENGINEER			TITLE
	ENGINEER			
INTERPRET DRAWINGS IN ACCORDANCE WITH: ASME Y14.100 ENGINEERING DRAWING PRACTICES ASME Y14.38 ABBREVIATIONS ASME Y14.5 DIMENSIONING AND TOLERANCING ASME Y14.6 SCREW THREAD REPRESENTATION AWS A2.4 WELDING SYMBOLS IEEE STD 315 SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMMS	CHECKED		The Original Floating Shower Bench Kit™ with Schluter®-- Kerdi	SIZE
	DRAWN	SMR		11/21/23
	MANAGER APPROVAL			REV
			KFSBK-36	A
			SCALE	SHEET 1 of 1

Foam Board


Top View




Front View



Front View



Side View



Original Shower Bench Bracket


APPROVED

Displayed: **KFSBK-48**

Kit includes:


1. Foam Board (2x)
2. The Original Shower Bench Bracket (3x)
3. Mesh tape
4. Adhesive

NOTES: UNLESS OTHERWISE SPECIFIED
 1. DIMENSIONS OF BRACKET ARE THEORETICALLY SHARP.
 2. DIMENSIONS OF FOAM BOARD HAVE TOLERANCE OF .25 +/-
 3. REMOVE BURRS AND BREAK ALL SHARP EDGES .03 MAX.
 4. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE STATED.
 5. PARTS SHALL BE FREE OF GREASE AND CUTTING FLUID.
 6. COATED WITH A BLACK RUST INHIBITOR FINISH.


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		ENGINEER		
TOLERANCES ARE:		ENGINEER		
ANGLES		CHECKED		
.XX = .01	XX' = 1"	DRAWN	SMR	
.XXX = .005		MANAGER APPROVAL		TITLE The Original Floating Shower Bench Kit™ with Schluter®-- Kerdi
INTERPRET DRAWINGS IN ACCORDANCE WITH: ASME Y14.100 ENGINEERING DRAWING PRACTICES ASME Y14.38 ABBREVIATIONS ASME Y14.5 DIMENSIONING AND TOLERANCING ASME Y14.6 SCREW THREAD REPRESENTATION AWS A2.4 WELDING SYMBOLS IEEE STD 315 SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMMS		THE INFORMATION ON THIS DRAWING IS PROPRIETARY AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED FOR PROCUREMENT OR MANUFACTURING PURPOSES WITHOUT THE EXPRESS WRITTEN CONSENT OF THE ORIGINAL GRANITE BRACKET.		SIZE CAGE CODE DWG NO D KFSBK-48 SCALE SHEET 1 of 1

Foam Board


Top View




Front View



Front View



Side View



Original Shower Bench Bracket


APPROVED

Displayed: **KFSBK-60**

Kit includes:


1. Foam Board (2x)
2. The Original Shower Bench Bracket (4x)
3. Mesh tape
4. Adhesive

- NOTES: UNLESS OTHERWISE SPECIFIED
1. DIMENSIONS OF BRACKET ARE THEORETICALLY SHARP.
 2. DIMENSIONS OF FOAM BOARD HAVE TOLERANCE OF .25 +/-
 3. REMOVE BURRS AND BREAK ALL SHARP EDGES .03 MAX.
 4. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE STATED.
 5. PARTS SHALL BE FREE OF GREASE AND CUTTING FLUID.
 6. COATED WITH A BLACK RUST INHIBITOR FINISH.


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		ENGINEER			
TOLERANCES ARE:		ENGINEER			
ANGLES		ENGINEER			
.XX = .01 XX' = 1°		CHECKED			
.XXX = .005		DRAWN	SMR	11/21/23	TITLE
INTERPRET DRAWINGS IN ACCORDANCE WITH: ASME Y14.100 ENGINEERING DRAWING PRACTICES		MANAGER APPROVAL			The Original Floating Shower Bench Kit™ with Schluter®-- Kerdi
ASME Y14.38 ABBREVIATIONS		THE INFORMATION ON THIS DRAWING IS PROPRIETARY AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED FOR PROCUREMENT OR MANUFACTURING PURPOSES WITHOUT THE EXPRESS WRITTEN CONSENT OF THE ORIGINAL GRANITE BRACKET.			SIZE
ASME Y14.5 DIMENSIONING AND TOLERANCING					CAGE CODE
ASME Y14.6 SCREW THREAD REPRESENTATION					DWG NO
AWS A2.4 WELDING SYMBOLS					KFSBK-60
IEEE STD 315 SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMS					REV
					A
					SCALE
					SHEET 1 of 1

Foam Board


Top View




Front View



Front View



Side View



Original Shower Bench Bracket

APPROVED


Displayed: **KFSBK-72**

Kit includes:

1. Foam Board (2x)
2. The Original Shower Bench Bracket (5x)
3. Mesh tape
4. Adhesive

NOTES: UNLESS OTHERWISE SPECIFIED

1. DIMENSIONS OF BRACKET ARE THEORETICALLY SHARP.
2. DIMENSIONS OF FOAM BOARD HAVE TOLERANCE OF .25 +/-
3. REMOVE BURRS AND BREAK ALL SHARP EDGES .03 MAX.
4. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE STATED.
5. PARTS SHALL BE FREE OF GREASE AND CUTTING FLUID.
6. COATED WITH A BLACK RUST INHIBITOR FINISH.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		ENGINEER		
TOLERANCES ARE:		ENGINEER		
ANGLES		ENGINEER		
.XX = .01 XX* = 1°		CHECKED		
.XXX = .005		DRAWN	SMR 11/21/23	TITLE
		MANAGER APPROVAL		The Original Floating Shower Bench Kit™ with Schluter®-- Kerdi
<small> INTERPRET DRAWINGS IN ACCORDANCE WITH: ASME Y14.100 ENGINEERING DRAWING PRACTICES ASME Y14.38 ABBREVIATIONS ASME Y14.5 DIMENSIONING AND TOLERANCING ASME Y14.6 SCREW THREAD REPRESENTATION AWS A2.4 WELDING SYMBOLS IEEE STD 315 SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMS </small>		<small> THE INFORMATION ON THIS DRAWING IS PROPRIETARY AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED FOR PROCUREMENT OR MANUFACTURING PURPOSES WITHOUT THE EXPRESS WRITTEN CONSENT OF THE ORIGINAL GRANITE BRACKET. </small>		SIZE CAGE CODE DWG NO D KFSBK-72 A
		SCALE		SHEET 1 of 1