



- NOTES: UNLESS OTHERWISE SPECIFIED
1. ALL DIMENSIONS ARE TO THEORETICAL SHARP.
 2. REMOVE BURRS AND BREAK ALL SHARP EDGES .03 MAX.
 3. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE STATED.
 4. PARTS SHALL BE FREE OF GREASE AND CUTTING FLUID.
 5. FINISH IS RUSTOLEUM ANTI-RUST PAINT, P/N 249127, FLAT BLACK.

REVISION STATUS - EACH SHEET IS MARKED WITH ITS REVISION				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	A	INITIAL RELEASE	10/23/13	

Configuration Table	
Model	Length
IS-14	14.00
IS-16	16.00
IS-18	18.00
IS-20	20.00
IS-22	22.00
IS-24	24.00
IS-26	26.00
IS-28	28.00
IS-30	30.00
IS-32	32.00
IS-34	34.00
IS-36	36.00
IS-38	38.00
IS-40	40.00
IS-42	42.00
IS-44	44.00
IS-44	46.00
IS-48	48.00
IS-50	50.00
IS-52	52.00
IS-54	54.00
IS-56	56.00
IS-58	58.00
IS-60	60.00



APPROVED

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: ANGLES .XX = .01 XX' = 1° .XXX = .005	ENGINEER			
	ENGINEER			
<small>INTERPRET DRAWINGS IN ACCORDANCE WITH: ASME Y14.100 ENGINEERING DRAWING PRACTICES ASME Y14.38 ABBREVIATIONS ASME Y14.5 DIMENSIONING AND TOLERANCING ASME Y14.6 SCREW THREAD REPRESENTATION AWS A2.4 WELDING SYMBOLS IEEE STD 315 SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMMS</small>	CHECKED			TITLE
	DRAWN	JRL	10/23/13	SUPPORT BRACKET, INDUSTRIAL HIDDEN ISLAND
	MANAGER APPROVAL			<small>SIZE CAGE CODE DWG NO</small> IS-xx
				<small>SCALE SHEET</small> 1 of 1