




8 7 6 5 4 3 2 1

Configuration Table		
Model	Length	Height
HDUR-8	8"	8"
HDUR-12	12"	12"
HDUR-16	16"	16"
HDUR-20	20"	16"
HDUR-24	24"	16"
HDUR-28	28"	16"

NOTES: UNLESS OTHERWISE SPECIFIED
 1. ALL DIMENSIONS ARE THEORETICALLY SHARP.
 2. REMOVE BURRS AND BREAK ALL SHARP EDGES .03 MAX.
 3. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE STATED.
 4. PARTS SHALL BE FREE OF GREASE AND CUTTING FLUID.
 5. COATED WITH A BLACK RUST INHIBITOR FINISH.

REVISION STATUS - EACH SHEET IS MARKED WITH ITS REVISION				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	A		11/15/23	




APPROVED


8 7 6 5 4 3 2 1

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: ANGLES X = .1 XX* = 1° .XX = .01 XXX = .005	ENGINEER ENGINEER ENGINEER CHECKED DRAWN SMR 11/15/23 MANAGER APPROVAL	THE ORIGINAL GRANITE BRACKET Heavy Duty Utility Rack
	INTERPRET DRAWINGS IN ACCORDANCE WITH: ASME Y14.100 ENGINEERING DRAWING PRACTICES ASME Y14.38 ABBREVIATIONS ASME Y14.5 DIMENSIONING AND TOLERANCING ASME Y14.6 SCREW THREAD REPRESENTATION AWS A2.4 WELDING SYMBOLS IEEE STD 315 SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMS	THE INFORMATION ON THIS DRAWING IS PROPRIETARY AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED FOR PROCUREMENT OR MANUFACTURING PURPOSES WITHOUT THE EXPRESS WRITTEN CONSENT OF THE ORIGINAL GRANITE BRACKET.


Front View



Side View



Bottom View



APPROVED


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: ANGLES X = .1 XX* = 1° .XX = .01 .XXX = .005	ENGINEER			
	ENGINEER			
	ENGINEER			
	CHECKED			
	DRAWN	SMR	11/15/23	
MANAGER APPROVAL				
INTERPRET DRAWINGS IN ACCORDANCE WITH: ASME Y14.100 ENGINEERING DRAWING PRACTICES ASME Y14.38 ABBREVIATIONS ASME Y14.5 DIMENSIONING AND TOLERANCING ASME Y14.6 SCREW THREAD REPRESENTATION AWS A2.4 WELDING SYMBOLS IEEE STD 315 SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMMS		THE INFORMATION ON THIS DRAWING IS PROPRIETARY AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED FOR PROCUREMENT OR MANUFACTURING PURPOSES WITHOUT THE EXPRESS WRITTEN CONSENT OF THE ORIGINAL GRANITE BRACKET.		
TITLE Heavy Duty Utility Rack		SIZE D	CAGE CODE HDUR-12	DWG NO HDUR-12
SCALE		SHEET 1 of 1		REV A

THE ORIGINAL GRANITE BRACKET

Heavy Duty Utility Rack

HDUR-12

SHEET 1 of 1




APPROVED

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
 TOLERANCES ARE:
 ANGLES XX° = 1°
 .X = .1
 .XX = .01
 .XXX = .005

INTERPRET DRAWINGS IN ACCORDANCE WITH:
 ASME Y14.100 ENGINEERING DRAWING PRACTICES
 ASME Y14.30 ABBREVIATIONS
 ASME Y14.5 DIMENSIONING AND TOLERANCING
 ASME Y14.6 SCREW THREAD REPRESENTATION
 AWS A2.4 WELDING SYMBOLS
 IEEE STD 315 SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMMS



ENGINEER			
ENGINEER			
ENGINEER			
CHECKED			
DRAWN	SMR	11/15/23	
MANAGER APPROVAL			
TITLE			
Heavy Duty Utility Rack			
SIZE	CAGE CODE	DWG NO	REV
D		HDUR-16	A
SCALE	SHEET		1 of 1





APPROVED


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		ENGINEER			
TOLERANCES ARE:		ENGINEER			
ANGLES		ENGINEER			
X	= .1	CHECKED			
.XX	= .01	DRAWN	SMR	11/15/23	
.XXX	= .005	MANAGER APPROVAL			
INTERPRET DRAWINGS IN ACCORDANCE WITH: ASME Y14.100 ENGINEERING DRAWING PRACTICES ASME Y14.38 ABBREVIATIONS ASME Y14.5 DIMENSIONING AND TOLERANCING ASME Y14.6 SCREW THREAD REPRESENTATION AWS A2.4 WELDING SYMBOLS IEEE STD 315 SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMMS		THE INFORMATION ON THIS DRAWING IS PROPRIETARY AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED FOR PROCUREMENT OR MANUFACTURING PURPOSES WITHOUT THE EXPRESS WRITTEN CONSENT OF THE ORIGINAL GRANITE BRACKET.			
				Heavy Duty Utility Rack	
SIZE	D	CAGE CODE		DWG NO	HDUR-20
SCALE				REV	A
					SHEET 1 of 1




APPROVED

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		ENGINEER		
TOLERANCES ARE:		ENGINEER		
ANGLES		ENGINEER		
X = .1	XX* = 1°	CHECKED		
.XX = .01		DRAWN	SMR	11/15/23
.XXX = .005		MANAGER APPROVAL		
INTERPRET DRAWINGS IN ACCORDANCE WITH: ASME Y14.100 ENGINEERING DRAWING PRACTICES ASME Y14.38 ABBREVIATIONS ASME Y14.5 DIMENSIONING AND TOLERANCING ASME Y14.6 SCREW THREAD REPRESENTATION AWS A2.4 WELDING SYMBOLS IEEE STD 315 SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMMS		THE INFORMATION ON THIS DRAWING IS PROPRIETARY AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED FOR PROCUREMENT OR MANUFACTURING PURPOSES WITHOUT THE EXPRESS WRITTEN CONSENT OF THE ORIGINAL GRANITE BRACKET.		
TITLE		THE ORIGINAL GRANITE BRACKET		
Heavy Duty Utility Rack		SIZE	CAGE CODE	DWG NO
SCALE		D		HDUR-24
SHEET		REV		A
1 of 1				


Bottom View



Side View



Front View



APPROVED

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		ENGINEER			
TOLERANCES ARE:		ENGINEER			
ANGLES		ENGINEER			
X	= .1	CHECKED			
.XX	= .01	DRAWN	SMR	11/15/23	
XXX	= .005	MANAGER APPROVAL			
INTERPRET DRAWINGS IN ACCORDANCE WITH: ASME Y14.100 ENGINEERING DRAWING PRACTICES ASME Y14.38 ABBREVIATIONS ASME Y14.5 DIMENSIONING AND TOLERANCING ASME Y14.6 SCREW THREAD REPRESENTATION AWS A2.4 WELDING SYMBOLS IEEE STD 315 SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMS		THE INFORMATION ON THIS DRAWING IS PROPRIETARY AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED FOR PROCUREMENT OR MANUFACTURING PURPOSES WITHOUT THE EXPRESS WRITTEN CONSENT OF THE ORIGINAL GRANITE BRACKET.		TITLE	
		THE ORIGINAL GRANITE BRACKET		Heavy Duty Utility Rack	
SIZE	D	CAGE CODE		DWG NO	HDUR-28
SCALE				REV	A
					SHEET 1 of 1