

Post-surgical Management After Periodontal Surgical Procedures

StellaLife Series Case Report: Jan 2017

Background: a series of over one hundred fifty case reports evaluated the effects of VEGA Oral GeI and Rinse as adjunctive therapy for postsurgical management after pocket reduction osseous surgery, connective tissue grafting, extraction and site preservation bone graft.

Conclusion: patients on average required fewer narcotic pain medications and recovered more quickly when compared to the control side.

Jason Stoner, D.D.S., M.S., Columbus, OH

CONTACT: 800.828.7265 or info@stellalifehealing.com

- A split mouth design, applying the StellaLife's VEGA Oral Care only on one side and a standalone, or a combination of Peridex, PRGF, PRP, Emdogain and Periosciences on the other controlled side.
 - Anesthetic pain relief
 - Healing was faster
 - In 1 week Stellalife site looked like 1month healing with other (Peridex, PRGF, Periosciences, PRP or Emdogain)
 - Less pain
 - Less problems (did not have to pay attention to it as the other)
 - ✤ Pain level 5 or less first day, less than 3 other days. Comparing to 7 as anticipated.
- Over 150 patients unanimously reported having less problems with the VEGA treated side, recovered more quickly when compared to the controlled side and on average required fewer narcotic pain medications.



Patient 1: CTG immediate w/ VEGA



Courtesy of Dr. Jason Stoner.

Control CTG (with PRGF/ Platelet Rich Growth Factors derived from patient)





Patient 1: 1 Month Post-op

After CTG w/Stellalife



After Control-CTG w/PRGF





Patient 2: CTG Pre-Op

Before Stellalife

Before Control-PRGF





Patient 2: CTG-1 week

After Stellalife







Patient 3: Pre-op (Same patient Lower Quad)

Before Stellalife



Courtesy of Dr. Jason Stoner.

Before Control-Peridex





Patient 3: 1 week Post-op (Same patient Lower Quad)

After Stellalife

After Control-Peridex





Patient 4: Pinhole

Before Stellalife

Before PRGF + Peridex



Patient 4: Pinhole 1 week post-op

After Stellalife

After PRGF + Peridex





Patient 5: Osseous Surgery post-op. Patient is diabetic

Before Stellalife

Before Peridex + Periosciences





Patient 5: osseous surgery 1 week post-op

After Stellalife

After Peridex + Periosciences



