

Aftal™

EFFECTIVE GEL FOR APHTHOUS STOMATITIS



CE European Medical Device CE
Classe I MD --> Class IIB MDR

PACKAGING:

Aluminum tube of 15 ml inserted in a fold box with leaflet.

PRODUCT CLASSIFICATION:

European Medical Device CE Classe I MD --> Class IIB MDR

ACTIVE INGREDIENTS:

European Medical Device CE Classe I MD

ACTIVE INGREDIENTS:

- Aloe Vera 0,25%
- Panthenol-D 0,50%
- Sodium hyaluronate 0,25%
- Vitamin E 0,10%

HOW TO USE:

The cream is for external and internal use.

Apply the gel to fully cover the lesion. If the lesion is difficult to reach, use a clean finger or gauze to help with the application. Avoid touching the area with your tongue for at least 2 minutes to allow the product to stay on the lesion as long as possible.

ALOE VERA

Aloe Vera is well-known for its beneficial properties for skin and mucosal health, thanks to the presence of polysaccharides. These polysaccharides have anti-inflammatory, healing, and immunomodulatory effects, making Aloe particularly useful in the treatment of oral ulcers (canker sores).

PANTHENOL-D

Panthenol-D (provitamin B5) is known for its moisturizing, healing, and soothing properties, making it an excellent ally in the treatment of mouth ulcers.

SODIUM HYALURONATE

Hyaluronic Acid Sodium (salt of Hyaluronic Acid) is an excellent remedy for oral ulcers, thanks to its moisturizing, healing, and protective properties.

VITAMIN E

Vitamin E can offer several benefits for individuals suffering from aphthous stomatitis (canker sores), thanks to its healing and protective properties.