QSS-37 SERIES


			QSS-3701	QSS-3702	QSS-3703	QSS-3704	QSS-3705
Film types	LS-600 / 1100, HS-1800		Color negative and positive, B&W negative	-	-	-	+-
Film formats	LS-600 / 1100		135F, 135H, 135P, 135FP, 135FPS, IX240	-	-	←	+
	HS-1800		110, 135F, 135H, 135P, 135FP, 135FPS, IX240, 6x4.5, 6x6, 6x7, 6x8, 6x9	+	-	+	+
	Standard		FD. HDD. CD-ROM, CD-R. CD-RW, DVD-ROM, DVD-R, DVD+R, DVD-RW, DVD+RW, DVD-RAM	+	+	+	+
Compatible input media*1	Option		Microdrive, CompactFlash, SmartMedia, SD Card, MMC, RS-MMC, Mini SD Card, Memory Stick, Memory Stick Pro, Memory Stick Duo, Memory Stick Pro Duo, XP-Picture Card, USB Flash Memory	←	+	+	+
	Standard		FD. HDD. CD-R. CD-RW. DVD-RAM	←	-	←	+
Compatible output media*1	Option		DVD-R, Microdrive, CompactFlash, SmartMedia, SD Card, MMC, RS-MMC, Minil SD Card, Memory Stick, Memory Stick Pro, Memory Stick Duo, Memory Stick Pro Duo, xD-Picture Card, USB Flash Memory	←	+	+	+
	Paper width		82.5, 89, 102, 114, 117, 120, 127, 130, 152, 165, 178, 203, 210, 216, 240, 254, 279, 305 (mm)	-	+	←	+
Print sizes	Paper advance length		Minimum: 82.5mm Maximum: 457.2mm when the width is 82.5 to 120mm/914.4 when the width is 127 to 305mm	+	+	+	+
Exposure system			Laser exposure system	+	+	+	+
Print resolution			300dpi	-	-	+	+
Film scanning method (LS-600/1100, HS-1800)			Main scanning: Independent line exposure via 3 line CCD Sub scanning: Film movement	+	+	+	+
Paper supply			Dual magazine system (Standard) Triple magazine system (Factory option) / Quad magazine system (Factory option)	+	+	+	-
Order dassification			14 / 17 orders	←	-	8 / 14 / 17 orders	14 / 17 orders
Dimensions			See "External View" below	-	-	←	←
Rated power capacity	AC200-240V 1P2W		5.0 (25A) ~5.5KVA (25A)	←	←	6.1 (31A) ~6.7KVA (31A)	+
	AC200-240V 3P3W		5.0 (16A) ~5.5KVA (16A)	←	←	6.1 (19A) ~6.7KVA (20A)	-
	AC346-415V 3P4W		5.0 (10A) ~5.5KVA (11A)	-	-	6.1 (13A) ~6.7KVA (14A)	+
Weight	Scanner (LS-600/LS-1100/HS-1800)		LS-600: Approx. 16.7kg / LS-1100: Approx. 17.5kg / HS-1800: Approx. 18.6kg	←	-	-	-
	Printer-Processor (Standard specification)		Approx. 539.4kg	Approx. 539.4kg	Approx. 546.4kg	Approx. 605.1kg	Approx. 570.7kg (Fuji chemic
			Estimated processing capacity (prints/hr) [() represents capacity when us	ing high-specification P	C. Only high-spec PC is		
135 negative film (24 exp.)	W127 x 89mm	LS-600	Approx. 600	Approx. 600	Approx. 600	Approx. 600	Approx. 600
		LS-1100	Approx. 900	Approx.1200	Approx.1200	Approx,1200	Approx.1200
	W152 x 102mm	HS-1800	Approx. 900	Approx.1310	Approx,1600 (Approx, 1650)	Approx.2200	Approx.2200
		LS-600	Approx. 600	Approx. 600	Approx. 600	Approx. 600	Approx. 600
		LS-1100	Approx. 900	Approx.1180	Approx.1200	Approx.1200	Approx.1200
		HS-1800	Approx. 900	Approx.1180	Approx.1480	Approx.2000	Approx.2000
	W203 x 254mm	LS-600	Approx. 190	Approx. 270	Approx. 350	Approx. 380	Approx. 380
		LS-1100	Approx. 190	Approx. 270	Approx. 350	Approx. 510	Approx. 580
		HS-1800	Approx. 190	Approx. 270	Approx. 350	Approx. 510	Approx. 600
	W305 x 457mm	LS-600	Approx. 110	Approx.130 (Approx.160)	Approx.130 (Approx. 200)	Approx. 220	Approx. 220
		LS-1100	Approx. 110	Approx.130 (Approx.160)	Approx.130 (Approx. 200)	Approx. 290	Approx. 290
	HS-1800 W127 x 89mm		Approx. 110	Approx.150 (Approx.160)	Approx.150 (Approx. 200)	Approx. 240	Approx. 240
Repeat printing			Approx: 900	Approx.1310	Approx.1650	Approx.2250	Approx.2560
	W152 x 102mm		Approx. 900	Approx.1180	Approx.1480	Approx.2120	Approx.2360
	W203 x 254mm		Approx. 190	Approx. 270	Approx. 350	Approx. 510	Approx. 620
	W305 x 457mm		Approx. 110	Approx. 160	Approx. 200	Approx. 290	Approx. 360
Digital camera (4 megapixels) *2	W127 x 89mm		Approx. 900	Approx.1310	Approx.1650	Approx.2250 Approx.2120	Approx.2560
	W152 x 102mm		Approx. 900	Approx.1180	Approx.1480		Approx.2360
	W203 x 254mm		Approx. 190	Approx. 270	Approx. 350	Approx. 510	Approx. 620
	W305 x 457mm		Approx. 110	Approx. 160	Approx. 200	Approx. 290	Approx. 360
Digital camera (6 megapixels) *3	W127 x 89mm		Approx. 900	Approx.1310	Approx.1500 (Approx. 1650)	Approx.2000	Approx.2000
	W152 x 102mm		Approx. 900	Approx.1180	Approx.1400 (Approx. 1480)	Approx.2000	Approx.2000
	W203 x 254mm		Approx. 190	Approx. 270	Approx. 350	Approx. 510	Approx. 620
	W305 x 457mm		Approx. 110	Approx. 160	Approx. 200	Approx. 290	Approx. 360

- 1 Capacities may vary depending on the PC, card reader used. Capacities shown above represent values when using the computer system supplied by Noritsu Koki. The actual capacity you achieve may be different.

 2 Using 512MB xD Picture Card. 2004 x 1728 pixels per image.


 2 Using 512MB xD Picture Card. 2004 x 2016 pixels per image.

 Calculated according to our criteria. The actual capacity you achieve may be different.



QSS-3704 / 3705

3704 LP-2500G2 + PP-1223G2 3705 LP-2500G2 + PP-1229G2F



Space required for installation (Unit: mm)



May be different depending on the specifications and the magazine unit.

NORITSU KOKI CO., LTD.

The specifications, information, and appearance of the machines herein are subject to change without notice.

(39) 0321-445211



579-1 UMEHARA, WAKAYAMA-SHI, 640-8550, JAPAN PHONE:(81)73-454-0345 FACSIMILE:(81)73-454-0301 | COUNTRY Australia http://www.noritsu.co.jp

All other product and company names herein may be trademarks of their respective owners.

Canada NORITSU, QSS and AccuSmart" are trademarks of Noritsu Koki Co.,Ltd. "Memory Stick" is a trademark of Sony Corporation.

Germany

OFFICE Noritsu Koki Australia Pty. Ltd. Noritsu Do Brasil Ltda. Noritsu Canada Ltd. Canada Nortisu Canada Ltd. 11905-567-3992 | The Cazech Rep. Nortisu (CR) 96, 5 c. 4, 420 241-499921 | China Nortisu (Shanghai) P. E. M. Co., Ltd. (861 21-95168988 | China Nortisu (Shanghai) P. E. M. Co., Ltd. (861 21-95168988 | France Nortisu France E. U. R. L. (33) 157-02-12906 | Creece Nortisu France E. U. R. L. (30) 210-6018906 | Creece Nortisu Hellas Ltd. (30) 210-6018906 | Creece No Noritsu (Deutschland) GmbH Noritsu (Far East) Ltd. Noritsu India Branch

Noritsu Italia S. r. I.

PHONE NO (61) 2-9317-2141 (55) 11-3779-0607 Malaysia (1) 905-567-8982 Russia (33) 1-57-02-12-90 (30) 210-6019506 (49) 2154-9157-0 (852) 2873-4788 (91) 11-41427245

OFFICE COUNTRY Noritsu Koki Malaysia Sdn. Bhd. Noritsu Mexico S.A. De C.V. The Philippine Noritsu Philippines, Inc. Poland South Korea Noritsu (Poland) Sp. z.o.o. Noritsu Seoul Branch Noritsu (R) Ltd. Singapore Taiwan U. A. E. Noritsu Singapore Pte. Ltd. Noritsu Taiwan Co., Ltd. Noritsu Near East Branch U.K. U.S.A. Noritsu (UK) Limited Noritsu America Corporation

PHONE NO (60) 3-78762733 (52) 55-2626-6710 (63) 2-812-8443 (48) 22-863-2800 (82) 2-569-2701 (7) 495-933-6446 (65) 6778-8333 (886) 2-2508-1908 (971) 4-8837556 (44) 1908-371100 (1) 714-521-9040

Printed on recycled paper. 2007.08 TAC OI

NORITSU

A digital minilab with an array of growth-enhancing features suited for the photo retail needs of today and tomorrow.

QSS-37 SERIES QSS-3701/3702/3703/3704/3705





QSS-37 SERIES

Retail print services

High quality! Exciting

Providing high quality prints and exciting value-added services is the key to future success.

The QSS-37 series provides the quality and the exciting solutions

needed to fulfill a diverse range of customer needs.

The perfect product to build your shop around

QSS-37 SERIES

This powerful system will turn your retail outlet into a fun shop with diverse print services to choose from, and keep your customers coming back for more.



The QSS-37 series and a CT-SL input terminal. A perfect combination for digital photo shops!

Let the CT-SL handle your order taking

Customer choice is the wave of the future

Input terminals are already a very popular way for customers to place print orders, and they will gain even more importance in the future. Customers can use the CT-SL to choose which images they want to print, and use the attractive templates to make fun design prints. Furthermore, the CT-SL also enhances efficiency by eliminating order-taking hassle for the lab



Big market potential for cameraphone prints

The CT-SL supports cameraphone prints. It provides a simple, convenient way for consumers to make prints from their cameraphone images, which is a trend that is expected to take off,

A variety of output possibilities with the high-quality QSS-37 SERIES

Attract customers with the wide variety of output possibilities this system provides!

Photofinishers need to do more than just provide 4x6 inch prints to be successful today The ability to make a wide variety of alternate The QSS-37 series is a perfect retail solution. as it is capable of making everything from unique square shaped prints to Jumbo Panorama Prints (12x36 inches).



High quality output for your customers' important images

It easy for customers who have made prints with their home printers to recognize that they are no match to the quality of silver halide prints. With high resolution, high quality digital cameras abound in the market today, everyone is seeking the kind of superior print performance the QSS-37 series provides.

Attract customers and improve revenue with a wide variety of print services







- Many other kinds of print services including Panorama photos
 - Print to print
- ID photos
- Index prints

- Greeting cards
- ●CD/DVD writing
- Enlargements (12 x 18 inches, etc.)
- Prints from positive film



Going all out to bring customer satisfaction



"Quality, Speed, Multi-Function" Three qualities retailers need to satisfy today's customers.

Digital cameras continue to become more prevalent, and the quality of cameraphones has improved. This has resulted in more high resolution images in consumers hands, making speed and quality even more sought after in photo shops than before. The QSS-37 series was designed to provide the quality and speed you need to be successful today, and its flexibility also enables you to adapt to the ever-changing print demands.

Quality

Quality that exceeds anything that can be made at home.

The image quality of digital cameras keeps getting better and better, and now the strong market presence of digital SLR cameras raises the quality bar even further. The QSS-37 series is the perfect choice for outputting these high resolution images, as it has Noritsu's image optimization technology and many other features to fulfill the demand for top quality prints.

Speed

A minimum amount of time is required for each order, whether large or small,

The QSS-37 series features rapid processing, so as to provide a speedy print service for orders of all sizes.

Multi-Function

Get customers in the door with a 4R print service. Take them to the next level with a diverse range of services.

The QSS-37 series supports a wide variety of value-added prints in sizes up to 305 x 914mm (12 x 36 inches).

Ouality

The essence of the photo shop

Noritsu's image processing technology "AccuSmart" is applied to ensure the same high level of quality in each image produced

Noritsu Koki's AccuSmart image processing technology faithfully portrays natural-looking scenes with appropriate correction, and also enables you to perform special correction / manipulation when desired. AccuSmart's diverse correction features enable you to turn all kinds of shots into beautiful pictures.

Automatic correction of dust/scratches on film

- ▶ Digital Ice™
- Digital Masking Option

DIGITAL ICE™ automatically discovers and corrects dust and scratches on the base layer of film, and Digital Masking automatically corrects dust and scratches on the emulsion layer to make blemishfree prints.





Automatic correction resulting in natural-looking scenes. and an array of special-effect correction functions for specific scenes

- Image optimization
- ▶ Special correction software Option

Cross filter software Soft filter software Red eve correction Tone curve correction, etc.





High quality laser engine

The ability to provide professional silver halide quality when delivering prints will be an important sales point for retailers aiming to stay ahead of the competition. Noritsu Koki's digital laser engine produces high quality prints that satisfy even



Speed

One-stop print service

Even large volumes can be printed on the spot

As the resolution of digital cameras increases, we are seeing larger image sizes as well as higher-capacity memory cards. This has lead to the frequent processing of high resolution images and large-volume orders, making the print processing speed a determining factor for photofinishers. The superior processing speed of the QSS-37 series enables rapid processing of large volumes of high resolution images, and thereby ensures that print orders of all sizes are provided smoothly.

055-3701 900 prints / hr

055-3702 1,180 prints / hr 1,480 prints / hr

055-3705

055-3704 2.120 prints / hr

2.360 prints / hr

*Repeat printing. W152x102mm.
Calculated according to our criteria. The actual capacity you achieve may be different.

Rapid processing for a one stop print service (Using specified chemicals)

The QSS-37 series supports rapid processing using a combination of Fujifilm CP-49E chemicals and Fuiifilm Color paper to provide a high quality one-stop print service where the customers can place their order and pick up their prints in the same visit.



EZ Controller (Sold separately)

The EZ Controller takes care of everything from print order management to color correction of the individual images. The EZ Controller can be installed in networked computers, providing a flexible system in which image editing can be carried out with multiple computers.





Multi-Function

A wide variety of prints

Customers can use the CT-SL to make whatever kind of prints they want

Customer-operated terminals can be found in just about every photo shop these days. With its user-friendly GUI and its attractive templates, the CT-SL serves as the customer's gateway to the vast potential of the QSS-37 series.

►CT-SL (sold separately)

A compact consumer-operated terminal that accepts an extensive variety of media The user-friendly touch screen makes placing print orders an enjoyable experience for the customers.



Use Noritsu's wide variety of value-added print services to show your customers how fun making prints can be

An important topic for retailers as they seek revenue sources in the days ahead will be getting customers to do something special with their images, in other words make and display unique hard copies of these images. The QSS-37 series is a perfect solution for answering these demands.

A wide variety of print services from Jumbo Panoramas to Square Photos



CD / DVD writing Option



▶Tiling



Tiling enables you to divide an image into multiple sections and print them on separate

Prints from prints (Flatbed scanner is furnished by the customer



If your customer has a photo that is special to her, you can scan it with a flatbed scanner even if she does not have her negative. Once the photo is turned into digital data, it can be corrected and faded colors can be restored, and then it can be printed over and over agair

the most demanding customers.



pieces of paper, which can be placed together to make a large print.

03



A high level of efficiency ensuring smooth services



The QSS-37 series supports a variety of networks



Triple magazines / Quad magazines (Factory Option)

You can choose to have a dual magazine system (Standard), a triple magazine system (Option), or even a quadruple magazine system (Option)! The ability to set up to four paper magazines provides a huge advantage in paper-replacement efficiency.





Automatic functions

Auto daily setup

Daily setup is carried out automatically using the program timer. This reduces the prep time required before business hours, helping you to reduce labor fees and use your time more efficiently.

Automatic calibration with the colorimeter

The colorimeter is built into the processor. During setup, the setup print is automatically inserted into the colorimeter as it comes out of the dryer.



Control Strip Auto Loading Unit Option

You can set the control strip in the Auto Loading Holder Unit without a leader and set this unit in the processor. Doing so enables the control strip to be processed automatically when processing begins.



Interrupted orders signified by LED lamp

It is possible to interrupt an order to give preference to a rush order, in which case the orders can be distinguished by LED lamps on the order sorter.

A choice of order sorters

There are 2 types of order sorters to choose from for the QSS-3704. You can choose a 6-inch sorter or a 10-inch sorter.





Interrupting orders are indicated by Wide (10 inch) order sorte

#The 10-inch order sorter does not support the LED lamp function.

Bravo II / Rimage (Sold separately)

Automatic CD-R writing is possible with external CD-R writers, which enable thumbnail images to be printed on the face of the CD. These writers can be connected directly to the EZ Controller, helping to keep the system costs at a minimum.







Film scanner can be added according to your needs (Sold separately)

Whatever your input needs may be, the QSS-37 series has you covered. Labs that specialize in prints from digital media do not need to purchase a film scanner.



Scanning capacity (135F) *1

LS-600^{*2} Approx.

LS-1100^{#2} Approx. 600 frames/hr **1,200** frames/hr (1002×1512 pix) (1002×1512 pix)

HS-1800 Approx. 1,600 frames/hr (2,200)*3 (1037×1565 pix)

#1 The print capacity varies according to the printer-processor used. #2 135 / IX240 only. No carrier required

Efficient network system





Display module Option

You can display error messages on the display module even if it is separated from the EZ Controller, This enables you to quickly recognize and solve any problems that may arise.

EZLAB Option ZLAB EZLAB provides an excellent solution when using a network with multiple printers and/or multiple computers, as

it manages all the order data in the

Noritsu Quick Access Option

If you use the optional Noritsu Quick Access, you can output image data to the printer directly without using the EZ Controller or EZLAB. Even novices will find its drag & drop operations easy.



(You must adjust the image size to fit the print size)

05