



Safe in motion... So that you have everything under control.




LATERAL GUIDES

BeeWaTec offers you two types of lateral guides that can be selected depending on customer requirements.

Would you like to use **metal** die to increase load-bearing capacity or protect the part by using **plastic** lateral guides?

- **Metal lateral guides**
- **Plastic lateral guides**




Securely guided with lateral guides



Metal lateral guides

- Aluminium is electrically conductive ⚠
- Increase the load-bearing capacity of castor tracks by up to 100%
- Retain the load in the defined track
- Thus make it possible to clearly separate individual customer products
- Directly on roller track or separately mountable

ARG-35BN Lateral guide for series 35



Aluminium: 125262 ⚠





Material: Aluminium
Length: 4 m
Weight: 0.81 kg/m


AHRG-35B Lateral guide for series 35





Aluminium: 401530 ⚠




Material: Aluminium
Length: 4 m
Weight: 1,083 kg/m

ARG-35C Lateral guide for series 35


Material: Aluminium
Length: 4 m
Weight: 0.52 kg/m

ARG-4030BL Lateral guide for series 40



Material: Aluminium
Web height: 30 mm
Length: 2,5 m
Weight: 0.87 kg/m

ARG-4030BL Lateral guide for series 40



Material: Aluminium
Web height: 30 mm
Length: 4 m
Weight: 0.87 kg/m

ARG-40C Lateral guide for series 40


Material: Aluminium
Length: 4 m
Weight: 0.62 kg/m

ARG-40F Lateral guide for series 40



Material: Aluminium
Length: 4 m
Weight: 1.11 kg/m

AHRG-40B Lateral guide for series 40



Material: Aluminium
Length: 4 m
Weight: 1.854 kg/m

ARG-4045BL Lateral guide for series 40



Material: Aluminium
Web height: 45 mm
Length: 4 m
Weight: 0.91 kg/m

AHRG-60B Lateral guide for series 60


Material: Aluminium
Length: 4 m
Weight: 1.186 kg/m

ARG-60C Lateral guide


Material: Aluminium
Length: 4 m
Weight: 0.59 kg/m

ARG-40A Lateral guide for series 40


Material: Aluminium
Length: 4 m
Weight: 0.53 kg/m

ARG-4032AN New Lateral guide for series 40

Material: Aluminium
Length: 4 m
Weight: 0.67 kg/m

ARG-4032BN Lateral guide for series 40


Material: Aluminium
Web height: 32 mm
Length: 4 m
Weight: 0.63 kg/m

ARG-40D Lateral guide for series 40

Material: Aluminium
Length: 3 m
Weight: 0.52 kg/m

ASG-28B Lateral guide with high web


• For mounting slide pipe GS-...



Material: Aluminium
Length: 4 m
Weight: 0.823 kg/m

ASG-28C Lateral guide with low bridge

• For mounting slide pipe GS-...



Material: Aluminium
Length: 4 m
Weight: 0.713 kg/m

Z-1630 L angle profile, galvanized

Thickness: 1.8 mm
Length: 1.8 m
Weight: 1.3 kg

You show the way.
Plastic lateral guides.


Plastic lateral guides

- Protect the components
- Ensure that individual components are clearly separated
- Directly on roller track or separately mountable

RG-35B Lateral guide for series 35



Grey: 112044
BK: 401688




Material: PVC
Length: 4 m
Weight: 0.86 kg/m

RG-40B Lateral guide for series 40



VGD: 132077
W: 120340
BK: 401318




Material: PVC
Length: 4 m
Weight: 0.97 kg/m

RG-40B40 Lateral guide for series 40



VGD: 128402
BK: 402110




Material: PVC
Length: 4 m
Weight: 1.1 kg/m

SG-28A Lateral guide



Grey: 112251
BK: 100421




Material: PVC
Length: 4 m
Weight: 0.42 kg/m

RG-40A Lateral guide for series 40



W: 120954



Material: PVC
Length: 4 m
Weight: 0.5 kg/m

AS-1-G Guide rail made of PVC




Grey: 113566

- Width in the middle: 32 mm
- Total width: 70 mm
- Height 1: 34 mm
- Height 2: 25 mm

Weight: 800 g
Length: 4 m
Thickness: 4 mm

L-Type Guide profile made of PVC in L-Type



Art. No.	Name	Thickness (T)	Height (H)	Width (W)	Length (L)	Colour
100413	AL-1-E	3 mm	30 mm	50 mm	4 m	Black
113560	AL-4-G	4 mm	80 mm	90 mm	4 m	Grey
100414	AL-5B-E	4 mm	50 mm	50 mm	4 m	Black
100393	AL-5B-I	4 mm	50 mm	50 mm	3 m	Ivory
113565	AL-8-G	4 mm	50 mm	100 mm	4 m	Grey

Roller tracks



Roller tracks with steel body and pushed-in axle

Roller tracks with steel body
and inserted axle

Roller tracks with aluminium body and inserted axle