

# K5200 Assembly Instructions



## Items Required for Assembly:

- K5200 Boxes: K5200-1, K5200-2 and K5200-3
- Tools Needed: Phillips Head Screwdriver

Note: Assembly can be done with just one person, but is recommended to have another for assistance in some parts of assembly.

Unpack Boxes: K5200-1, K5200-2 and K5200-3 (2 Lower Sections and Top)



**\*\*Parts Bag Includes:**

- Wooden Dowel Pins (Qty. 4)
- Cam Lock Nuts (Qty. 4)
- Cam Lock Screws (Qty. 4)




**\*\*Note:** Parts bags are in the drawers of boxes K5200-1 and K5200-2. You should have 2 bags of parts totaling to 8 pieces per item.

1) Unscrew the drawer and cabinet handles that are positioned on the inside and position them on the outside.



2) Using a Phillips Head Screwdriver, screw in the Cam Lock Screws into the top and bottom row of the table top and place the Wooden Dowels in the middle rows of the table top.



3) Take the Cam Lock Nuts and insert them into the holes with the open section facing upward into each hole located in the open spaced shelf of each lower section.



4) Take the top and insert the Cam Lock Screws and Wooden Dowels that are sticking out of the top into the top holes of each lower section.



Note: This step is easier with the assistance of another person to rotate the top and position to each lower section.

5) With the top fully seated, lock all of the Cam Nuts using a Phillips Head Screwdriver and turn them clockwise. You will feel the Cam Nut grab onto the Cam Screw as you turn the Screwdriver.



6) The assembly of your Caroline Manicure Table is now complete.



Note: When moving your Manicure Table to desired location, it is best to have a person at each side lifting from the lower section sides and not the top itself as it will damage your Manicure Table.

Note: Keller International does NOT claim any responsibility for damages due to modifications done to the unit or damages due to negligence and any damages from improper setup to the unit.