




Product	Material	Size Range	Walls/Pressure
Dresser Pipeline Products			
Dresser Style 38 Coupling 	For Steel, Cast & Ductile Pipe	½" to 24" NPS	Up to 2250 psi
Dresser Style 40 Coupling 	For Steel, Cast & Ductile Pipe	½" to 24" NPS	Up to 2250 psi
Dresser Style 118 Handiband™ Clamp 	For Steel Pipe	½" to 8"	NA
Dresser Style 360 Full Circle Repair Clamp 	For Steel, Cast & Ductile Pipe	2" to 30"	Up to 250 psi
Flanges			
Weld Neck	 A105, Stainless Steel 304, Stainless Steel 316, Alloy 20, Alloy 200, Alloy 400, Alloy 600, Duplex 2205	A105 -1/2" to 48"	150# to 600#
Slip-on		SS304 – ½" to 24"	150# to 600#
Socket Weld		SS316 – ½" to 24"	150# to 600#
Threaded		A20 - ½" to 12"	150#, 300#
Lap Joint		A200 – ½" to 12"	150#, 300#
Blind		A400 – ½" to 12" A600 – ½" to 12"	150#, 300# 150#, 300#

Product	Material	Size Range	Walls/Pressure	
Buttweld Fittings				
Elbow Long Radius 90		<ul style="list-style-type: none"> A234WPB Stainless Steel 304 	<ul style="list-style-type: none"> A234 WPB - ½" to 48" All Walls 	
Elbow Short Radius 90				
Elbow Long Radius 45				
Tee				
Lap Joint Stub Ends (ASA-Type A)		<ul style="list-style-type: none"> Stainless Steel 316 Alloy 20 Alloy 200 Alloy 400 	<ul style="list-style-type: none"> SS304, SS316 - ½" to 36" Duplex 2205 - ½" to 8" SCH 10S, 40S, 80S 	
Lap Joint Stub Ends (MSS-Type A)				
Flared Nipple (Type C)				
Cap		<ul style="list-style-type: none"> Alloy 600 Duplex 2205 	<ul style="list-style-type: none"> A20, A200, A400, A600 - ½" to 12" SCH 10S, 40S, 80S 	
Reducing Tee				
Concentric Reducer				
Eccentric Reducer	Pressure Fittings - Threaded			
Elbow 90 Deg.		<ul style="list-style-type: none"> A105 Stainless Steel 304 	<ul style="list-style-type: none"> A105 - 1/8" to 4" 150#, 3000#, 6000#, 9000# 	
Elbow 45 Deg.				
Tee				
Cross				
90 Deg. Street Elbow		<ul style="list-style-type: none"> Stainless Steel 316 Alloy 20 	<ul style="list-style-type: none"> SS304, SS316, Alloy 20 - 1/8" to 4" 150#, 3000#, 6000#, 9000# 	
King Combo				
Coupling				
Reducing Coupling		<ul style="list-style-type: none"> Alloy 200 Alloy 400 Alloy 600 	<ul style="list-style-type: none"> Alloy 200, Alloy 400, Alloy 600 - ½" to 2" 3000# 	
Half Coupling				
Hex Head Plug				
Hex Head Bushing	Pressure Fittings - Threaded			
Counter Sunk Hex Plug	Pressure Fittings - Threaded			
Union	Pressure Fittings - Threaded			
Cap	Pressure Fittings - Threaded			

Call 281.516.8100 or email sales@trupply.com

Product	Material	Size Range	Walls/Pressure
Pressure Fittings – Socket Weld			
Elbow 90 Deg. Elbow 45 Deg. Tee Cross	<ul style="list-style-type: none"> A105 Stainless Steel 304 	<ul style="list-style-type: none"> A105 – 1/8" to 4" 	<ul style="list-style-type: none"> 6000#, 9000#
90 Deg. Street Elbow	<ul style="list-style-type: none"> Stainless Steel 316 		
King Combo	<ul style="list-style-type: none"> Alloy 20 	<ul style="list-style-type: none"> SS304, SS316, Alloy 20 – 1/8" to 4" 	<ul style="list-style-type: none"> 3000#, 6000#, 9000#
Coupling	<ul style="list-style-type: none"> Alloy 200 		
Reducing Coupling	<ul style="list-style-type: none"> Alloy 400 		
Half Coupling	<ul style="list-style-type: none"> Alloy 600 	<ul style="list-style-type: none"> Alloy 200, Alloy 400, Alloy 600 – 1/2" to 2" 	<ul style="list-style-type: none"> 3000#
Pipes & Tubes			
Seamless Pipe	 <ul style="list-style-type: none"> A106B Stainless 304 Stainless 316 Alloy 20 Alloy 200 Alloy 400 Alloy 600 	<ul style="list-style-type: none"> A106B – 1/2" to 36" SS 304 – 1/8" to 24" SS316 – 1/8" to 24" Alloy 20, 200, 400 & 600 – 1/8" to 8" 	<ul style="list-style-type: none"> A106B – All schedules SS304, SS 316 – All schedules Alloys – SCH 10S, 40S, 80S
Welded Pipe	 <ul style="list-style-type: none"> Stainless 304 Stainless 316 Alloy 20 Alloy 200 Alloy 400 Alloy 600 	<ul style="list-style-type: none"> SS 304 – 1/4" to 36" SS316 – 1/4" to 24" Alloy 20 – 3" to 12" Alloy 200, 400 & 600 – 8" to 12" 	<ul style="list-style-type: none"> SS304, SS 316 – All schedules Alloys – SCH 10S, 40S
Tubing	 <ul style="list-style-type: none"> A106B Stainless 304 Stainless 316 Alloy 20 Alloy 400 	<ul style="list-style-type: none"> A106B – 1/8" to 1.5" SS 304, SS 316 – 1/8" to 1/2" Alloy 20 – 3/8" to 1/2" Alloy 400 – 1/4" to 1/2" 	<ul style="list-style-type: none"> A106B – All schedules SS304, SS 316 – All schedules Alloys – SCH 10S, 40S, 80S

Call 281.516.8100 or email sales@trupply.com