

NOMINAL PIPE SIZE INCH MM	OUTSIDE DIAMETER INCH MM	ASME SCHEDULE		WALL THICKNESS		PRESSURE		INSIDE DIAMETER		
		SCH	SS	INCH	MM	LBS/FT	KG/M	INCH	MM	
1/8 6	0.405 10.3	STD	10	10S	0.049	1.24	0.19	0.28	0.307	7.82
		XS	40	40S	0.068	1.73	0.24	0.37	0.269	6.84
		XX	80	80S	0.095	2.41	0.31	0.47	0.215	5.84

1/4 8	0.54 13.7	STD	10	10S	0.065	1.65	0.33	0.49	0.410	10.40
		XS	40	40S	0.088	2.24	0.43	0.63	0.364	9.22
		XX	80	80S	0.119	3.02	0.54	0.80	0.302	7.66

3/8 10	0.675 17.1	STD	10	10S	0.065	1.65	0.42	0.63	0.545	13.80
		XS	40	40S	0.091	2.31	0.57	0.84	0.493	12.48
		XX	80	80S	0.126	3.20	0.74	1.1	0.423	10.70

1/2 15	0.84 21.3	STD	5	5S	0.065	1.65	0.54	0.80	0.710	18.00
			10	10S	0.083	2.11	0.67	1.00	0.674	17.08
			40	40S	0.109	2.77	0.85	1.27	0.622	15.76
		XS	80	80S	0.147	3.73	1.09	1.62	0.546	13.84
			160		0.188	4.78	1.31	1.95	0.464	11.74
			XX		0.294	7.47	1.72	2.55	0.252	6.36

3/4 20	1.05 26.7	STD	5	5S	0.065	1.65	0.69	1.03	0.920	23.40
			10	10S	0.083	2.11	0.86	1.28	0.884	22.48
			40	40S	0.113	2.87	1.13	1.69	0.824	20.96
		XS	80	80S	0.154	3.91	1.48	2.20	0.742	18.88
			160		0.219	5.56	1.95	2.90	0.612	15.58
XX		0.308	7.82	2.44	3.64	0.434	11.06			

1 25	1.315 33.4	STD	5	5S	0.065	1.65	0.87	1.29	1.185	30.10
			10	10S	0.109	2.77	1.41	2.09	1.097	27.86
			40	40S	0.133	3.38	1.68	2.50	1.049	26.64
		XS	80	80S	0.179	4.55	2.17	3.24	0.957	24.30
			160		0.250	6.35	2.85	4.24	0.815	20.70
			XX		0.358	9.09	3.66	5.45	0.599	15.22

1-1/4 32	1.66 42.2	STD	5	5S	0.065	1.65	1.11	1.65	1.530	38.90
			10	10S	0.109	2.77	1.81	2.69	1.442	36.66
			40	40S	0.140	3.56	2.27	3.39	1.380	35.08
		XS	80	80S	0.191	4.85	3.00	4.47	1.278	32.50
			160		0.250	6.35	3.77	5.61	1.160	29.50
XX		0.382	9.70	5.22	7.77	0.896	22.80			

1-1/2 40	1.9 48.3	STD	5	5S	0.065	1.65	1.28	1.90	1.770	45.00
			10	10S	0.109	2.77	2.09	3.11	1.682	42.76
			40	40S	0.145	3.68	2.72	4.05	1.610	40.94
		XS	80	80S	0.200	5.08	3.63	5.41	1.500	38.14
			160		0.281	7.14	4.86	7.25	1.338	34.02
XX		0.400	10.15	6.41	9.55	1.100	28.00			

2 50	2.375 60.3	STD	5	5S	0.065	1.65	1.61	2.39	2.245	57.00
			10	10S	0.109	2.77	2.64	3.93	2.157	54.76
			40	40S	0.154	3.91	3.66	5.44	2.067	52.48
		XS	80	80S	0.218	5.54	5.03	7.48	1.939	49.22
			160		0.344	8.74	7.47	11.11	1.687	42.82
XX		0.436	11.07	9.04	13.44	1.503	38.16			

2-1/2 65	2.875 73	STD	5	5S	0.083	2.11	2.48	3.69	2.709	68.78
			10	10S	0.120	3.05	3.53	5.26	2.635	66.90
			40	40S	0.203	5.16	5.80	8.63	2.469	62.68
		XS	80	80S	0.276	7.01	7.67	11.41	2.323	58.98
			160		0.375	9.53	10.02	14.92	2.125	53.94
XX		0.552	14.02	13.71	20.39	1.771	44.96			

3 80	3.5 88.9	STD	5	5S	0.083	2.11	3.03	4.52	3.334	84.68
			10	10S	0.120	3.05	4.34	6.46	3.260	82.80
			40	40S	0.216	5.49	7.58	11.29	3.068	77.92
		XS	80	80S	0.300	7.62	10.26	15.27	2.900	73.66
			160		0.438	11.13	14.34	21.35	2.624	66.64
XX		0.600	15.24	18.60	27.68	2.300	58.42			

3-1/2 90	4 101.6	STD	5	5S	0.083	2.11	3.48	5.18	3.834	97.38
		XS	10	10S	0.120	3.05	4.98	7.41	3.760	95.50
		XX	40	40S	0.226	5.74	9.12	13.57	3.548	90.12
			80	80S	0.318	8.08	12.52	18.64	3.364	85.44
					0.636	16.15	22.87	34.03	2.728	69.30

4 100	4.5 114.3	STD	5	5S	0.083	2.11	3.92	5.84	4.334	110.08
			10	10S	0.120	3.05	5.62	8.37	4.260	108.20
			40	40S	0.156	3.96	7.24	10.78	4.188	106.38
		XS	80	80S	0.237	6.02	10.80	16.08	4.026	102.26
			160		0.337	8.56	15.00	22.32	3.826	97.18
					0.438	11.13	19.02	28.32	3.624	92.04
					0.531	13.49	22.53	33.54	3.438	87.32
					0.674	17.12	27.57	41.03	3.152	80.06

4-1/2 115	5 127	STD	40	40S	0.247	6.27	12.55	18.67	4.506	114.46
		XS	80	80S	0.355	9.02	17.63	26.24	4.290	108.96
		XX			0.710	18.03	32.56	48.45	3.580	90.94

5 125	5.563 141.3	STD	5	5S	0.109	2.77	6.36	9.46	5.345	135.76
			10	10S	0.134	3.40	7.78	11.56	5.295	134.50
			40	40S	0.258	6.55	14.63	21.77	5.047	128.20
		XS	80	80S	0.375	9.53	20.80	30.97	4.813	122.24
			160		0.500	12.70	27.06	40.28	4.563	115.90
XX		0.625	15.88	32.99	49.12	4.313	109.54			
					0.750	19.05	38.59	57.43	4.063	103.20

6 150	6.625 168.3	STD	5	5S	0.109	2.77	7.59	11.31	6.407	162.76
			10	10S	0.134	3.40	9.30	13.83	6.357	161.50
			40	40S	0.280	7.11	18.99	28.26	6.065	154.08
		XS	80	80S	0.432	10.97	28.60	42.56	5.761	146.36
			120		0.562	14.27	36.43	54.21	5.501	139.76
			160		0.719	18.26	45.39	67.57	5.187	131.78
XX		0.864	21.95	53.21	79.22	4.897	124.40			

7 175	7.625 193.7	STD	40	40S	0.301	7.65	23.57	35.10	7.023	178.40
		XS	80	80S	0.500	12.70	38.08	56.69	6.625	168.30
		XX			0.875	22.23	63.14	94.00	5.875	149.24

8 200	8.625 219.1	STD	5	5S	0.109	2.77	9.92	14.78	8.407	213.56
			10	10S	0.148	3.76	13.41	19.97	8.329	211.58
			20		0.250	6.35	22.38	33.32	8.125	206.40
		XS	30		0.277	7.04	24.72	36.82	8.071	205.02
			40	40S	0.322	8.18	28.58	42.55	7.981	202.74
			60		0.406	10.31	35.67	53.09	7.813	198.48
			80	80S	0.500	12.70	43.43	64.64	7.625	193.70
			100		0.594	15.09	51.00	75.92	7.437	188.92
			120		0.719	18.26	60.77	90.44	7.187	182.58
			140		0.812	20.62	67.82	100.93	7.001	177.86
XX		0.875	22.23	72.49	107.93	6.875	174.64			
					0.906	23.01	74.76	111.27	6.813	173.08

9 225	9.625 244.5	STD	40	40S	0.342	8.69	33.94	50.54	8.941	227.12
		XS	80	80S	0.500	12.70	48.77	72.60	8.625	219.10
		XX			0.875	22.23	81.85	121.85	7.875	200.04

10 250	10.75 273	STD	5	5S	0.134	3.40	15.21	22.61	10.482	266.20
			10	10S	0.165	4.19	18.67	27.78	10.420	264.62
			20		0.188	4.78	21.23	31.62	10.374	263.44
		XS	30		0.250	6.35	28.06	41.76	10.250	260.30
			40	40S	0.307	7.80	34.27	51.01	10.136	257.40
			60		0.365	9.27	40.52	60.29	10.020	254.46
			80	80S	0.500	12.70	54.79	81.53	9.750	247.60
			100		0.594	15.09	6			

NOMINAL PIPE SIZE INCH MM	OUTSIDE DIAMETER INCH MM	ASME SCHEDULE		WALL THICKNESS		PRESSURE		INSIDE DIAMETER		
		SCH	SS	INCH	MM	LBS/FT	KG/M	INCH	MM	
16 400	16 406.4	STD XS	10S 40S 80S	10S	0.188	4.78	31.78	47.34	15.624	396.84
				10	0.250	6.35	42.09	62.65	15.500	393.70
				20	0.312	7.92	52.32	77.83	15.376	390.56
				30	0.375	9.53	62.64	93.27	15.250	387.34
				40	0.500	12.70	82.85	123.31	15.000	381.00
				60	0.656	16.66	107.60	160.13	14.688	373.08
				90	0.844	21.44	136.74	203.54	14.312	363.52
				100	1.031	26.19	164.98	245.57	13.938	354.02
				120	1.219	30.96	192.61	286.66	13.562	344.48
				140	1.438	36.53	223.85	333.21	13.124	333.34
				160	1.594	40.49	245.48	365.38	12.812	325.42

NOMINAL PIPE SIZE INCH MM	OUTSIDE DIAMETER INCH MM	ASME SCHEDULE		WALL THICKNESS		PRESSURE		INSIDE DIAMETER		
		SCH	SS	INCH	MM	LBS/FT	KG/M	INCH	MM	
24 600	24 610	STD XS	10 40S 80S	10	0.250	6.35	63.47	94.53	23.500	597.30
				20	0.375	9.53	94.71	141.12	23.250	590.94
				30	0.500	12.70	125.61	187.07	23.000	584.60
				40	0.562	14.27	140.81	209.65	22.876	581.46
				60	0.688	17.48	171.45	255.43	22.624	575.04
				80	0.969	24.61	238.57	355.28	22.062	560.78
				100	1.219	30.96	296.86	442.11	21.562	548.08
				120	1.531	38.89	367.74	547.74	20.938	532.22
				140	1.812	46.02	429.79	640.07	20.376	517.96
				160	2.062	52.37	483.57	720.19	19.876	505.26
				160	2.344	59.54	542.64	808.27	19.312	490.92

NOMINAL PIPE SIZE INCH MM	OUTSIDE DIAMETER INCH MM	ASME SCHEDULE		WALL THICKNESS		PRESSURE		INSIDE DIAMETER		
		SCH	SS	INCH	MM	LBS/FT	KG/M	INCH	MM	
18 450	18 457	STD XS	10S 40S 80S	10S	0.188	4.78	35.80	53.31	17.624	447.44
				10	0.250	6.35	47.44	70.57	17.500	444.30
				20	0.312	7.92	58.99	87.71	17.376	441.16
				30	0.375	9.53	70.65	105.17	17.250	437.94
				40	0.438	11.13	82.23	122.38	17.124	434.74
				60	0.500	12.70	93.54	139.16	17.000	431.60
				80	0.562	14.27	104.76	155.81	16.876	428.46
				100	0.750	19.05	138.30	205.75	16.500	418.90
				120	0.938	23.83	171.08	254.57	16.124	409.34
				140	1.156	29.36	208.15	309.64	15.688	398.28
				160	1.375	34.93	244.37	363.58	15.250	387.14
160	1.562	39.67	274.48	408.28	14.876	377.66				
160	1.781	45.24	308.79	459.39	14.438	366.52				

NOMINAL PIPE SIZE INCH MM	OUTSIDE DIAMETER INCH MM	ASME SCHEDULE		WALL THICKNESS		PRESSURE		INSIDE DIAMETER		
		SCH	SS	INCH	MM	LBS/FT	KG/M	INCH	MM	
26 650	26 660	STD XS	10 40S 80S	10	0.312	7.92	85.68	127.36	25.376	644.16
				20	0.375	9.53	102.72	152.88	25.250	640.94
				30	0.500	12.70	136.30	202.74	25.000	634.60

NOMINAL PIPE SIZE INCH MM	OUTSIDE DIAMETER INCH MM	ASME SCHEDULE		WALL THICKNESS		PRESSURE		INSIDE DIAMETER		
		SCH	SS	INCH	MM	LBS/FT	KG/M	INCH	MM	
20 500	20 508	STD XS	10S 40S 80S	10S	0.218	5.54	46.10	68.61	19.564	496.92
				10	0.250	6.35	52.78	78.56	19.500	495.30
				20	0.375	9.53	78.67	117.15	19.250	488.94
				30	0.500	12.70	104.23	155.13	19.000	482.60
				40	0.594	15.09	123.23	183.43	18.812	477.82
				60	0.812	20.62	166.56	247.84	18.376	466.76
				80	1.031	26.19	209.06	311.19	17.938	455.62
				100	1.281	32.54	256.34	381.55	17.438	442.92
				120	1.500	38.10	296.65	441.52	17.000	431.80
				140	1.750	44.45	341.41	508.15	16.500	419.10
				160	1.969	50.01	379.53	564.85	16.062	407.98

NOMINAL PIPE SIZE INCH MM	OUTSIDE DIAMETER INCH MM	ASME SCHEDULE		WALL THICKNESS		PRESSURE		INSIDE DIAMETER		
		SCH	SS	INCH	MM	LBS/FT	KG/M	INCH	MM	
28 700	28 711	STD XS	10 40S 80S	10	0.312	7.92	92.35	137.32	27.376	695.16
				20	0.375	9.53	110.74	164.86	27.250	691.94
				30	0.500	12.70	146.99	218.71	27.000	685.60
30	0.625	15.88	182.90	272.23	26.750	679.24				

NOMINAL PIPE SIZE INCH MM	OUTSIDE DIAMETER INCH MM	ASME SCHEDULE		WALL THICKNESS		PRESSURE		INSIDE DIAMETER		
		SCH	SS	INCH	MM	LBS/FT	KG/M	INCH	MM	
22 550	22 559	STD XS	10S 40S 80S	10S	0.218	5.54	50.76	75.55	21.564	547.92
				10	0.250	6.35	58.13	86.55	21.500	546.30
				20	0.375	9.53	86.69	129.14	21.250	539.94
				30	0.500	12.70	114.92	171.10	21.000	533.60
				40	0.875	22.23	197.60	294.27	20.250	514.54
				60	1.125	28.58	251.05	373.85	19.750	501.84
				80	1.375	34.93	303.16	451.45	19.250	489.14
				100	1.625	41.28	353.94	527.05	18.750	476.44
				120	1.875	47.63	403.38	600.67	18.250	463.74
				140	2.125	53.98	451.49	672.30	17.750	451.04
				160	2.125	53.98	451.49	672.30	17.750	451.04

NOMINAL PIPE SIZE INCH MM	OUTSIDE DIAMETER INCH MM	ASME SCHEDULE		WALL THICKNESS		PRESSURE		INSIDE DIAMETER		
		SCH	SS	INCH	MM	LBS/FT	KG/M	INCH	MM	
30 750	30 762	STD XS	10 40S 80S	10	0.312	7.92	99.02	147.29	29.376	746.16
				20	0.375	9.53	118.76	176.85	29.250	742.94
				30	0.500	12.70	157.68	234.68	29.000	736.60
30	0.625	15.88	196.26	292.20	28.750	730.24				

PIPE GRADE SPECS

A-106			API 5L						
TYPE	GRADE	YIELD TENSILE	TYPE	GRADE	YIELD TENSILE				
SMLS	A	30,000 48,000	SMLS	A25	25,000 45,000				
	B	35,000 60,000		A	30,000 48,000				
	C	40,000 70,000		ERW	B	35,000 60,000			
A-333	SMLS	6	35,000 60,000	DSAW	B	35,000 60,000			
							CW	X-42	42,000 63,000
								X-46	46,000 66,000
								X-52	52,000 75,000
X-60	65,000 77,000								
A-53	SMLS	A	30,000 48,000	ERW	B	35,000 60,000			
							CW	X-70	70,000 82,000

PRODUCT LIST

PIPES	FITTINGS	TEES & SADDLES	DRESSER PRODUCTS
SIZE 1/8" - 60" TYPE SMLS ERW DSAW CW	SIZE 1/2" - 78" WALL All Schedules CLASS 150# - 9000# MAT Carbon Stainless High Yield STYLE Butt weld Threaded Socket TYPE Reducer Elbow Tee Cross Cap Coupling Union	SIZE NOM: 2" - 36" BRANCH: 2" - 8" TYPE Hot Tap Tee Full Encircle Partial Encircle VALVES SIZE 1/4" - 36" CLASS 150# - 2500# MAT Forged Steel Cast Iron END Flanged Socket Threaded Butt weld Type Gate Globe Check Ball Y-Strainer Knife Gate	SIZE 1/2" - 24" PSI up to 2250 MAT Steel Pipe Cast Iron Pipe Ductile Iron Pipe TYPE Coupling Clamp Sleeve Joint Fitting Saddle Cap Flange Adapter Gasket Bolt
FLANGES SIZE 1/2" - 72" FACE RF, FF, RTJ CLASS 150# - 2500# MAT Carbon Stainless High Yield Chrome Nickel Alloy TYPE Weld Neck Long Weld Neck Socket Slip On Threaded Lap Joint Blind			

PIPES | TUBES | FLANGES | BUTTWELD & PRESSURE FITTINGS | DRESSER PIPELINE PRODUCTS

Email: sales@trupply.com

Office: (281) 516-8100



www.trupply.com