

**Safety Data Sheet**  
 according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
 OSHA GHS


Printing date 14.01.2015

Revision: 14.01.2015

**SECTION 1: Identification of the substance/mixture and of the company/  
 undertaking**

- **1.1 Product identifier** SDS 920
- **Trade name:** TopCat Chair-Guard Aerosol
- **Article number:** 3528
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
 No further relevant information available.
- **Application of the substance / the mixture** Surface cleaning
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
 Palmero Health Care  
 120 Goodwin Place  
 Stratford, CT 06615  
 Phone: (203) 377-6424  
 Email: customerservice@palmerohealth.com
- **1.4 Emergency telephone number:**  
 ChemTel Inc.  
 (800)255-3924, +1 (813)248-0585

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
 Classifications listed also are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).  
 The following Hazard Statements are applicable only according to OSHA regulations within the United States. These Statements are not applicable for the CLP regulation (1272/2008/EC) in the EU: H317, H320.
-  Skin Sens. 1 H317: May cause an allergic skin reaction.  
  
 GHS07 Eye Irritation 2B  
 H320: Causes eye irritation. (General GHS Only)  
 H229 Pressurised container: May burst if heated.
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Not applicable.
- **Information concerning particular hazards for human and environment:**  
 The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.  
 Warning! Pressurised container.
- **Classification system:**  
 The classification is according to the latest editions of the EU-lists, and extended by company and literature data.  
 The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

(Contd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date 14.01.2015

Revision: 14.01.2015

Trade name: TopCat Chair-Guard Aerosol

(Contd. of page 1)

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008

The following Hazard Statements are applicable only according to OSHA regulations within the United States. These Statements are not applicable for the CLP regulation (1272/2008/EC) in the EU: H317.

The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS).

The product is classified and labelled according to the CLP regulation.

### Hazard pictograms



GHS07 - USA Only.

### Signal word Warning

### Hazard statements

The following Hazard Statements are applicable only according to OSHA regulations within the United States. These Statements are not applicable for the CLP regulation (1272/2008/EC) in the EU: H317.

H317: May cause an allergic skin reaction.

H320: Causes eye irritation (General GHS Only)

H229 Pressurised container: May burst if heated.

### Precautionary statements

The following Precautionary Statements are applicable only to the OSHA GHS regulations and not the specific CLP regulation: P305+P351+P338.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P251 Pressurized container: Do not pierce or burn, even after use.

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### Additional information:

Contains Lemon Oil. May produce an allergic reaction.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

4,2 % by mass of the contents are flammable

### Hazard description:

• **WHMIS-symbols:** Not hazardous under WHMIS.

• **NFPA ratings (scale 0 - 4)**



Health = 0

Fire = 0

Reactivity = 1

(Contd. on page 3)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date 14.01.2015

Revision: 14.01.2015

Trade name: TopCat Chair-Guard Aerosol

(Contd. of page 2)

### HMIS-ratings (scale 0 - 4)

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	1	Reactivity = 1

### HMIS Long Term Health Hazard Substances

None of the ingredients are listed.

### 2.3 Other hazards

#### Results of PBT and vPvB assessment


















- PBT: Not applicable.
- vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

#### Dangerous components:

CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0	butane  F+ R12  Flam. Gas 1, H220  Press. Gas C, H280	2,5-10%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5	propane  F+ R12  Flam. Gas 1, H220  Press. Gas C, H280	≤ 2,5%
	Surfactant Blend - proprietary  Xn R22;  Xi R38-41  Eye Dam. 1, H318  Acute Tox. 4, H302; Skin Irrit. 2, H315	≤ 2,5%
CAS: 8008-56-8	Lemon Oil  Xi R38;  Xi R43;  N R50/53  Flam. Liq. 3, H226  Asp. Tox. 1, H304  Aquatic Acute 1, H400; Aquatic Chronic 1, H410  Skin Irrit. 2, H315; Skin Sens. 1, H317	≤ 2,5%

• **Additional information:** For the wording of the listed risk phrases refer to section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information:

Immediately remove any clothing soiled by the product.  
Take affected persons out into the fresh air.

(Contd. on page 4)

**Safety Data Sheet**  
**according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and**  
**OSHA GHS**

Printing date 14.01.2015

Revision: 14.01.2015

Trade name: TopCat Chair-Guard Aerosol

(Contd. of page 3)

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
 Immediately rinse with water.  
 If skin irritation continues, consult a doctor.  
 If skin irritation or rash occurs: Get medical advice/attention.
- **After eye contact:**  
 Protect unharmed eye.  
 Remove contact lenses if worn.  
 Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**  
 Rinse out mouth and then drink plenty of water.  
 Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**  
 Headache  
 Breathing difficulty  
 Dizziness  
 Frostbite  
 May cause gastro-intestinal irritation if ingested.  
 Nausea in case of ingestion.  
 Allergic reactions
- **Hazards** Danger of impaired breathing.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
 If swallowed, gastric irrigation with added, activated carbon.  
 Treat skin and mucous membrane with antihistamine and corticoid preparations.  
 Contains Lemon Oil. May produce an allergic reaction.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
 CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**  
 Formation of toxic gases is possible during heating or in case of fire.  
 Danger of receptacles bursting because of high vapour pressure when heated.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
 Wear self-contained respiratory protective device.  
 Wear fully protective suit.
- **Additional information**  
 Eliminate all ignition sources if safe to do so.  
 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.  
 Cool endangered receptacles with water fog or haze.

(Contd. on page 5)

**Safety Data Sheet**  
 according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
 OSHA GHS

Printing date 14.01.2015

Revision: 14.01.2015

Trade name: TopCat Chair-Guard Aerosol

(Contd. of page 4)

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Remove ignition sources.

Protect from heat

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective clothing.

**6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.**6.3 Methods and material for containment and cleaning up:**

Allow to evaporate.

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

**6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Use only in well ventilated areas.

Do not spray on flame or other ignition sources. No smoking.

Avoid splashes or spray in enclosed areas.

**Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

Emergency cooling must be available in case of nearby fire.

**7.2 Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:**

Avoid storage near extreme heat, ignition sources or open flame.

Observe official regulations on storing packagings with pressurised containers.

**Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidising agents.

**Further information about storage conditions:**

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

**7.3 Specific end use(s)** No further relevant information available.

(Contd. on page 6)

**Safety Data Sheet**  
 according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
 OSHA GHS

Printing date 14.01.2015

Revision: 14.01.2015

Trade name: TopCat Chair-Guard Aerosol

(Contd. of page 5)

**SECTION 8: Exposure controls/personal protection**

- Additional information about design of technical facilities: No further data; see item 7.

- 8.1 Control parameters**

- Ingredients with limit values that require monitoring at the workplace:

**106-97-8 butane**

REL (USA)	Long-term value: 1900 mg/m <sup>3</sup> , 800 ppm
TLV (USA)	Short-term value: 2370 mg/m <sup>3</sup> , 1000 ppm
EL (Canada)	Short-term value: 750 ppm Long-term value: 600 ppm
EV (Canada)	Long-term value: 800 ppm

**74-98-6 propane**

PEL (USA)	Long-term value: 1800 mg/m <sup>3</sup> , 1000 ppm
REL (USA)	Long-term value: 1800 mg/m <sup>3</sup> , 1000 ppm
TLV (USA)	refer to Appendix F
EL (Canada)	Long-term value: 1000 ppm
EV (Canada)	Long-term value: 1,000 ppm

- DNELs No further relevant information available.
- PNECs No further relevant information available.
- Additional information: The lists valid during the making were used as basis.

- 8.2 Exposure controls**

- Personal protective equipment:

- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Respiratory protection:

Not required under normal conditions of use.

For large spills, respiratory protection may be advisable.

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

- Material of gloves

(Contd. on page 7)

**Safety Data Sheet**  
 according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
 OSHA GHS

Printing date 14.01.2015

Revision: 14.01.2015

Trade name: TopCat Chair-Guard Aerosol

(Contd. of page 6)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Safety glasses

- **Body protection:**

Not required under normal conditions of use.

Protection may be required for spills.

- **Limitation and supervision of exposure into the environment** Avoid release to the environment.

- **Risk management measures**

See Section 7 for additional information.

No further relevant information available.

## SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Aerosol
Colour:	Colourless

Odour:	Citrus.
--------	---------

Odour threshold:	Not determined.
------------------	-----------------

pH-value:	Not determined.
-----------	-----------------

- **Change in condition**

Melting point/Melting range:	Not applicable, as aerosol.
------------------------------	-----------------------------

Boiling point/Boiling range:	Not applicable, as aerosol.
------------------------------	-----------------------------

Flash point:	Not applicable, as aerosol.
--------------	-----------------------------

Flammability (solid, gaseous):	Not applicable.
--------------------------------	-----------------

Auto/Self-ignition temperature:	Not determined.
---------------------------------	-----------------

Decomposition temperature:	Not determined.
----------------------------	-----------------

Self-igniting:	Product is not self-igniting.
----------------	-------------------------------

Danger of explosion:	Not determined.
----------------------	-----------------

- **Explosion limits:**

Lower:	Not determined.
--------	-----------------

Upper:	Not determined.
--------	-----------------

(Contd. on page 8)

**Safety Data Sheet**  
 according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
 OSHA GHS

Printing date 14.01.2015

Revision: 14.01.2015

Trade name: TopCat Chair-Guard Aerosol

(Contd. of page 7)

- **Vapour pressure:** Not determined.
- **Density:** Not determined.
- **Relative density:** Not determined.
- **Vapour density:** Not determined.
- **Evaporation rate:** Not applicable.
- **Solubility in / Miscibility with water:** Dispersible.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **9.2 Other information:** No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
 Pressurized container: Do not pierce or burn, even after use.  
 Danger of receptacles bursting because of high vapour pressure when heated.
- **10.3 Possibility of hazardous reactions**  
 Develops readily flammable gases/fumes.  
 Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.  
 Used empty containers may contain product gases which form explosive mixtures with air.  
 Toxic fumes may be released if heated above the decomposition point.
- **10.4 Conditions to avoid**  
 Keep ignition sources away - Do not smoke.  
 Store away from oxidising agents.
- **10.5 Incompatible materials:** Oxidizing agents
- **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
  - **on the skin:** May have mild irritant effect on skin
  - **on the eye:** Irritating effect.
- **Sensitisation:**  
 Sensitising effect by skin contact is possible by prolonged exposure.  
 Contains Lemon Oil. May produce an allergic reaction.

(Contd. on page 9)



**Safety Data Sheet**  
 according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
 OSHA GHS

Printing date 14.01.2015

Revision: 14.01.2015

Trade name: TopCat Chair-Guard Aerosol

(Contd. of page 8)

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

- **Acute effects (acute toxicity, irritation and corrosivity):** Harmful in contact with skin.

- **Sensitisation:** May cause an allergic skin reaction.

- **Repeated dose toxicity:** Repeated exposures may result in skin and/or respiratory sensitivity.

## SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **12.2 Persistence and degradability** No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

- **14.1 UN-Number**

- **DOT, ADR, IMDG, IATA**

UN1950

- **14.2 UN proper shipping name**

- **DOT**

Aerosols, non-flammable

- **ADR**

1950 AEROSOLS, N.O.S., NON-FLAMMABLE

- **IMDG, IATA**

1950 AEROSOLS, N.O.S., NON-FLAMMABLE

(Contd. on page 10)

**Safety Data Sheet**  
 according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
 OSHA GHS

Printing date 14.01.2015

Revision: 14.01.2015

Trade name: TopCat Chair-Guard Aerosol

(Contd. of page 9)

## · 14.3 Transport hazard class(es)

## · DOT



· Class 2.2  
 · Label 2.2

## · ADR



· Class 2.2 5A  
 · Label 2.2

## · IMDG, IATA



· Class 2.2  
 · Label 2.2  
 · 14.4 Packing group  
 · DOT, ADR, IMDG, IATA Not Regulated

## · 14.5 Environmental hazards:

· Marine pollutant: No  
 · 14.6 Special precautions for user Not applicable.

## · Danger code (Kemler):

· EMS Number: F-D,S-U

· 14.7 Transport in bulk according to Annex II of  
 MARPOL73/78 and the IBC Code Not applicable.

## · Transport/Additional information:

· ADR  
 · Limited quantities (LQ) 1L  
 · Excepted quantities (EQ) Code: E0  
 Not permitted as Excepted Quantity

· Transport category 3  
 · Tunnel restriction code E

## · IMDG

· Limited quantities (LQ) 1L  
 · Excepted quantities (EQ) Code: E0  
 Not permitted as Excepted Quantity

· UN "Model Regulation": UN1950, AEROSOLS, 2.2

(Contd. on page 11)

**Safety Data Sheet**  
 according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
 OSHA GHS

Printing date 14.01.2015

Revision: 14.01.2015

Trade name: TopCat Chair-Guard Aerosol

(Contd. of page 10)

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

- **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Proposition 65 (California):**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

- **Carcinogenic Categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients are listed.

- **IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients are listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

- **Canada**

- **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

- **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients are listed.

- **Canadian Ingredient Disclosure list (limit 1%)**

106-97-8 butane

- **Other regulations, limitations and prohibitive regulations**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

(Contd. on page 12)

**Safety Data Sheet**  
**according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and**  
**OSHA GHS**

Printing date 14.01.2015

Revision: 14.01.2015

Trade name: TopCat Chair-Guard Aerosol

(Contd. of page 11)

**Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients are listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

- H220 Extremely flammable gas.
- H226 Flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
  
- R12 Extremely flammable.
- R22 Harmful if swallowed.
- R38 Irritating to skin.
- R41 Risk of serious damage to eyes.
- R43 May cause sensitisation by skin contact.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 WHMIS: Workplace Hazardous Materials Information System (Canada)  
 DNEL: Derived No-Effect Level (REACH)  
 PNEC: Predicted No-Effect Concentration (REACH)  
 Flam. Gas 1: Flammable gases, Hazard Category 1  
 Press. Gas C: Gases under pressure: Compressed gas  
 Flam. Liq. 3: Flammable liquids, Hazard Category 3  
 Acute Tox. 4: Acute toxicity, Hazard Category 4  
 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1  
 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1  
 Asp. Tox. 1: Aspiration hazard, Hazard Category 1  
 Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1  
 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

(Contd. on page 13)

**Safety Data Sheet**  
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date 14.01.2015

Revision: 14.01.2015

**Trade name: TopCat Chair-Guard Aerosol**

(Contd. of page 12)

**Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)