

California Cleaning Products Right to Know Act of 2017 (SB 258)

Product Name: Eucalyptus Pura Diffuser Oil Refill,

Product Number: 1035295177

Ingredient Name	CAS#	Concentration (% w/w)	Identity of Associated List	Function
Ethyoxydiglycol	111-90-0	12	Not Listed	Diluent
PPG-2 Methyl Ether Acetate	88917-22-0	33	Not Listed	Diluent
beta-Myrcene (Natural Source)	123-35-3	0.0384	1,9	Odor contributor
Limonene	5989-27-5	1.7057	(23) (FRA)	Odor



SDS v1 GHS / OSHA

Revised Date: 2021-01-29 00:00

Product: Eucalyptus Pura Diffuser Oil Refill

Product#: 1035295177

Print Date: 2021-05-03 14:45

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Eucalyptus Pura Diffuser Oil Refill

Product/Sales No: 1035295177

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Archipelago Inc.

1548 18th Street

Santa Monica, CA 90404

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Acute Toxicity Inhalation, Category 5

H333: May be harmful if inhaled

Aquatic Acute Toxicity, Category 2 H401: Toxic to aquatic life

Aquatic Chronic Toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1B H317 : May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



SDS v1 GHS / OSHA

Revised Date: 2021-01-29 00:00

Product: Eucalyptus Pura Diffuser Oil Refill

Product#: 1035295177

Print Date: 2021-05-03 14:45



Signal Word: Warning

Hazard statments

LI227

HZZ	1	Combustible liquid
H30	3	May be harmful if swallowed
H31	3	May be harmful in contact with skin
H31	5	Causes skin irritation
H31	7	May cause an allergic skin reaction
H31	9	Causes serious eye irritation
H33	3	May be harmful if inhaled
H40	1	Toxic to aquatic life

Cambustible liquid

H412 Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235 Keep cool

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS#		Conc.	
Ingredient	EC#	Range	GHS Classification



SDS v1 GHS / OSHA

Revised Date: 2021-01-29 00:00

Product: Eucalyptus Pura Diffuser Oil Refill

Product#: 1035295177

Print Date: 2021-05-03 14:45

	EC#	Conc. Range	GHS Classification
Ingredient		Range	Cito Glassification
88917-22-0	618-219-0	30 - 40 %	H227
PPG-2 Me	ethyl Ether Acet	tate	
470-82-6	207-431-5	5 - 10 %	H226; H303; H317; H320; H402
Eucalyptol	1		
103-95-7	203-161-7	5 - 10 %	H227; H303; H315; H317; H401; H412
Cyclamen	Aldehyde		
78-69-3	201-133-9	5 - 10 %	H227; H315; H317; H319; H401
Tetrahydro	olinalool		
24851-98-7	246-495-9	5 - 10 %	H402
Methyldihy	/drojasmonate		
125-12-2	204-727-6	2 - 5 %	H227; H316; H401
Isobornyl a	acetate		
98-55-5	202-680-6	2 - 5 %	H227; H303; H315; H319; H401
Terpineol			
60-12-8	200-456-2	2 - 5 %	H302; H313; H316; H319
phenethyl	alcohol		
2756-56-1	220-410-5	2 - 5 %	H316; H401
Isobornyl _I	propionate		
141-97-9	205-516-1	1 - 2 %	H227
Ethyl acet	oacetate		
140-11-4	205-399-7	1 - 2 %	H303; H401; H412
Benzyl ace	etate		
88-41-5	201-828-7	1 - 2 %	H227; H303; H316; H401; H411
2-t-Butylcy	clohexyl aceta	te	
5989-27-5	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H412
Limonene			
32210-23-4	250-954-9	1 - 2 %	H303; H317; H401
4-tert-Buty	elcyclohexyl ace		
	215-638-7		H227; H303; H317; H319; H401; H412
IsoCycloC			
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
Dimethylte	etrahydro Benz		H411
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
82356-51-2	429-900-5	0.1 - 1.0 %	H317; H400; H412
	lopentadeceno.		,,
110-41-8	203-765-0	0.1 - 1.0 %	H227; H315; H317; H402; H410
2-Methylui			,,,
•		GHS classification	on codes



SDS v1 GHS / OSHA

Revised Date: 2021-01-29 00:00

Product: Eucalyptus Pura Diffuser Oil Refill

Product#: 1035295177

Print Date: 2021-05-03 14:45

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable



SDS v1 GHS / OSHA

Revised Date: 2021-01-29 00:00

Product: Eucalyptus Pura Diffuser Oil Refill

Product#: 1035295177

Print Date: 2021-05-03 14:45

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

 140-11-4
 Benzyl acetate
 10

 80-56-8
 pinene
 20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Colorless (G0)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

Flashpoint (CCCFP):

>200 F (93.33 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.2170

 %VOC:
 17.93

 Specific Gravity @ 25 C:
 0.9565



SDS v1 GHS / OSHA

Revised Date: 2021-01-29 00:00

Product: Eucalyptus Pura Diffuser Oil Refill

Product#: 1035295177

Print Date: 2021-05-03 14:45

 Density @ 25 C:
 0.9535

 Refractive Index @ 20 C:
 1.4460

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4068.4877) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4218.0510) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 34.5680) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity Toxic to aquatic life

Chronic acquatic toxicity Harmful to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradability no data available



SDS v1 GHS / OSHA

Revised Date: 2021-01-29 00:00

Product: Eucalyptus Pura Diffuser Oil Refill

Product#: 1035295177

Print Date: 2021-05-03 14:45

12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant No

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail)

Not Regulated - Not Dangerous Goods

Chemicals NOI

IATA (Air Cargo) Not Regulated - Not Dangerous Goods

Chemicals NOI

IMDG (Sea) Not Regulated - Not Dangerous Goods

Chemicals NOI

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

111-90-0 203-919-7 10 - 20 % Ethoxydiglycol

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour
H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways
H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction
H400 : Very Toxic to aquatic life
H402 : Harmful to aquatic life



SDS v1 GHS / OSHA

Revised Date: 2021-01-29 00:00

Product: Eucalyptus Pura Diffuser Oil Refill

Product#: 1035295177

Print Date: 2021-05-03 14:45

H410: Very toxic to aquatic life with long lasting effects	H411: Toxic to aquatic life with long lasting effects	
Total Fractional Values		
(TFV) Risk	(TFV) Risk	
(144.64) Acute Toxicity Inhalation, Category 5	(9.90) Sensitization, Skin, Category 1B	
(4.35) Aquatic Chronic Toxicity, Category 3	(3.31) Skin Corrosion/Irritation, Category 3	
(2.19) Aquatic Acute Toxicity, Category 2	(2.11) Skin Corrosion/Irritation, Category 2	
(1.47) Eye Damage/Eye Irritation, Category 2A	(1.23) Acute Toxicity Oral, Category 5	
(1.19) Acute Toxicity Dermal, Category 5	(1.01) Eye Damage/Eye Irritation, Category 2B	

Department issuing data sheet: Regulatory Affairs Group

Department E-mail address: RegAffairs@Agilexfragrances.com

Remarks

This safety data sheet is based on the properties of the material known to Agilex Fragrances™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Agilex Fragrances™ holds no responsibility. This document is not intended for quality assurance purposes.