

# ARCHIPELAGO®

## California Cleaning Products Right to Know Act of 2017 (SB 258)

**Product Name:** Kashmir Pura Diffuser Oilt Refill

**Product Number:** 52035237177

Below is a complete list of components identified for disclosure under SB 258

<b>Ingredient Name</b>	<b>CAS#</b>	<b>Function</b>
beta-Myrcene (Natural Source)	123-35-3(NFS)	Odor contributor
Estragole (methyl chavicol) (Natural Source)	140-67-0(NFS)	Odor contributor
Methyl Eugenol (Natural Source)	93-15-2(NFS)	Odor contributor
Benzyl Benzoate	120-51-4	Odor contributor
a-isomethyl ionone	127-51-5	Odor contributor
Benzyl salicylate	118-58-1	Odor contributor
Cinnamal	104-55-2	Odor contributor
Cinnamyl alcohol	104-54-1	Odor contributor
Citral	5392-40-5	Odor contributor
Eugenol	97-53-0	Odor contributor
Farnesol	4602-84-0	Odor contributor
Coumarin	91-64-5	Odor contributor
Geraniol	106-24-1	Odor contributor
Isoeugenol	97-54-1	Odor contributor
Limonene	5989-27-5	Odor contributor
Linalool	78-70-6	Odor contributor
C-12-15 Alkanes	64742-46-7	Diluent
Butylphenyl methylpropional	80-54-6	Odor contributor
<i>PPG-2 Methyl Ether Acetate</i>	<i>88917-22-0</i>	<i>Diluent</i>
<i>Fragrance (Parfum)</i>	<i>n/a</i>	<i>Odor Contributor</i>

Product: **Kashmir Pura Diffuser Oil Refill**  
 Product#: **2035237177**

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade Name:** Kashmir Pura Diffuser Oil Refill

**Product/Sales No:** 2035237177

### 1.2 Relevant identified product use

**Intended use:** Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

**Manufacturer:** Archipelago, Inc.  
 1548 18th Street  
 Santa Monica, CA 90404

### 1.4 Emergency telephone number

**(800) 255-3924** Domestic USA, Canada, Puerto Rico, and US Virgin Islands

**+1 813 248-0585** International

## 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Carcinogenicity, Category 1B	H350 : May cause cancer
Reproductive Toxicology, Category 1B	H360 : May damage fertility or the unborn child
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4	H227 : Combustible liquid
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Carcinogenicity, Category 1B	H350 : May cause cancer
Reproductive Toxicology, Category 1B	H360 : May damage fertility or the unborn child

#### Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [ ] IARC [ ] NTP [ ] OSHA [ ]

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008)**

Product: **Kashmir Pura Diffuser Oil Refill**  
 Product#: **2035237177**

### Hazard pictograms



**Signal Word: Danger**

### Hazard statements

H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H350	May cause cancer
H360	May damage fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

### Precautionary Statements

#### Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

#### Response:

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P313	Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

### 2.3 Other Hazards

**no data available**

Product: **Kashmir Pura Diffuser Oil Refill**  
 Product#: **2035237177**

### 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
<b>93685-80-4</b> <i>isohexadecane</i>	297-628-2	10 - 20 %	H304; H332
<b>93685-81-5</b> <i>Isododecane</i>	297-629-8	5 - 10 %	H226; H304; H413
<b>88917-22-0</b> <i>PPG-2 Methyl Ether Acetate</i>	618-219-0	5 - 10 %	H227
<b>105-95-3</b> <i>Ethylene brassylate</i>	203-347-8	5 - 10 %	H401
<b>80-54-6</b> <i>Butylphenyl Methylpropional</i>	201-289-8	5 - 10 %	H227; H302; H315; H317; H360; H401; H412
<b>121-32-4</b> <i>Ethyl Vanillin</i>	204-464-7	5 - 10 %	H303; H320; H402
<b>56539-66-3</b> <i>3-Methoxy-3-methylbutan-1-ol</i>	260-252-4	2 - 5 %	H227
<b>64742-47-8</b> <i>Distillates, petroleum, hydrotreated light</i>	265-149-8	2 - 5 %	H227; H304; H336; H401; H411
<b>118-58-1</b> <i>Benzyl Salicylate</i>	204-262-9	2 - 5 %	H303; H317; H320; H401; H412
<b>2050-08-0</b> <i>Amyl salicylate</i>	218-080-2	2 - 5 %	H302; H400; H410
<b>97-53-0</b> <i>Eugenol</i>	202-589-1	2 - 5 %	H303; H316; H317; H319; H401
<b>64742-46-7</b> <i>C-13-15 Alkanes</i>	265-148-2	2 - 5 %	H226; H304; H315; H332; H350; H411
<b>91-64-5</b> <i>Coumarin</i>	202-086-7	2 - 5 %	H302; H317; H402
<b>127-51-5</b> <i>a-Isomethyl ionone</i>	204-846-3	1 - 2 %	H316; H317; H320; H401; H411
<b>98-55-5</b> <i>Terpineol</i>	202-680-6	1 - 2 %	H227; H303; H315; H319; H401
<b>97-54-1</b> <i>Iso Eugenol</i>	202-590-7	1 - 2 %	H302; H312; H315; H317; H319; H332; H335; H401
<b>60-12-8</b> <i>phenethyl alcohol</i>	200-456-2	1 - 2 %	H302; H313; H316; H319
<b>120-57-0</b> <i>Heliotropine</i>	204-409-7	1 - 2 %	H303; H317; H401

Product: **Kashmir Pura Diffuser Oil Refill**  
Product#: **2035237177**

CAS# Ingredient	EC#	Conc. Range	GHS Classification
<b>20665-85-4</b> <i>Vanillin isobutyrate</i>	243-956-6	1 - 2 %	H401
<b>65113-99-7</b> <i>Pentamethylcyclopent-3-ene-butanol</i>	265-453-0	1 - 2 %	H316; H319; H401; H411
<b>67801-20-1</b> <i>3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol</i>	267-140-4	1 - 2 %	H401; H411
<b>78-70-6</b> <i>Linalool</i>	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
<b>5989-27-5</b> <i>Limonene</i>	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
<b>104-54-1</b> <i>Cinnamyl Alcohol</i>	203-212-3	0.1 - 1.0 %	H302; H316; H317; H401
<b>103-95-7</b> <i>Cyclamen Aldehyde</i>	203-161-7	0.1 - 1.0 %	H227; H303; H315; H317; H401; H412
<b>32388-55-9</b> <i>Acetyl cedrene</i>	251-020-3	0.1 - 1.0 %	H303; H317; H400; H410
<b>87-44-5</b> <i>Beta-Caryophyllene</i>	201-746-1	0.1 - 1.0 %	H304; H317; H413
<b>104-55-2</b> <i>Cinnamal</i>	203-213-9	0.1 - 1.0 %	H303; H312; H315; H317; H319; H401; H412
<b>80-56-8</b> <i>pinene</i>	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
<b>106-24-1</b> <i>Geraniol</i>	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402
<b>4180-23-8</b> <i>Anethole</i>	224-052-0	0.1 - 1.0 %	H303; H316; H317; H401

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which were not shown in section 2

Total Hydrocarbon Content (% w/w) = 32.99

## 4. First Aid Measures

### 4.1 Description of first aid measures

- Inhalation:** Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
- Eye Exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- Ingestion:** Rinse mouth with water and obtain medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms:** no data available

Product: **Kashmir Pura Diffuser Oil Refill**  
 Product#: **2035237177**

**Risks:** Refer to Section 2.2 "Hazard Statements"

**4.3 Indication of any immediate medical attention and special treatment needed**

**Treatment:** Refer to Section 2.2 "Response"

### 5. Fire-Fighting measures

**5.1 Extinguishing media**

**Suitable:** Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable** Do not use a direct water jet on burning material

**5.2 Special hazards arising from the substance or mixture**

**During fire fighting:** Water may be ineffective

**5.3 Advice for firefighters**

**Further information:** Standard procedure for chemical fires

### 6. Accidental Release Measures

**6.1 Personal precautions, protective equipment and emergency procedures**

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

**6.2 Environmental precautions**

Keep away from drains, soil, and surface and groundwater.

**6.3 Methods and materials for containment and cleaning up**

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

**6.4 Reference to other sections**

Not Applicable

### 7. Handling and Storage

**7.1 Precautions for safe handling**

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

**7.3 Specific end uses**

No information available

Product: **Kashmir Pura Diffuser Oil Refill**  
 Product#: **2035237177**

### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

**Exposure Limits:**

**Component**

ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
			20

**80-56-8**      *pinene*

**Engineering Controls:**      Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

**Eye protection:**      Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

**Respiratory protection:**      Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:**      Avoid Skin contact. Use chemically resistant gloves as needed.

### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

<b>Appearance:</b>	Liquid
<b>Odor:</b>	Conforms to Standard
<b>Color:</b>	Conforms to Standard
<b>Viscosity:</b>	Liquid
<b>Freezing Point:</b>	Not determined
<b>Boiling Point:</b>	Not determined
<b>Melting Point:</b>	Not determined
<b>Flashpoint (CCCFP):</b>	156 F (68.89 C)
<b>Auto flammability:</b>	Not determined
<b>Explosive Properties:</b>	None Expected
<b>Oxidizing properties:</b>	None Expected
<b>Vapor Pressure (mmHg@20 C):</b>	0.1724
<b>%VOC:</b>	15.80
<b>Specific Gravity @ 25 C:</b>	Not determined
<b>Density @ 25 C:</b>	Not determined
<b>Refractive Index @ 20 C:</b>	Not determined
<b>Soluble in:</b>	Oil

### 10. Stability and Reactivity

<b>10.1 Reactivity</b>	None
<b>10.2 Chemical stability</b>	Stable
<b>10.3 Possibility of hazardous reactions</b>	None known
<b>10.4 Conditions to avoid</b>	None known

Product: **Kashmir Pura Diffuser Oil Refill**  
 Product#: **2035237177**

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis  
**10.6 Hazardous decomposition products** None known

### 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

<b>Acute toxicity - Oral - (Rat) mg/kg</b>	Not classified - the classification criteria are not met
<b>Acute toxicity - Dermal - (Rabbit) mg/kg</b>	Not classified - the classification criteria are not met
<b>Acute toxicity - Inhalation - (Rat) mg/L/4hr</b>	Not classified - the classification criteria are not met
<b>Skin corrosion / irritation</b>	Causes skin irritation
<b>Serious eye damage / irritation</b>	Causes serious eye irritation
<b>Respiratory sensitization</b>	Not classified - the classification criteria are not met
<b>Skin sensitization</b>	May cause an allergic skin reaction
<b>Germ cell mutagenicity</b>	Not classified - the classification criteria are not met
<b>Carcinogenicity</b>	May cause cancer
<b>Reproductive toxicity</b>	May damage fertility or the unborn child
<b>Specific target organ toxicity - single exposure</b>	Not classified - the classification criteria are not met
<b>Specific target organ toxicity - repeated exposure</b>	Not classified - the classification criteria are not met
<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways

### 12. Ecological Information

#### 12.1 Toxicity

<b>Acute aquatic toxicity</b>	Not classified - the classification criteria are not met
<b>Chronic aquatic toxicity</b>	Toxic to aquatic life with long lasting effects
<b>Toxicity Data on soil</b>	no data available
<b>Toxicity on other organisms</b>	no data available

**12.2 Persistence and degradability** no data available

**12.3 Bioaccumulative potential** no data available

**12.4 Mobility in soil** no data available

**12.5 Other adverse effects** no data available

### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



Product: **Kashmir Pura Diffuser Oil Refill**

 Product#: **2035237177**

### 14. Transport Information

<b>Marine Pollutant</b>	Yes. Ingredient of greatest environmental impact : 2050-08-0 : (2 - 5 %) : Amyl salicylate			
<b>Regulator</b>	<b>Class</b>	<b>Pack Group</b>	<b>Sub Risk</b>	<b>UN-nr.</b>
<b>U.S. DOT (Non-Bulk)</b> Chemicals NOI	Not Regulated - Not Dangerous Goods			
<b>ADR/RID (International Road/Rail)</b>				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
<b>IATA (Air Cargo)</b>				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
<b>IMDG (Sea)</b>				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

### 15. Regulatory Information

#### U.S. Federal Regulations

**TSCA (Toxic Substance Control Act)** TSCA status undetermined

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

#### U.S. State Regulations

##### California Proposition 65 Warning

123-35-3(NF 204-622-5 0.01 - 0.1%  
93-15-2 202-223-0 <= 93 ppm  
140-67-0 205-427-8 <= 88 ppm

This product contains the following components:

beta-Myrcene (Natural Source)  
Methyl Eugenol (Natural Source)  
Estragole (Methyl chavicol) (Natural Source)

#### Canadian Regulations

##### DSL

67801-20-1 267-140-4 1 - 2 %

99.00% of the components are listed or exempt. The following components are NOT on the List:

3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol

### 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H302 : Harmful if swallowed
H303 : May be harmful if swallowed	H312 : Harmful in contact with skin
H313 : May be harmful in contact with skin	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H318 : Causes serious eye damage
H319 : Causes serious eye irritation	H320 : Causes eye irritation
H332 : Harmful if inhaled	H335 : May cause respiratory irritation
H336 : May cause drowsiness or dizziness	H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects

Product: **Kashmir Pura Diffuser Oil Refill**  
Product#: **2035237177**

---

H413 : May cause long lasting harmful effects to aquatic life

**Total Fractional Values**

(TFV) Risk

(25.14) Carcinogenicity, Category 1B

(22.20) Aquatic Chronic Toxicity, Category 3

(6.75) Sensitization, Skin, Category 1B

(2.29) Skin Corrosion/Irritation, Category 3

(2.11) Eye Damage/Eye Irritation, Category 2

(1.52) Skin Corrosion/Irritation, Category 2

(1.04) Eye Damage/Eye Irritation, Category 2A

(TFV) Risk

(22.50) Reproductive Toxicology, Category 1B

(10.03) Sensitization, Skin, Category 1A

(3.32) Aspiration Hazard, Category 1

(2.17) Aquatic Chronic Toxicity, Category 2

(1.60) Aquatic Chronic Toxicity, Category 4

(1.07) Eye Damage/Eye Irritation, Category 2B

**Remarks**

This safety data sheet is based on the properties of the material known to Archipelago, Inc. at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Archipelago, Inc. holds no responsibility. This document is not intended for quality assurance purposes.