

## **California Cleaning Product Disclosure**

**PRODUCT NAME: Park City Reed Diffuser** 

**PRODUCT NUMBER: 1610270201** 

In compliance with SB 258, The Cleaning Product Right to Know Act, the intentionally added ingredients that appear on a designated list (CA DTSC) that are present at or above 100 ppm in finished product at 100% are listed below.

<b>Ingredient Name</b>	CAS#
3-CARENE, GENERIC	13466-78-9
Benzyl Benzoate	120-51-4
Cinnamal	104-55-2
Eugenol	97-53-0
Linalool	78-70-6

# SAFETY DATA SHEET

Issuing Date: 12-Apr-2021 Revision Date: 12-Apr-2021 Version 3

## 1. Identification of the Substance/Preparation and of the Company /Undertaking

#### 1.1 Product identifier

Product name Park City Reed Diffuser

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use No information available
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet Details Of The Supplier Of The Safety Data Sheet

Archipelago Botanicals 1548 18th Street Santa Monica, CA 90404 1-973-628-0600

E-mail address

help@shoparchipelago.com

#### 1.4 Emergency Telephone Number

CHEMTREC: 1-800-424-9300 For US/ 703-527-3887 Outside US / CN#23087

# 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1B
Flammable liquids	Category 4

GHS Label elements, including precautionary statements

## Warning

### Hazard Statements

Causes serious eye irritation

May cause an allergic skin reaction

Combustible liquid



Appearance Clear Light Green - Yellow

Physical State @20°C Liquid

Odor Characteristic

# Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

 $We ar \ protective \ gloves/protective \ clothing/eye \ protection/face \ protection$ 

# **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)

In case of fire: Use CO2, dry chemical, or foam for extinction

# **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

# Other information

Causes mild skin irritation

Toxic to aquatic life with long lasting effects

Toxic to aquatic life

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# 3.2 Mixtures

5.2 Mixtures				
Chemical name	CAS No	Weight-%	GHS Classification	FEMA Numbers
Diethylene glycol monobutyl ether	112-34-5	15 -< 20%	Eye Irrit. 2 (H319)	None
Dipropylene glycol monomethyl ether	34590-94-8	5 -< 10%	Flam. Liq. 4 (H227)	None
1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8- octahydronaphthalen-2-yl)ethanone	54464-57-2	1-<5%	Skin Irrit. 2 (H315) Skin Sens. 1B (H317) Aquatic Acute 2 (H401) Aquatic Chronic 1 (H410)	None

Cedrene	11028-42-5	0.1-1%	Skin Irrit. 3 (H316) Asp. Tox. 1 (H304) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	None
Guaiacwood acetate	61789-17-1	0.1-1%	Skin Irrit. 2 (H315) Skin Sens. 1B (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	None
Thujopsene	470-40-6	0.1-1%	Asp. Tox. 1 (H304) Aquatic Acute 1(H400) Aquatic Chronic 1 (H410)	None
Cyclohexanepropanol, 2,2,6-trimethylalphapropyl-	70788-30-6	0.1-1%	Skin Sens. 1B (H317)	None
1H-3a,7-Methanoazulene, octahydro- 6-methoxy-3,6,8,8-tetramethyl-, [3R- (3.alpha.,3a.beta.,6.beta.,7.beta.,8a.al pha.)]-	19870-74-7	0.1-1%	Skin Sens. 1B (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	None
Ethanone, 1-(5,6,7,8-tetrahydro- 3,5,5,6,8,8-hexamethyl-2- naphthalenyl)-	21145-77-7	0.1-1%	Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	None
4H-Inden-4-one, 1,2,3,5,6,7- hexahydro-1,1,2,3,3-pentamethyl-	33704-61-9	0.1-1%	Acute Tox. 5 (H303) Skin Irrit. 2 (H315) Eye Irrit. 2A (H319) Skin Sens. 1B (H317) Aquatic Acute 2 (H401) Aquatic Chronic 2 (H411)	None
Benzyl benzoate	120-51-4	0.1-1%	Acute Tox. 4 (H302) Acute Tox. 5 (H313) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	2138

Regulatory Information

Skin contact

Inhalation

Ingestion

Exact Chemical Percentage and Non-hazardous components are withheld as a Trade Secret under OSHA §1910.1200(j)

# 4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice If symptoms persist, call a physician.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. If symptoms persist, call a physician. Immediately flush with plenty of water.

After initial flushing, remove any contact lenses and continue flushing for at least 15

minutes. Keep eye wide open while rinsing.

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. Wash off immediately with soap and plenty of

water. Immediate medical attention is not required. Wash off immediately with soap

and plenty of water while removing all contaminated clothes and shoes.

Move to fresh air. If symptoms persist, call a physician. Immediate medical attention is

not required. Move to fresh air in case of accidental inhalation of vapors or

decomposition products.

Do not induce vomiting. Drink plenty of water. Immediate medical attention is not required. Rinse mouth. Clean mouth with water and afterwards drink plenty of water. Never give anything by mouth to an unconscious person. Consult a physician.

Use personal protective equipment.

Protection of first-aiders

Most important symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician May cause sensitization of susceptible persons. Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media

Use:. Dry chemical. Carbon dioxide (CO <sub>2</sub>). Water spray. Alcohol-resistant foam.

Flammable Properties Combustible liquid

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. Keep product and empty container away from heat and sources of ignition. Risk of ignition.

**Explosion Data** 

Sensitivity to Mechanical Impact
Sensitivity to Static Discharge
Yes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment. Avoid contact with the skin and the eyes. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.

**Environmental precautions** 

**Environmental precautions** 

Methods and materials for containment and cleaning up

Conditions for safe storage, including any incompatibilities

**Methods for Containment** 

Methods for cleaning up

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water. Prevent product from entering drains. Dam up. Take precautionary measures against static discharges.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Technical measures/Storage conditions

Incompatible products

Ensure adequate ventilation. Wear personal protective equipment/face protection. Use local exhaust ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not breathe

dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Keep out of the reach of children. Keep container tightly closed. Keep away from heat and sources of ignition. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

None known based on information supplied.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

**Exposure Guidelines** 

Chemical name	ACGIH TLV	OSHA PEL NIOSH IDLH	
Diethylene glycol monobutyl ether 112-34-5	TWA: 10 ppm	-	-
Dipropylene glycol monomethyl ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m <sup>3</sup> (vacated) S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> STEL: 150 ppm STEL: 900 mg/m <sup>3</sup>
p-Cresol 106-44-5	TWA: 20 mg/m <sup>3</sup>	TWA: 5 ppm TWA: 22 mg/m <sup>3</sup> (vacated) TWA: 5 ppm (vacated) TWA: 22 mg/m <sup>3</sup> (vacated) S* S* all isomers	IDLH: 250 ppm TWA: 2.3 ppm TWA: 10 mg/m <sup>3</sup>
o-Cresol 95-48-7	TWA: 20 mg/m <sup>3</sup> inhalable fraction and vapor S*	TWA: 5 ppm TWA: 22 mg/m <sup>3</sup> (vacated) TWA: 5 ppm (vacated) TWA: 22 mg/m <sup>3</sup> (vacated) S* S* all isomers	IDLH: 250 ppm TWA: 2.3 ppm TWA: 10 mg/m <sup>3</sup>
Phenol 108-95-2	TWA: 5 ppm S*	TWA: 5 ppm TWA: 19 mg/m <sup>3</sup> (vacated) TWA: 5 ppm (vacated) TWA: 19 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 250 ppm Ceiling: 15.6 ppm 15 min Ceiling: 60 mg/m <sup>3</sup> 15 min TWA: 5 ppm TWA: 19 mg/m <sup>3</sup>

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines

Exposure controls

**Engineering Measures** 

**3** ... **3** .......

Eye/Face Protection

Skin and body protection

Respiratory protection

Hygiene measures

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Showers Evewash

Eyewash stations Ventilation systems.

Tightly fitting safety goggles.

Chemical resistant apron.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

When using do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Provide regular cleaning of equipment, work area and clothing.

# 9. Physical and Chemical Properties

9.1 Information On Basic Physical And Chemical Properties

Individual protection measures, such as personal protective equipment

Physical State @20°C

Appearance

Odor

**Odor Threshold** 

pH
Melting point/range

Liquid

Clear Light Green - Yellow

Characteristic

No information available No information available No information available Freezing Point No information available
Initial Boiling Point No information available

Boiling point/boiling range  $410 \, ^{\circ}\text{F} / 210 \, ^{\circ}\text{C}$  Flash point  $183 \, ^{\circ}\text{F} / 84 \, ^{\circ}\text{C}$ 

Evaporation Rate VALUE (BuOAc=1) (Literature)No information availableFlammable PropertiesCombustible liquidFlammability Limits in AirNo information availableExplosive propertiesNo information availableOxidizing PropertiesNo information available

Vapor Pressure @20°C (mmHg) 0.081

Vapor Density No information available

Specific Gravity 0.9620

Water Solubility
solubility
No information available
Partition coefficient:
No information available
Autoignition temperature
No information available
Decomposition Temperature °C
No information available
Viscosity, dynamic
No information available
Molecular Weight
No information available

## **10. STABILITY AND REACTIVITY**

#### Reactivity

Exothermic reaction

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

**Hazardous decomposition products** 

None known based on information supplied.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known information

InhalationThere is no data available for this product.Eye contactThere is no data available for this product.Skin contactThere is no data available for this product.IngestionThere is no data available for this product.

**Component Information** 

Toxicology data for the components

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
	LD30 Orai	LD30 Dermai	LC30 IIIIIaiatioii
Diethylene glycol monobutyl ether 112-34-5	5660 mg/kg	2700 mg/kg	-
Dipropylene glycol monomethyl ether 34590-94-8	-	9500 mg/kg	-
Guaiacwood acetate 61789-17-1	-	> 5 g/kg	-
Ethanone, 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8- hexamethyl-2-naphthalenyl)- 21145-77-7	1000 mg/kg	> 5 g/kg	-
4H-Inden-4-one, 1,2,3,5,6,7-hexahydro- 1,1,2,3,3-pentamethyl- 33704-61-9	2900 mg/kg	-	-
Benzyl benzoate	1500 mg/kg	4000 mg/kg	- -

# Information on toxicological effects

**Target Organ Effects** 

**Symptoms** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.mutagenic effectsNo information available.

**Carcinogenicity**There are no known carcinogenic chemicals in this product.

Reproductive ToxicityNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.

Chronic toxicity

Repeated contact may cause allergic reactions in very susceptible persons. Avoid

repeated exposure.

Central nervous system (CNS), Eyes, Respiratory system.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 1163 mg/kg

 ATEmix (dermal)
 6480 mg/kg

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

0.344 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Diethylene glycol monoethyl ether 111-90-0	-	LC50: 13400 mg/L LC50: 11600 - 16700 mg/L LC50: 10000 mg/L LC50: 19100 - 23900 mg/L LC50: 11400 - 15700 mg/L	EC50: 3940 - 4670 mg/L
Diethylene glycol monobutyl ether 112-34-5	EC50: 100 mg/L	LC50: 1300 mg/L	EC50: 2850 mg/L EC50: 100 mg/L
Dipropylene glycol monomethyl ether 34590-94-8	-	LC50: 10000 mg/L	LC50: 1919 mg/L
Petroleum distillates, hydrotreated light 64742-47-8	-	LC50: 45 mg/L LC50: 2.2 mg/L LC50: 2.4 mg/L	LC50: 4720 mg/L
Linalool 78-70-6	EC50: 88.3 mg/L	LC50: 22 - 46 mg/L	EC50: 20 mg/L
Ethyl vanillin 121-32-4	-	LC50: 81.4 - 94.3 mg/L	-
Guaiacol 90-05-1	-	-	EC50: 25.9 mg/L 48h (Daphnia magna)
Hex-3-en-1-ol 928-96-1	-	LC50: 352 - 412 mg/L	-
p-Cresol 106-44-5	-	LC50: 15.9 - 17 mg/L LC50: 19 mg/L LC50: 10 mg/L LC50: 12.8 mg/L LC50: 7.5 mg/L	EC50: 21.1 mg/L
o-Cresol 95-48-7	EC50: 65 mg/L 96h (Pseudokirchneriella subcapitata)	LC50: 14.07 - 23.61 mg/L 96h static (Poecilia reticulata) LC50: 8.4 mg/L 96h flow-through (Oncorhynchus mykiss) LC50: 18.37 - 24.21 mg/L 96h static (Lepomis macrochirus) LC50: 11.5 mg/L 96h (Lepomis macrochirus) LC50: 24 mg/L 96h (Brachydanio rerio) LC50: 9.72 - 15.92 mg/L 96h flow-through (Pimephales promelas) LC50: 12.8 mg/L 96h flow-through (Pimephales promelas) LC50: 10 mg/L 96h static (Lepomis macrochirus)	EC50: 9.5 mg/L 48h (Daphnia magna) EC50 15.8 mg/L 48h Static (Daphnia magna)
Phenol 108-95-2	EC50: 46.42 mg/L 96h (Pseudokirchneriella subcapitata) EC50: 187 - 279 mg/L 72h static (Desmodesmus subspicatus) EC50: 0.0188 - 0.1044 mg/L 96h static (Pseudokirchneriella subcapitata)	LC50: 20.5 - 25.6 mg/L 96h static (Pimephales promelas) LC50: 32 mg/L 96h (Pimephales promelas) LC50: 5.449 - 6.789 mg/L 96h flow-through (Oncorhynchus mykiss) LC50: 7.5 - 14 mg/L 96h static (Oncorhynchus mykiss) LC50: 4.23 - 7.49 mg/L 96h semi-static (Oncorhynchus mykiss) LC50: 5.0 - 12.0 mg/L 96h (Oncorhynchus mykiss) LC50: 5.0 - 12.0 mg/L 96h static (Lepomis macrochirus) LC50: 11.9 - 25.3 mg/L 96h flow-through (Lepomis macrochirus) LC50: 11.5 mg/L 96h semi-static (Lepomis macrochirus) LC50: 31.5 mg/L 96h static (Poecilia reticulata) LC50: 31 mg/L 96h semi-static (Poecilia reticulata) LC50: 27.8 mg/L 96h (Brachydanio rerio) LC50: 0.00175 mg/L 96h semi-static (Cyprinus carpio) LC50: 33.9 - 43.3 mg/L 96h flow-through (Oryzias latipes) LC50: 11.9 - 50.5 mg/L 96h flow-through (Pimephales promelas)	EC50: 4.24 - 10.7 mg/L 48h Static (Daphni magna) EC50: 10.2 - 15.5 mg/L 48h (Daphn magna)
2,4-Dimethyl phenol 105-67-9	-	LC50: 15.4 mg/L 96h flow-through (Pimephales promelas) LC50: 11.3 - 13.9 mg/L 96h flow-through (Oryzias latipes) LC50: 4.1 - 9.6 mg/L 96h flow-through (Lepomis macrochirus) LC50: 7.8 - 11 mg/L 96h flow-through (Oncorhynchus mykiss) LC50: 5 mg/L 48h static (Cyprinus carpio) LC50: 6.3 - 9.6 mg/L 96h static (Lepomis macrochirus)	EC50: 1.77 - 3.17 mg/L 48h (Daphnia magr EC50: 150 mg/L 24h Static (water flea)

# Persistence and degradability

No information available.

# Bioaccumulation

<u> </u>	
Chemical name	log Pow
Dipropylene glycol monomethyl ether 34590-94-8	-0.064
Benzyl benzoate	4

Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment

**Waste Disposal Methods** 

It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.

Contaminated packaging

Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# 14. Transport information

DOT

**BULK PACKAGING** 

NA Number 1993

Proper shipping name Combustible liquid, n.o.s. (Diethylene glycol monoethyl ether)

Hazard Classification 3
Packing Group III

Reportable Quantity (RQ)

Please Refer to Appendix A to 49CFR 172.101 - List of Hazardous Substances and

Reportable Quantities

DOT

NON BULK PACKAGING

NA Number 1993

Proper shipping name Combustible liquid, n.o.s. (Diethylene glycol monoethyl ether)

Hazard Classification 3
Packing Group III

Reportable Quantity (RQ)

Please Refer to Appendix A to 49CFR 172.101 - List of Hazardous Substances and

Reportable Quantities

IMDG/IMO

UN Number 3082

Proper shipping name

Environmentally hazardous substance, liquid, n.o.s. (1-(2,3,8,8-Tetramethyl-

1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone)

Hazard Classification 9
Packaging Group II

Marine pollutant

This product contains a chemical which is listed as a marine pollutant according to

IMDG/IMO

Reportable Quantity (RQ)

Please Refer to Appendix A to 49CFR 172.101 - List of Hazardous Substances and

Reportable Quantities

MEX (SCT)

UN Number 3082

Proper shipping name

Environmentally hazardous substance, liquid, n.o.s. (1-(2,3,8,8-Tetramethyl-

1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone)

Hazard Classification 9
Packaging Group III

Reportable Quantity (RQ)

Please Refer to Appendix A to 49CFR 172.101 - List of Hazardous Substances and

Reportable Quantities

ICAO/IATA

UN Number 3082

Proper shipping name

Environmentally hazardous substance, liquid, n.o.s. (1-(2,3,8,8-Tetramethyl-

1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone)

Hazard Classification 9
Packing Group III

Reportable Quantity (RQ)

Please Refer to Appendix A to 49CFR 172.101 - List of Hazardous Substances and

Reportable Quantities

TDG

UN Number 3082

Proper shipping name

Environmentally hazardous substance, liquid, n.o.s. (1-(2,3,8,8-Tetramethyl-

1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone)

Hazard Classification 9
Packaging Group III

Reportable Quantity (RQ)

Please Refer to Appendix A to 49CFR 172.101 - List of Hazardous Substances and

Reportable Quantities

RID

UN Number 3082

Proper shipping name

Environmentally hazardous substance, liquid, n.o.s. (1-(2,3,8,8-Tetramethyl-

1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone)

Hazard Classification 9
Packaging Group III

ADR/RID

JN Number 3082

Proper shipping name

Environmentally hazardous substance, liquid, n.o.s. (1-(2,3,8,8-Tetramethyl-

1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone)

Hazard Classification 9
Packing Group III

# 15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS -

ENCS Not determined IECSC Complies
KECL Not determined PICCS Complies
AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard no
Fire Hazard Yes
Sudden Release of Pressure Hazard no
Reactive Hazard no

#### Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

#### **U.S. State Regulations**

Proposition 65 information available upon request.

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Diethylene glycol monoethyl ether 111-90-0	X	-	Х
Diethylene glycol monobutyl ether 112-34-5	Х	-	X
Dipropylene glycol monomethyl ether 34590-94-8	X	X	X
p-Cresol 106-44-5	X	X	X
o-Cresol 95-48-7	X	X	X
Phenol 108-95-2	X	X	Х

### **U.S. EPA Label Information**

**EPA Pesticide Registration Number** 

Not applicable

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard 2	Flammability 2	Instability 0	Physical and chemical hazards -
HMIS	Health Hazard 2	Flammability 2	Physical Hazard 0	Personal protection X
Revision Date:		12-Apr-	2021	

# **Revision Note**

No information available

# Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

This material has not been evaluated for safe use in inhalation products such as e-cigarettes or vaping products, therefore it is Ungerer and Company's position that it is not intended to be used for these particular applications. It is the sole responsibility of the individual(s) purchasing the product to assess it's safety in the final application.

**End of Safety Data Sheet**