

### Certificate of Analysis

<b>Certificate Number</b>	000292	<b>Customer Address:</b> Unit 4 International House Spring Hill Road Burnley Lancashire BB11 2NQ	<b>Date of receipt</b>	24/02/2015
<b>Batch Number</b>	215		<b>Date of report</b>	25/02/2015
<b>Product Name</b>	Apple Bobbin 3mg		<b>Expiry Date</b>	Not supplied
<b>Customer :</b>	Lancashire Steam Co.		<b>Method</b> GC-MS	<b>Instrument</b> 78908-5977

Sample Description	Parameter	Result (mg/mL)	Limit of Detection (ppm)
Solution in amber bottle	Diethylene glycol	Not detected	
	Diacetyl (butanedione or 2,3-butanedione)	Not detected	
	Acetoin (3-hydroxybutanone or acetyl methyl carbinol)	Not detected	
	Acetyl Propionyl (2,3-Pentanedione)	Not detected	
	Nicotine	3.72	2

**Comments:**





Figure 1. GC-MS Chromatogram of sample.

<b>Approved by</b> <u>David Dawit</u>	<b>Contact:</b> David Dawit Phone: 01733562322 Email: <a href="mailto:david@ecigwizard.com">david@ecigwizard.com</a>
<b>Signature</b> 	

### Certificate of Analysis

<b>Certificate Number</b>	000293	<b>Customer Address:</b> Unit 4 International House Spring Hill Road Burnley Lancashire BB11 2NQ	<b>Date of receipt</b>	24/02/2015
<b>Batch Number</b>	215		<b>Date of report</b>	25/02/2015
<b>Product Name</b>	Boggart's Breath 6mg		<b>Expiry Date</b>	Not supplied
<b>Customer :</b>	Lancashire Steam Co.		<b>Method</b> GC-MS	<b>Instrument</b> 7890B-5977

Sample Description	Parameter	Result (mg/mL)	Limit of Detection (ppm)
Solution in amber bottle	Diethylene glycol	Not detected	
	Diacetyl (butanedione or 2,3-butanedione)	Not detected	
	Acetoin (3-hydroxybutanone or acetyl methyl carbinol)	Not detected	
	Acetyl Propionyl (2,3-Pentanedione)	Not detected	
	Nicotine	6.11	2

Comments:





Figure 1. GC-MS Chromatogram of sample.

<b>Approved by</b> <u>David Dawit</u>  <b>Signature</b> 	<b>Contact:</b>  <b>David Dawit</b> <b>Phone: 01733562322</b> <b>Email: david@ecigwizard.com</b>
---	--

### Certificate of Analysis

<b>Certificate Number</b>	000294	<b>Customer Address:</b> Unit 4 International House Spring Hill Road Burnley Lancashire BB11 2NQ	<b>Date of receipt</b>	24/02/2015
<b>Batch Number</b>	215		<b>Date of report</b>	25/02/2015
<b>Product Name</b>	Boiler Water 6mg		<b>Expiry Date</b>	Not supplied
<b>Customer :</b>	Lancashire Steam Co.		<b>Method</b>	<b>Instrument</b>
			GC-MS	7890B-5977

Sample Description	Parameter	Result (mg/mL)	Limit of Detection (ppm)
Solution in amber bottle	Diethylene glycol	Not detected	
	Diacetyl (butanedione or 2,3-butanedione)	Not detected	
	Acetoin (3-hydroxybutanone or acetyl methyl carbinol)	Not detected	
	Acetyl Propionyl (2,3-Pentanedione)	Not detected	
	Nicotine	6.56	2
<b>Comments:</b>			





Figure 1. GC-MS Chromatogram of sample.

<b>Approved by</b> <u>David Dawit</u>	<b>Contact:</b>
<b>Signature</b> 	<b>David Dawit</b>
	<b>Phone: 01733562322</b>
	<b>Email: david@ecigwizard.com</b>

### Certificate of Analysis

<b>Certificate Number</b>	000294	<b>Customer Address:</b> Unit 4 International House Spring Hill Road Burnley Lancashire BB11 2NQ	<b>Date of receipt</b>	24/02/2015
<b>Batch Number</b>	215		<b>Date of report</b>	25/02/2015
<b>Product Name</b>	Boiler Water 6mg		<b>Expiry Date</b>	Not supplied
<b>Customer :</b>	Lancashire Steam Co.		<b>Method</b>	<b>Instrument</b>
			<i>GC-MS</i>	<i>7890B-5977</i>

Sample Description	Parameter	Result (mg/mL)	Limit of Detection (ppm)
Solution in amber bottle	Diethylene glycol	Not detected	
	Diacetyl (butanedione or 2,3-butanedione)	Not detected	
	Acetoin (3-hydroxybutanone or acetyl methyl carbinol)	Not detected	
	Acetyl Propionyl (2,3-Pentanedione)	Not detected	
	Nicotine	6.56	2
<b>Comments:</b>			





Figure 1. GC-MS Chromatogram of sample.

<b>Approved by</b> <u>David Dawit</u>	<b>Contact:</b>
<b>Signature</b> 	<b>David Dawit</b>
	<b>Phone: 01733562322</b>
	<b>Email: david@ecigwizard.com</b>

**Certificate of Analysis**

<b>Certificate Number</b>	000295	<b>Customer Address:</b> Unit 4 International House Spring Hill Road Burnley Lancashire BB11 2NQ	<b>Date of receipt</b>	24/02/2015
<b>Batch Number</b>	215		<b>Date of report</b>	25/02/2015
<b>Product Name</b>	Choddy 6mg		<b>Expiry Date</b>	Not supplied
<b>Customer :</b>	Lancashire Steam Co.		<b>Method</b> GC-MS	<b>Instrument</b> 78908-5977

Sample Description	Parameter	Result (mg/mL)	Limit of Detection (ppm)
Solution in amber bottle	Diethylene glycol	Not detected	
	Diacetyl (butanedione or 2,3-butanedione)	Not detected	
	Acetoin (3-hydroxybutanone or acetyl methyl carbinol)	Not detected	
	Acetyl Propionyl (2,3-Pentanedione)	Not detected	
	Nicotine	6.72	2
<b>Comments:</b>			





Figure 1. GC-MS Chromatogram of sample.

<b>Approved by</b> <u>David Dawit</u>	<b>Contact:</b>
<b>Signature</b> 	<b>David Dawit</b>
	<b>Phone: 01733562322</b>
	<b>Email: <a href="mailto:david@ecigwizard.com">david@ecigwizard.com</a></b>

### Certificate of Analysis

<b>Certificate Number</b>	000296	<b>Customer Address:</b> Unit 4 International House Spring Hill Road Burnley Lancashire BB11 2NQ	<b>Date of receipt</b>	24/02/2015
<b>Batch Number</b>	215		<b>Date of report</b>	25/02/2015
<b>Product Name</b>	Choddy II 6mg		<b>Expiry Date</b>	Not supplied
<b>Customer :</b>	Lancashire Steam Co.		<b>Method</b>	<b>Instrument</b>
			GC-MS	7890B-5977

Sample Description	Parameter	Result (mg/mL)	Limit of Detection (ppm)
Solution in amber bottle	Diethylene glycol	Not detected	
	Diacetyl (butanedione or 2,3-butanedione)	Not detected	
	Acetoin (3-hydroxybutanone or acetyl methyl carbinol)	Not detected	
	Acetyl Propionyl (2,3-Pentanedione)	Not detected	
	Nicotine	6.05	2
<b>Comments:</b>			





Figure 1. GC-MS Chromatogram of sample.

<b>Approved by</b> <u>David Dawit</u>	<b>Contact:</b>  David Dawit Phone: 01733562322 Email: david@ecigwizard.com
<b>Signature</b> 	

**Certificate of Analysis**

<b>Certificate Number</b>	000297	<b>Customer Address:</b> Unit 4 International House Spring Hill Road Burnley Lancashire BB11 2NQ	<b>Date of receipt</b>	24/02/2015
<b>Batch Number</b>	215		<b>Date of report</b>	25/02/2015
<b>Product Name</b>	Little Moscow 6mg		<b>Expiry Date</b>	Not supplied
<b>Customer :</b>	Lancashire Steam Co.		<b>Method</b> GC-MS	<b>Instrument</b> 7890B-5977

Sample Description	Parameter	Result (mg/mL)	Limit of Detection (ppm)
Solution in amber bottle	Diethylene glycol	Not detected	
	Diacetyl (butanedione or 2,3-butanedione)	Not detected	
	Acetoin (3-hydroxybutanone or acetyl methyl carbinol)	Not detected	
	Acetyl Propionyl (2,3-Pentanedione)	Not detected	
	Nicotine	6.18	2
<b>Comments:</b>			





Figure 1. GC-MS Chromatogram of sample.

<b>Approved by</b> <u>David Dawit</u>	<b>Contact:</b>
<b>Signature</b> 	<b>David Dawit</b>
	<b>Phone: 01733562322</b>
	<b>Email: david@ecigwizard.com</b>

### Certificate of Analysis

<b>Certificate Number</b>	000298	<b>Customer Address:</b> Unit 4 International House Spring Hill Road Burnley Lancashire BB11 2NQ	<b>Date of receipt</b>	24/02/2015
<b>Batch Number</b>	215		<b>Date of report</b>	25/02/2015
<b>Product Name</b>	Sabden Snout 6mg		<b>Expiry Date</b>	Not supplied
<b>Customer :</b>	Lancashire Steam Co.		<b>Method</b> GC-MS	<b>Instrument</b> 7890B-5977

Sample Description	Parameter	Result (mg/mL)	Limit of Detection (ppm)
Solution in amber bottle	Diethylene glycol	Not detected	
	Diacetyl (butanedione or 2,3-butanedione)	Not detected	
	Acetoin (3-hydroxybutanone or acetyl methyl carbinol)	Not detected	
	Acetyl Propionyl (2,3-Pentanedione)	Not detected	
	Nicotine	6.28	2
<b>Comments:</b>			





Figure 1. GC-MS Chromatogram of sample.

<b>Approved by</b> <u>David Dawit</u>	<b>Contact:</b>
<b>Signature</b> 	<b>David Dawit</b>
	<b>Phone: 01733562322</b>
	<b>Email: <a href="mailto:david@ecigwizard.com">david@ecigwizard.com</a></b>



**Certificate of Analysis**

<b>Certificate Number</b>	000299	<b>Customer Address:</b> Unit 4 International House Spring Hill Road Burnley Lancashire BB11 2NQ	<b>Date of receipt</b>	24/02/2015
<b>Batch Number</b>	215		<b>Date of report</b>	25/02/2015
<b>Product Name</b>	SB 6mg	<b>Customer :</b> Lancashire Steam Co.	<b>Expiry Date</b>	Not supplied
			<b>Method</b> GC-MS	<b>Instrument</b> 7890B-5977

Sample Description	Parameter	Result (mg/mL)	Limit of Detection (ppm)
Solution in amber bottle	Diethylene glycol	Not detected	
	Diacetyl (butanedione or 2,3-butanedione)	Not detected	
	Acetoin (3-hydroxybutanone or acetyl methyl carbinol)	Not detected	
	Acetyl Propionyl (2,3-Pentanedione)	Not detected	
	Nicotine	6.30	2

**Comments:**

Abundance





Figure 1. GC-MS Chromatogram of sample.

<b>Approved by</b> <u>David Dawit</u>  <b>Signature</b> 	<b>Contact:</b>  <b>David Dawit</b> <b>Phone: 01733562322</b> <b>Email: david@ecigwizard.com</b>
---	--

### Certificate of Analysis

<b>Certificate Number</b>	000300	<b>Customer Address:</b> Unit 4 International House Spring Hill Road Burnley Lancashire BB11 2NQ	<b>Date of receipt</b>	24/02/2015
<b>Batch Number</b>	215		<b>Date of report</b>	25/02/2015
<b>Product Name</b>	Tart's Tipple 6mg	<b>Customer :</b> Lancashire Steam Co.	<b>Expiry Date</b>	Not supplied
			<b>Method</b> GC-MS	<b>Instrument</b> 7890B-5977

Sample Description	Parameter	Result (mg/mL)	Limit of Detection (ppm)
Solution in amber bottle	Diethylene glycol	Not detected	
	Diacetyl (butanedione or 2,3-butanedione)	Not detected	
	Acetoin (3-hydroxybutanone or acetyl methyl carbinol)	Not detected	
	Acetyl Propionyl (2,3-Pentanedione)	Not detected	
	Nicotine	6.07	2
<b>Comments:</b>			

Abundance





Figure 1. GC-MS Chromatogram of sample.

<b>Approved by</b> <u>David Dawit</u>  <b>Signature</b> 	<b>Contact:</b>  <b>David Dawit</b> <b>Phone: 01733562322</b> <b>Email: david@ecigwizard.com</b>
---	--

### Certificate of Analysis

<b>Certificate Number</b>	000301	<b>Customer Address:</b> Unit 4 International House Spring Hill Road Burnley Lancashire BB11 2NQ	<b>Date of receipt</b>	24/02/2015
<b>Batch Number</b>	215		<b>Date of report</b>	25/02/2015
<b>Product Name</b>	The Governess 6mg		<b>Expiry Date</b>	Not supplied
<b>Customer :</b>	Lancashire Steam Co.		<b>Method</b> GC-MS	<b>Instrument</b> 7890B-5977

Sample Description	Parameter	Result (mg/mL)	Limit of Detection (ppm)
Solution in amber bottle	Diethylene glycol	Not detected	
	Diacetyl (butanedione or 2,3-butanedione)	Not detected	
	Acetoin (3-hydroxybutanone or acetyl methyl carbinol)	Not detected	
	Acetyl Propionyl (2,3-Pentanedione)	Not detected	
	Nicotine	6.78	2
<b>Comments:</b>			





Figure 1. GC-MS Chromatogram of sample.

<b>Approved by</b> <u>David Dawit</u>	<b>Contact:</b>
<b>Signature</b> 	<b>David Dawit</b>
	<b>Phone: 01733562322</b>
	<b>Email: <a href="mailto:david@ecigwizard.com">david@ecigwizard.com</a></b>

### Certificate of Analysis

<b>Certificate Number</b>	000302	<b>Customer Address:</b> Unit 4 International House Spring Hill Road Burnley Lancashire BB11 2NQ	<b>Date of receipt</b>	24/02/2015
<b>Batch Number</b>	215		<b>Date of report</b>	25/02/2015
<b>Product Name</b>	Useless Dunker 6mg		<b>Expiry Date</b>	Not supplied
<b>Customer :</b>	Lancashire Steam Co.		<b>Method</b> GC-MS	<b>Instrument</b> 78908-5977

Sample Description	Parameter	Result (mg/ml)	Limit of Detection (ppm)
Solution in amber bottle	Diethylene glycol	Not detected	
	Diacetyl (butanedione or 2,3-butanedione)	Not detected	
	Acetoin (3-hydroxybutanone or acetyl methyl carbinol)	Not detected	
	Acetyl Propionyl (2,3-Pentanedione)	Not detected	
	Nicotine	6.3	2
<b>Comments:</b>			

Abundance





Figure 1. GC-MS Chromatogram of sample.

<b>Approved by</b> <u>David Dawit</u>  <b>Signature</b> 	<b>Contact:</b>  <b>David Dawit</b> <b>Phone: 01733562322</b> <b>Email: david@ecigwizard.com</b>
---	--