


Lee Fisher **INTERNATIONAL, INC.**

HARDWARE CATALOGUE



Lee Fisher International, Inc.
www.leefisherintl.com
800-356-5464

ABOUT US



Quality products for Wholesale/Commercial Fishing, Sports Fishing,
Outdoor Netting, Crabbing Supplies and Hardware Goods.

We are the leading provider of commercial and recreational fishing supplies since 1982. We are based in Tampa Florida. We manufacture and distribute our products all over the US as well as worldwide. Contact us for more information and to place your order.

GENERAL TERMS & CONDITIONS

Payment Terms: Net 30 days on approved accounts
An interest rate of 1.5% will be applied to the unpaid monthly balance.

Freight Policy: Prepaid on any order of \$1,000.00 or more (wholesale) within the Continental US

Returns & Claims: Must be authorized before the merchandise will be accepted.
Any mistake, shortage, or damaged merchandise must be reported within 2 weeks.
No claims will be accepted after that.

Restocking Charge: A 15% restocking charge will be applied to returned merchandise after return authorization is made. This does not apply to damaged goods.

Excise Tax: The excise tax has been calculated into the price for all items it applies to. Please ask us if you have any questions as to whether an item is taxable.

Lee Fisher International, Inc.

Address: 3922 W. Osborne Ave, Tampa, FL 33614
Toll Free: 800-356-5464, Tel: 813-875-6296, Fax: 813-874-8807
Office Hours: Mon-Fri: 8:30am - 5:00pm (EST)
www.leefisherintl.com

TABLE OF CONTENTS

BASKETS & TOTES

Heavy Duty Basket	4
Heavy Duty Solid Tote	4
Heavy Duty Solid Tray	4
Heavy Duty Tray with Holes	4

BOOTS

Heavy Duty Boots	5
------------------	---

CABLE TIES

Joy Fish Cable Ties	6
Releasable Cable Ties	7
Grip Cable Ties	7

GLOVES

Gator Tuff Latex Gloves	8
Red Nylon	8
White Nylon/Polyester Blend	8
White Polyester	9
Orange Vinyl Coated	9
Blue Dot PVC	9

INDUSTRIAL WIRE MESH

(Imported)

Galvanized Wire	10
Vinyl Coated Wire	11

MESH BAGS

Multi-Purpose Mesh Bags	12
-------------------------	----

ROPE

Polyethylene	13
Aquasteel	13
Poly Dac Premium	14
Poly Dac Economy	14
Nylon Neobraid	15
3-Strand Twisted	15

SCREEN & PRIVACY FENCING

Knitted Polyethylene Screen	16
-----------------------------	----

SPRING CLIPS

Spring Clips	16
--------------	----

NYLON TWINE

Black Braided	17
Gold Braided	17
White Braided	18
White Spun	18
Black and Tarred Twisted	19
Green and Bonded Twisted	19
White Twisted	20

POLY TWINE

Polyethylene Braided Twine	21
Polyethylene Twisted Twine	21

TARP

Light Duty All Purpose	22
Heavy Duty All Purpose	22

BASKETS & TOTES

Heavy Duty Basket


This heavy duty polyethylene plastic basket has superior strength and durability. It can be used for various applications. It has reinforced handles and can hold up to 40lbs and a capacity of 10 gallons. It is available in the following colors: Blue, Green, Orange



Item Number	Dimensions	Weight Cap (lbs)
Basket	19" diameter x 17" deep	40 lbs

Heavy Duty Solid Tote


This heavy duty plastic stackable tray from ROPAK is made from recycled plastic materials. Weight Capacity: 100 (lbs).



Item Number	Dimensions	Weight Cap (lbs)
Tote	35" x 19.2" x 12.2"	100 lbs

Heavy Duty Solid Tray


High quality plastic stackable tray from ROPAK. Weight Capacity: 40(lbs) Available in the yellow color.



Item Number	Dimensions	Weight Cap (lbs)
Tray-Y	23.6" x 15.7" x 7"	40 lbs

Heavy Duty Tray with Holes

High quality plastic stackable tray with holes from ROPAK. Weight Capacity: 60 (lbs). Available in the yellow color.



Item Number	Dimensions	Weight Cap (lbs)
Tray-Y/Hole	24" x 18" x 7.5"	60 lbs

BOOTS

Heavy Duty Boots

These 16" tall commercial grade boots are made in the USA with high quality PVC material. They are soft, strong, very comfortable and water-proof. They are resistant to many chemicals and acid spills and have an additional thick foam sole for added comfort as well as a convenient "kick tab" for easy removal. Available in a white color.

Features:

- High quality PVC that is soft and strong
- Removable 3/16" thick inner-sole for added comfort
- Waterproof, chemical and oil resistant
- Thick foam sole for added comfort
- Convenient kick-heel for easy removal
- Rugged toe bar for added life in toe area
- Self-Cleaning outsole and shank for added traction and support
- Made in the USA

Note:

The above sizes are shown in men's US sizes.
To calculate women's sizes reduce 2 sizes from men's size.

Item Number	Men's Size
BOOT-6-JOYFISH-W	6
BOOT-7-JOYFISH-W	7
BOOT-8-JOYFISH-W	8
BOOT-9-JOYFISH-W	9
BOOT-10-JOYFISH-W	10
BOOT-11-JOYFISH-W	11
BOOT-12-JOYFISH-W	12
BOOT-13-JOYFISH-W	13



CABLE TIES

Joy Fish Cable Ties

Our Joy Fish Cable Ties come in a variety of types, sizes and colors. These injection molded cable ties feature one-piece construction to produce a strong and highly reliable wrap. Once applied, the permanent locking feature of the cable ties assures a tight and a secure hold.

Currently we offer three styles: Joy Fish Cable Ties, Grip Cable Ties, and Releasable Cable Ties. Extra features include rounded smooth edges, positive locking teeth, bent tip, and self-locking head. Additional Information: Made from Nylon 6/6 (UL rated 94V-2), working temperature: -40F to 185F.





Name	Item Number	Color	Length	Min Strength	Packing (pcs/bag)
Cable Ties 4" 18lbs	CT-18BLK4	Black	4"	18 lbs	100
	CT-18WHT4	White	4"	18 lbs	100
Cable Ties 5" 50lbs	CT-50BLK5	Black	4.8"	50 lbs	100
	CT-50WHT5	White	4.8"	50 lbs	100
Cable Ties 8" 50lbs	CT-50BLK8	Black	8"	50 lbs	100
	CT-50WHT8	White	8"	50 lbs	100
	CT-50GRN8	Green	8"	50 lbs	100
	CT-50RED8	Red	8"	50 lbs	100
Cable Ties 11" 50lbs	CT-50BLK11	Black	11.4"	50 lbs	100
	CT-50WHT11	White	11.4"	50 lbs	100
Cable Ties 14" 50lbs	CT-50BLK14	Black	14.6"	50 lbs	100
	CT-50WHT14	White	14.6"	50 lbs	100
Cable Ties 8" 120lbs	CT-120BLK8	Black	8"	120 lbs	100
	CT-120WHT8	White	8"	120 lbs	100
Cable Ties 11" 120lbs	CT-120BLK11	Black	11"	120 lbs	100
	CT-120WHT11	White	11"	120 lbs	100
Cable Ties 14" 120lbs	CT-120BLK14	Black	14.6"	120 lbs	100
	CT-120WHT14	White	14.6"	120 lbs	100
Cable Ties 18" 120lbs	CT-120BLK18	Black	17.7"	120 lbs	100
	CT-120WHT18	White	17.7"	120 lbs	100
Cable Ties 28" 175lbs	CT-175BLK28	Black	27.9"	175 lbs	50
	CT-175WHT28	White	27.9"	175 lbs	50
Cable Ties 32" 175lbs	CT-175BLK32	Black	31.5"	175 lbs	50
	CT-175WHT32	White	31.5"	175 lbs	50
Cable Ties 36" 175lbs	CT-175BLK36	Black	36"	175 lbs	50
	CT-175WHT36	White	36"	175 lbs	50
Cable Ties 48" 175lbs	CT-175BLK48	Black	48"	175 lbs	50
	CT-175WHT48	White	48"	175 lbs	50
Cable Ties 60" 175lbs	CT-175BLK60	Black	60"	175 lbs	50
	CT-175WHT60	White	60"	175 lbs	50


Releasable Cable Ties

Its unique extended tab permits easy release and reuse. Available in the following colors: Black, White

Name	Item Number	Color	Length	Min Strength	Packing (pcs/bag)
Cable Ties 6" 50lbs	CT-RT50BLK6	Black	6"	50 lbs	100
	CT-RT50WHT6	White	6"	50 lbs	100
Cable Ties 8" 50lbs	CT-RT50BLK8	Black	8"	50 lbs	100
	CT-RT50WHT8	White	8"	50 lbs	100
Cable Ties 12" 50lbs	CT-RT50BLK12	Black	12"	50 lbs	100
	CT-RT50WHT12	White	12"	50 lbs	100
Cable Ties 15" 50lbs	CT-RT50BLK15	Black	15.2"	50 lbs	100
	CT-RT50WHT15	White	15.2"	50 lbs	100



Grip Cable Ties



Releasable Cable Ties

Grip Cable Ties

Nylon with Mushroom hook, reusable ties, perfect for computer wires, gaming consoles, television and more.

The package includes a mix of 5 colors: Black, White, Blue, Red & Orange *

Name	Item Number	Color	Length	Min Strength	Packing (pcs/bag)
Cable Ties Mix 6"	CT-GRIPTIEMIX6	Mix of 5 colors *	6"	N/A	100 total (20/color)

GLOVES

Gator Tuff Latex Gloves

These 100% waterproof orange latex gloves are very durable and have a great gripping power. They are unlined with rolled cuff and crinkle finish from wrist to tip providing excellent protection from water-based solutions and while working in slippery conditions. They are perfect for industrial and household cleaning as well as catering, hardware, fishing and the agriculture industry. Each pair is bagged and ready for in-store display.



Item Number	Size
GLR65T-7	#7
GLR65T-7.5	#7.5
GLR65T-8	#8
GLR65T-8.5	#8.5
GLR65T-9	#9
GLR65T-9.5	#9.5
GLR65T-10	#10
GLR65T-11	#11

Red Nylon Gloves

These red nylon work gloves are made with 100% nylon. They are closely knit, heavy duty durable and quite comfortable. They are perfect for just about any activity as they will last longer than most other types of gloves.



Item Number	Size
GLNR-S	Small
GLNR-M	Medium
GLNR-L	Large

White Nylon/Polyester Gloves

These comfortable gloves are made of a 70% Nylon and 30% Polyester blend. They are heavy duty gloves designed for long lasting wear. Each pair is tagged and ready for in-store display.



Item Number	Size
GLNW-S	Small
GLNW-M	Medium
GLNW-L	Large

White Polyester Gloves

These tightly weaved gloves are made with 100% polyester. They are designed for heavy duty work and they are very comfortable and durable.



Item Number	Size
GLPW-S	Small
GLPW-M	Medium
GLPW-L	Large

Orange Vinyl Coated Gloves

These popular gloves are nylon knit and have a vinyl web coating on both sides to prevent slippage. They are durable, long lasting, and they are ideal for all working environments. Each pair is tagged and ready for in store display.



Item Number	Size
GLNY-S	Small
GLNY-M	Medium
GLNY-L	Large

Blue Dot PVC Gloves

Made with 70% nylon and 30% polyester blend, these comfortable and versatile gloves are coated with blue PVC dots on both sides and designed for firm grip. Each pair is tagged and ready for in-store display.



Item Number	Size
GLND-S	Small
GLND-M	Medium
GLND-L	Large

INDUSTRIAL WIRE MESH (IMPORTED)



Galvanized Wire

Galvanized hexagonal and square wire netting is produced with a superior quality of low carbon iron wire. It is made with advanced equipment in Dingning Dian in Hebei province which is one of the largest enterprises and largest bases in mesh industry of China. The wire can be galvanized after weaving or before weaving and the mesh is firm in structure with flat surface. It is widely used in industrial and agricultural construction, transportation, machining, gardening, housing, oil, chemical industry, plant protection, and other areas. The wire is delivered in rolls and wrapped with water-proof paper or shrink-wrap and ready for store display.

Item Number	Mesh Size	Mesh Structure	Height	Length	Gauge
W-G-1"HEX-24X25'-G20	1"	Hexagonal	24"	25'	20
W-G-1"HEX-36X25'-G20	1"	Hexagonal	36"	25'	20
W-G-1"HEX-24X50'-G20	1"	Hexagonal	24"	50'	20
W-G-1"HEX-48X25'-G20	1"	Hexagonal	48"	25'	20
W-G-1"HEX-36X50'-G20	1"	Hexagonal	36"	50'	20
W-G-1"HEX-48X50'-G20	1"	Hexagonal	48"	50'	20
W-G-1"HEX-36X150'-G20	1"	Hexagonal	36"	150'	20
W-G-1"HEX-48X150'-G20	1"	Hexagonal	48"	150'	20
W-G-1/2X1X11-C	1/2" X 1"	Square	11"	100'	16
W-G-1.5HEX-24-C	1.5"	Hexagonal	24"	150'	18
W-G-1/2X1X24-C	1/2" X 1"	Square	24"	100'	16

Features:

- High quality wire
- The mesh is firm in structure and has flat surface
- Wrapped by water-proof paper or shrink-wrapped
- Galvanized before weaving
- Applicable for a wide range of applications




Vinyl Coated Wire

Our hexagonal or square vinyl coated galvanized wire netting meshes are both long lasting and attractive. Each mesh is coated with a thick layer of PVC which is tightly bonded to the wire by heat process. The coating is flexible, will not crack and it is made with a superior quality of low carbon wire. It is very strong and durable, long lasting and rust resistant. Vinyl coated wire mesh is used for fencing, site construction, installation, mesh container, lobster traps, garden and food processing industries, etc. Available in the following colors: Green, Black

Item Number	Mesh Size	Mesh Structure	Height	Length	Gauge	Color
W-VG-1.5HEX-24-C	1.5"	Hexagonal	24"	150'	16	Green
W-VB-1.5HEX-24-C	1.5"	Hexagonal	24"	150'	16	Black
W-VB-1/2X1X11-C	1/2" X 1"	Square	11"	100'	16	Black
W-VB-1.5SQ-24-G16-C	1.5"	Square	24"	100'	16	Black
W-VB-1.5SQ-24-G18-C	1.5"	Square	24"	100'	18	Black
W-VB-1/2X1X24-C	1/2" X 1"	Square	24"	100'	16	Black
W-VB-1X1X24-C	1"	Square	24"	100'	16	Black

Features:

- Coated with a thick layer of PVC
- Flexible but durable
- Rust and heat resistant
- Weather resistant
- Long lasting and attractive
- Wide temperature range
- Applied in a wide range of applications



MESH BAGS

Multi-Purpose Mesh Bags

Our Multi-use nylon mesh bags are made from durable nylon fabric with 5mm ace netting. The mesh bags also include a handy drawstring that locks and they are machine washable. They carry and organize just about anything including equipment, cables, utility, grocery, notebooks, laundry and others items.

Features:

- Ace nylon netting
- Durable nylon fabric
- Handy drawstring that locks
- Machine washable


Item Number	Dimensions W x D	Mesh Size
TT-MESHBAG12x18	12" x 18"	5 mm
TT-MESHBAG18x24	18" x 24"	5 mm
TT-MESHBAG24x30	24" x 30"	5 mm



ROPE

Polyethylene Rope


Ropes made from this synthetic fiber are strong yet light-weight. They do not deteriorate with water or sunlight. The rope floats, it is resistant to most chemicals, and has good dielectric property. Available in the following colors: Black with Blue Tracer, Yellow, Green (please call us for color availability)



Item Number	Diameter	Tensile Strength	Available Length
RPT316	3/16"	720 lbs	600' / 1200'
RPT14	1/4"	1,130 lbs	600' / 1200'
RPT516	5/16"	1,710 lbs	600' / 1200' / 1800'
RPT1132	11/32"	2,000 lbs	1200' / 1800'
RPT38	3/8"	2,440 lbs	600' / 1200'
RPT12	1/2"	3,780 lbs	600'
RPT58	5/8"	5,600 lbs	600'
RPT34	3/4"	7,650 lbs	600'
RPT78	7/8"	10,400 lbs	600'
RPT1	1"	12,600 lbs	600'
RPT1-18	1-1/8"	16,500 lbs	600'
RPT1-14	1-1/4"	18,900 lbs	600'
RPT1-12	1-1/2"	26,800 lbs	600'

Aquasteel Rope


This rope is film construction, near zero stretch, economical and versatile. It is stronger and lighter than monofilament based poly rope, and it is most used for general work, commercial fishing, boating and utility work. Available in the following color: Aqua Blue



Item Number	Diameter	Tensile Strength	Available Length
RPTAQS316	3/16"	900 lbs	600' / 1200'
RPTAQS14	1/4"	1,650 lbs	600' / 1200'
RPTAQS516	5/16"	2,820 lbs	600' / 1200'
RPTAQS38	3/8"	4,330 lbs	600' / 1200'
RPTAQS12	1/2"	4,6510 lbs	600'
RPTAQS58	5/8"	5,100 lbs	600'
RPTAQS34	3/4"	6,375 lbs	600'
RPTAQS78	7/8"	8,600 lbs	600'
RPTAQS1	1"	10,800 lbs	600'
RPTAQS1-18	1-1/8"	12,700 lbs	600'
RPTAQS1-14	1-1/4"	15,750 lbs	600'
RPTAQS1-12	1-1/2"	22,275 lbs	600'

Poly Dac Premium Rope


This Poly Dac Premium Rope is a combination of Polyester and Polyethylene. It has superior strength, multifilament construction, low stretch and good abrasion resistance. It is often used as a three rope, bull rope, hand lines, ladder rope, hoisting, various tie downs, commercial fishing and other general uses. It is available in a White color with Green and Red Tracer.



Item Number	Diameter	Tensile Strength	Available Length
RPDT316	3/16"	800 lbs	600' / 1200'
RPDT14	1/4"	1,250 lbs	600' / 1200'
RPDT516	5/16"	2,100 lbs	600' / 1200'
RPDT38	3/8"	2,700 lbs	600' / 1200'
RPDT12	1/2"	4,400 lbs	600'
RPDT58	5/8"	6,500 lbs	600'
RPDT34	3/4"	9,000 lbs	600'
RPDT78	7/8"	13,000 lbs	600'
RPDT1	1"	15,000 lbs	600'
RPDT1-18	1-1/8"	20,000 lbs	600'
RPDT1-14	1-1/4"	24,000 lbs	600'
RPDT1-12	1-1/2"	34,000 lbs	600'

Poly Dac Economy Rope


This rope uses more polyethylene than our Poly Dac Premium rope. It floats, it has great tensile strength at a lower cost and it is widely used for all types of general and utility work. Available in the following color: White with Blue Tracer



Item Number	Diameter	Tensile Strength	Available Length
RPDT516-EC	5/16"	1,470 lbs	600'
RPDT38-EC	3/8"	1,890 lbs	600'
RPDT12-EC	1/2"	3,080 lbs	600'
RPDT58-EC	5/8"	4,550 lbs	600'
RPDT34-EC	3/4"	6,300 lbs	600'
RPDT78-EC	7/8"	9,100 lbs	600'
RPDT1 -EC	1"	10,500 lbs	600'
RPDT1-18-EC	1-1/8"	14,000 lbs	600'
RPDT1-14-EC	1-1/4"	16,800 lbs	600'
RPDT1-12-EC	1-1/2"	23,800 lbs	600'

Neo-Braided Nylon Rope

This neo-braided nylon rope is a soft braid and it has 100% tenacity polyester jacket, strength member and core. It is also abrasion resistant and the rope is mostly used for awning, industrial and utility applications. Available in the following colors: Black, White (please call us for color availability)



Item Number	Diameter	Tensile Strength	Available Length
RNONB18-W	1/8"	390 lbs	1,000
RNONB18-B	1/8"	390 lbs	1,000
RNONB316-W	3/16"	770 lbs	1,000
RNONB316-B	3/16"	770 lbs	1,000
RNONB14-W	1/4"	1,000 lbs	1,000
RNONB14-B	1/4"	1,000 lbs	1,000
RNONB516-W	5/16"	1,600 lbs	1,000
RNONB516-B	5/16"	1,600 lbs	1,000

3-Strand Twisted Nylon Rope

This 3-Strand Twisted Nylon Rope is strong, durable and shock absorbent, and it offers excellent abrasion resistance. It is perfect for dock lines, anchor lines and other uses. Available in the following color: White



Item Number	Diameter	Tensile Strength	Available Length
RNT316	3/16"	900 lbs	600'
RNT14	1/4"	1,490 lbs	600'
RNT516	5/16"	2,300 lbs	600'
RNT38	3/8"	3,340 lbs	600'
RNT12	1/2"	5,750 lbs	600'
RNT58	5/8"	9,000 lbs	600'
RNT34	3/4"	11,300 lbs	600'
RNT1	1"	22,600 lbs	600'
RNT1-18	1-1/8"	29,800 lbs	600'
RNT1-14	1-1/4"	33,800 lbs	600'
RNT1-12	1-1/2"	47,800 lbs	600'

SCREEN & PRIVACY FENCING

Knitted Polyethylene Privacy Screen

Our privacy screen is constructed from knitted polyethylene. It is mostly used in industrial and construction applications as well as by homeowners as a backyard private fencing. It is easy to install using woven eyelets located at the top of the screen. The item is sold in rolls and it is very affordable and durable. Our knitted privacy screen is available in the following colors: Black, Forest Green.

Item Number	Weight oz/sq.yd.	Color	Dimensions	Actual Dimensions	Blockage	Tensile Strength	Tear Strength
JF-WSPEBK6X50	5.5	Black	6' x 50'	5'10" x 50'	95%	160 x 280	66 x 96
JF-WSPEFG6X50	5.5	Forest Green	6' x 50'	5'10" x 50'	95%	160 x 280	66 x 96
JF-WSPEBK6X150	5.5	Black	6' x 150'	5'10" x 150'	95%	160 x 280	66 x 96
JF-WSPEFG6X150	5.5	Forest Green	6' x 150'	5'10" x 150'	95%	160 x 280	66 x 96
JF-WSPEBK9X50	5.5	Black	9' x 50'	8'10" x 50'	95%	160 x 280	66 x 96
JF-WSPEFG9X50	5.5	Forest Green	9' x 50'	8'10" x 50'	95%	160 x 280	66 x 96
JF-WS-PEBK9X150	5.5	Black	9' x 150'	8'10" x 150'	95%	160 x 280	66 x 96
JF-WSPEFG9X150	5.5	Forest Green	9' x 150'	8'10" x 150'	95%	160 x 280	66 x 96



SPRING CLIPS

Spring Clips

These zinc plated springs clips are commonly spaced every 2' to prevent the nets from sagging. They are perfect for various applications. Disclaimer: This item is not for climbing or any aloft sports.

Item Number	Thickness	Length	Hole	Clip Opening
JF-SPRCLIP-6MM	6mm	2.36"	1/4"	0.35"
JF-SPRCLIP-7MM	7mm	3.15"	5/16"	0.35"
JF-SPRCLIP-8MM	8mm	3.54"	3/8"	0.35"



NYLON TWINE

Black Braided Nylon Twine

Our Joy Fish Black Braided Nylon Twine is made of 100% nylon industrial grade materials and braided with 8 carrier round type twine for excellent strength. Tared coating for weather resistance. Used for trot-lines, fishing line, seine line, mason twine net repair, crafts, duck decoy, staging twine and gardening.



Item Number	Twine Size	Denier	Tensile Strength	Approx. Length per LB	Spool Size
TNBB-12	12	210/30	75 lbs	1,450'	1 lb
TNBB-15	15	210/36	95 lbs	1,160'	1 lb
TNBB-18	18	210/48	115 lbs	950'	1 lb
TNBB-21	21	210/60	130 lbs	820'	1 lb
TNBB-24	24	210/72	150 lbs	700'	1 lb
TNBB-30	30	210/84	190 lbs	560'	1 lb
TNBB-36	36	210/96	228 lbs	470'	1 lb
TNBB-42	42	210/108	260 lbs	400'	1 lb
TNBB-48	48	210/120	280 lbs	370'	1 lb
TNBB-60	60	210/168	380 lbs	280'	1 lb
TNBB-72	72	210/192	550 lbs	185'	1 lb
TNBB-84	84	210/234	630 lbs	150'	1 lb
TNBB-96	96	210/276	720 lbs	135'	1 lb
TNBB-120	120	210/360	880 lbs	115'	1 lb

Gold Braided Nylon Twine

Joy Fish Gold Braided Nylon Twine is made of 100% nylon industrial grade materials and braided with 8 carrier round type twine for excellent strength. Used for trot-lines, fishing line, seine line, crafts and other applications.



Item Number	Twine Size	Denier	Tensile Strength	Approx. Length per LB	Spool Size
TNBG-09	9	210/24	60 lbs	2,240'	1/4 lb , 1 lb
TNBG-12	12	210/30	80 lbs	1,760'	1/4 lb , 1 lb
TNBG-15	15	210/36	100 lbs	1,400'	1/4 lb , 1 lb
TNBG-18	18	210/48	120 lbs	1,140'	1/4 lb , 1 lb
TNBG-21	21	210/60	140 lbs	960'	1/4 lb , 1 lb
TNBG-24	24	210/72	160 lbs	840'	1/4 lb , 1 lb
TNBG-30	30	210/84	200 lbs	700'	1/4 lb , 1 lb
TNBG-36	36	210/96	240 lbs	560'	1/4 lb , 1 lb
TNBG-42	42	210/108	280 lbs	500'	1/4 lb , 1 lb
TNBG-48	48	210/120	300 lbs	450'	1/4 lb , 1 lb
TNBG-60	60	210/168	400 lbs	335'	1 lb
TNBG-72	72	210/192	600 lbs	220'	1 lb
TNBG-84	84	210/234	700 lbs	180'	1 lb
TNBG-96	96	210/276	770 lbs	160'	1 lb
TNBG-120	120	210/360	930 lbs	135'	1 lb

White Braided Nylon Twine

Joy Fish White Braided Nylon Twine is made of 100% nylon industrial grade materials and braided with 8 carrier round type twine for excellent strength. It ties easily and holds knots firmly. It is mostly used for hanging nets, kites, macramé and other applications.



Item Number	Twine Size	Denier	Tensile Strength	Approx. Length per LB	Spool Size
TNBW-09	9	210/24	60 lbs	2,240'	1 lb
TNBW-12	12	210/30	80 lbs	1,760'	1 lb
TNBW-15	15	210/36	100 lbs	1,400'	1 lb
TNBW-18	18	210/48	120 lbs	1,140'	1 lb
TNBW-21	21	210/60	140 lbs	960'	1 lb
TNBW-24	24	210/72	160 lbs	840'	1 lb
TNBW-30	30	210/84	200 lbs	700'	1 lb
TNBW-36	36	210/96	240 lbs	560'	1 lb
TNBW-42	42	210/108	280 lbs	500'	1 lb
TNBW-48	48	210/120	300 lbs	450'	1 lb
TNBW-60	60	210/168	400 lbs	335'	1 lb
TNBW-72	72	210/192	600 lbs	220'	1 lb
TNBW-84	84	210/234	400 lbs	180'	1 lb
TNBW-96	96	210/276	770 lbs	160'	1 lb
TNBW-120	120	210/360	930 lbs	135'	1 lb

White Spun Nylon Twine

Spuntex Nylon Twine features unique nylon yarns to give it the ability to tie and maintain permanent knots. As the twine feels soft, it is extremely easy to work with and it is suitable for any application that requires good knot strength including net hanging, repair and any general purpose use.



Item Number	Twine Size	Denier	Tensile Strength	Approx. Length per LB	Spool Size
TNSW-09	9	210/24	86 lbs	1,914'	1 lb
TNSW-12	12	210/30	114 lbs	1,494'	1 lb
TNSW-15	15	210/36	135 lbs	1,265'	1 lb
TNSW-18	18	210/48	163 lbs	901'	1 lb
TNSW-21	21	210/60	200 lbs	732'	1 lb
TNSW-24	24	210/72	212 lbs	711'	1 lb
TNSW-30	30	210/84	230 lbs	640'	1 lb
TNSW-36	36	210/96	297 lbs	534'	1 lb
TNSW-42	42	210/108	318 lbs	465'	1 lb
TNSW-48	48	210/120	344 lbs	409'	1 lb
TNSW-60	60	210/168	417 lbs	382'	1 lb

Black and Tarred Twisted Nylon Twine

Joy Fish Black and Tarred Twisted Nylon Twine is made with industrial strength 100% nylon fibers. It is tarred and treated for superior weather and abrasion resistance. Great for trot lines, knot holding, duck decoy and other applications.



Item Number	Twine Size	Denier	Tensile Strength	Approx. Length per LB	Spool Size
TNTB-06	6	210/15	35 lbs	2,900'	1 lb
TNTB-07	7	210/18	42 lbs	2,400'	1 lb
TNTB-09	9	210/24	55 lbs	1,800'	1/4 lb, 1 lb
TNTB-12	12	210/30	70 lbs	1,450'	1/4 lb, 1 lb
TNTB-15	15	210/36	85 lbs	1,150'	1/4 lb, 1 lb
TNTB-18	18	210/48	110 lbs	860'	1/4 lb, 1 lb
TNTB-21	21	210/60	140 lbs	690'	1/4 lb, 1 lb
TNTB-24	24	210/72	165 lbs	580'	1/4 lb, 1 lb
TNTB-30	30	210/84	195 lbs	500'	1/4 lb, 1 lb
TNTB-36	36	210/96	220 lbs	440'	1/4 lb, 1 lb
TNTB-42	42	210/108	250 lbs	380'	1 lb
TNTB-48	48	210/120	300 lbs	310'	1 lb
TNTB-54	54	210/144	350 lbs	280'	1 lb
TNTB-60	60	210/168	390 lbs	250'	1 lb
TNTB-72	72	210/192	450 lbs	220'	1 lb
TNTB-84	84	210/234	540 lbs	180'	1 lb
TNTB-96	96	210/276	640 lbs	150'	1 lb
TNTB-120	120	210/360	830 lbs	115'	1 lb

Green and Bonded Twisted Nylon Twine

Joy Fish Green and Bonded Twisted Nylon Twine is made with the finest industrial grade 100% nylon fibers. It is bonded with a resin coating for superior knot holding & abrasion resistance. Also resistant to damage from weather, oil & chemicals. Suitable for an array of applications.



Item Number	Twine Size	Denier	Tensile Strength	Approx. Length per LB	Spool Size
TNTG-06	6	210/15	35 lbs	3,200'	1 lb
TNTG-07	7	210/18	47 lbs	2667'	1 lb
TNTG-09	9	210/24	70 lbs	1,600'	1 lb
TNTG-12	12	210/30	95 lbs	1,200'	1 lb
TNTG-15	15	210/36	105 lbs	1,000'	1 lb
TNTG-18	18	210/48	130 lbs	750'	1 lb
TNTG-21	21	210/60	170 lbs	650'	1 lb
TNTG-24	24	210/72	180 lbs	600'	1 lb
TNTG-30	30	210/84	210 lbs	500'	1 lb
TNTG-36	36	210/96	240 lbs	450'	1 lb
TNTG-42	42	210/108	270 lbs	400'	1 lb
TNTG-48	48	210/120	310 lbs	350'	1 lb
TNTG-54	54	210/144	390 lbs	325'	1 lb
TNTG-60	60	210/168	470 lbs	300'	1 lb
TNTG-72	72	210/192	610 lbs	275'	1 lb
TNTG-84	84	210/234	730 lbs	225'	1 lb
TNTG-96	96	210/276	800 lbs	190'	1 lb
TNTG-120	120	210/360	920 lbs	150'	1 lb

White Twisted Twine

Joy Fish White Twisted Nylon Twine is made with the finest industrial grade 100% nylon fibers. Excellent strength and uniformity. Ideal for fishing, crafts, and a wide variety of other applications.

Item Number	Twine Size	Denier	Tensile Strength	Approx. Length per LB	Spool Size
TNTW-04	4	210/9	24 lbs	5,800'	1/4 lb, 1 lb
TNTW-05	5	210/12	32 lbs	4,400'	1/4 lb, 1 lb
TNTW-06	6	210/15	40 lbs	3,500'	1/4 lb, 1 lb
TNTW-07	7	210/18	48 lbs	2,900'	1/4 lb, 1 lb
TNTW-09	9	210/24	64 lbs	2,200'	1/4 lb, 1 lb
TNTW-12	12	210/30	80 lbs	1,800'	1/4 lb, 1 lb
TNTW-15	15	210/36	96 lbs	1,500'	1/4 lb, 1 lb
TNTW-18	18	210/48	125 lbs	1,100'	1/4 lb, 1 lb
TNTW-21	21	210/60	155 lbs	880'	1/4 lb, 1 lb
TNTW-24	24	210/72	180 lbs	720'	1/4 lb, 1 lb
TNTW-30	30	210/84	210 lbs	600'	1/4 lb, 1 lb
TNTW-36	36	210/96	240 lbs	520'	1/4 lb, 1 lb
TNTW-42	42	210/108	270 lbs	480'	1 lb
TNTW-48	48	210/120	330 lbs	380'	1 lb
TNTW-54	54	210/144	375 lbs	340'	1 lb
TNTW-60	60	210/168	420 lbs	310'	1 lb
TNTW-72	72	210/192	480 lbs	260'	1 lb
TNTW-84	84	210/234	580 lbs	220'	1 lb
TNTW-96	96	210/276	680 lbs	180'	1 lb
TNTW-120	120	210/360	900 lbs	140'	1 lb



POLY TWINE

Polyethylene Braided Twine

Our Polyethylene Braided Twine is light but very strong. It is resistant to most oil, chemicals, and it is UV (Ultra-Violet) treated to avoid sun ray damage. It is ideal for throw line, lobster trap line, trot line, poly net repair, gardening, utility and general applications. Available in the following colors: Orange and Green



Item Number	Diameter	Length	Tensile Strength	Color	Spool Size
TPBO-3MM-2LB	3mm	714'	318 Lbs	Orange	2LB
TPBG-3MM-2LB	3mm	714'	318 Lbs	Green	2LB
TPBO-4MM-2LB	4mm	580'	396 Lbs	Orange	2LB
TPBG-4MM-2LB	4mm	580'	396 Lbs	Green	2LB
TPBO-3MM-5LB	3mm	1,785'	318 Lbs	Orange	5LB
TPBG-3MM-5LB	3mm	1,785'	318 Lbs	Green	5LB
TPBO-4MM-5LB	4mm	1,450'	396 Lbs	Orange	5LB
TPBG-4MM-5LB	4mm	1,450'	396 Lbs	Green	5LB

Polyethylene Twisted Twine

Our polyethylene twisted twine is resistant to most oil & chemicals and UV treated to avoid sun damage. It is good for packing, agriculture, transportation, and other various applications. It is available in green or black colors. Call us for color availability.



Item Number	Twine Size	Denier	Tensile Strength	Approx. Length per LB	Spool Size
TPTG-06	6	380/9	25 Lbs	3,090'	1 Lb
TPTG-07	7	380/12	34 Lbs	2,390'	1 Lb
TPTG-09	9	380/15	42 Lbs	1,750'	1 Lb
TPTG-12	12	380/18	47 Lbs	1,680'	1 Lb
TPTG-15	15	380/21	55 Lbs	1,390'	1 Lb
TPTG-18	18	380/27	67 Lbs	1,090'	1 Lb
TPTG-21	21	380/33	78 Lbs	890'	1 Lb
TPTG-24	24	380/42	99 Lbs	700'	1 Lb
TPTG-30	30	380/48	108 Lbs	560'	1 Lb
TPTG-36	36	380/54	119 Lbs	510'	1 Lb
TPTG-42	42	380/60	130 Lbs	470'	1 Lb
TPTG-48	48	380/72	156 Lbs	390'	1 Lb
TPTG-60	60	380/96	108 Lbs	290'	1 Lb

TARP


Light Duty All Purpose Tarp

Our Light Duty All Purpose Tarp is made with industrial grade polyethylene using 3-ply construction, tightly woven and laminated for extra-tough protection with double-strong rope-reinforced hems. Our tarps are weather resistant, rot and tear resistant, rust resistant grommets, and they are also resistant from cracking in freezing temperatures. Great for construction, boating, fishing, camping and work area covers. Available in the color blue.

Features:

- Light duty
- Industrial grade polyethylene tarp
- 3-ply construction
- Weather resistant
- Rot and tear resistant
- Rust-resistant grommets
- Resistant from cracking in freezing temperatures
- Tightly woven and laminated for extra protection
- Double strong rope-reinforced hems

Item Number	Cut Size	Finished Size	Thick	Item Weight
TARP-8X10	8' x 10'	7'4" x 9'6"	4 Mil	1.6 lb
TARP-10X12	10' x 12'	9'4" x 11'4"	4 Mil	2.19 lb
TARP-12X12	12' x 12'	11'4" x 11'6"	4 Mil	2.85 lb
TARP-12X18	12' x 18'	11'4" x 17'6"	4 Mil	4.25 lb
TARP-16X20	16' x 20'	15'2" x 19'6"	4 Mil	6.06 lb
TARP-20X30	20' x 30'	19' x 29'4"	4 Mil	11.05 lb





Heavy Duty All Purpose Tarp

The gray Heavy Duty All Purpose Tarp is made with industrial grade polyethylene using 3-ply construction set with rust-resistant aluminum grommets at corners and every 2 feet. The corners are double-stitched, hemmed and reinforced to make heavy duty tarpaulins strong, tear resistant and 100% water proof. These tarps will last through rain, snow and especially sun, they are rot and mildew resistant, rust resistant, and they are also resistant from cracking in freezing temperatures. It is widely used in construction, agriculture, boating, fishing, camping, landscaping and much more. Available in the color gray.

Features:

- Heavy duty
- Industrial grade polyethylene tarp
- 3-ply construction
- Weather resistant
- Will last through rain, snow & sun
- Keeps the material cooler for longer life
- Rot and mildew resistant
- Rust-resistant aluminum grommets
- Resistant from cracking in freezing temperatures
- Four double-stitched hemmed edges


Item Number	Dimension	Finished Size	Thick	Item Weight
TARP-HD8X10	8' x 10'	7'4" x 9'6"	8 Mil	2.45 lb
TARP-HD10X12	10' x 12'	9'4" x 11'4"	8 Mil	3.71 lb
TARP-HD12X16	12' x 16'	11'4" x 15'6"	8 Mil	5.91 lb
TARP-HD16X20	16' x 20'	15'2" x 19'6"	8 Mil	10.24 lb
TARP-HD20X30	20' x 30'	19' x 29'4"	8 Mil	18.4 lb



FedEx Zone and Rate Chart from Tampa, FL


Zones	2	3	4	5	6	7	8	Rates	2	3	4	5	6	7	8	
ZIP	326-329	299	270-278	5	010-046	47	588	0-1 LB	\$6.96	\$7.39	\$7.54	\$7.86	\$8.23	\$8.35	\$8.49	
	333-339	313-317	280-298	070-105	048-069	564-567	590-592	2-10 LB	\$10.13	\$10.34	\$11.61	\$12.39	\$13.10	\$14.85	\$16.43	
	341-342	320-324	300-312	107-108	106	572	594-599	11-20 LB	\$12.22	\$13.73	\$14.39	\$16.67	\$20.45	\$24.24	\$27.89	
	344	330-332	318-319	110-118	109	574-577	821	21-30 LB	\$15.17	\$17.66	\$19.34	\$22.87	\$28.92	\$33.53	\$39.89	
	346-347	340	325	147	119-146	580-587	831-838	31-40 LB	\$17.45	\$21.47	\$24.15	\$29.12	\$37.27	\$43.30	\$50.40	
	349	363	350-352	150-187	148-149	593	840-847	41-50 LB	\$19.50	\$24.41	\$28.26	\$34.45	\$43.25	\$52.11	\$58.68	
		398	354-362	189-212	188	692-693	850	51-60 LB	\$21.27	\$26.56	\$30.85	\$38.67	\$47.40	\$56.08	\$65.08	
			364-369	214-268	484-489	798-816	851	61-70 LB	\$24.13	\$30.18	\$33.82	\$42.41	\$51.05	\$59.20	\$68.66	
			373-374	279	493-516	820	853	71-80 LB	\$33.31	\$38.21	\$40.98	\$49.05	\$58.10	\$66.52	\$71.19	
			376-379	370-372	520-528	822-830	863-864	81-90 LB	\$44.64	\$47.16	\$50.07	\$56.99	\$65.92	\$73.88	\$78.31	
			385	375	530-532	852	889-891	91-100 LB	\$55.47	\$56.06	\$59.35	\$65.05	\$72.90	\$80.56	\$86.72	
			388-397	380-384	534-535	855-857	893-895	101-110 LB	\$64.31	\$64.95	\$66.99	\$72.44	\$80.14	\$88.00	\$94.89	
			399	386-387	537-551	859-860	897-898	111-120 LB	\$71.91	\$72.29	\$74.54	\$79.37	\$86.99	\$95.24	\$103.72	
			700-701	400-418	553-563	865	900-908	121-130 LB	\$79.10	\$79.32	\$82.25	\$86.14	\$93.62	\$102.19	\$111.50	
			703-704	420-427	570-571	870-875	910-928	131-140 LB	\$86.46	\$87.23	\$90.40	\$93.41	\$100.90	\$109.47	\$120.08	
			707-708	430-483	573	877-880	930-966	141-150 LB	\$92.82	\$95.56	\$99.75	\$103.63	\$108.48	\$116.87	\$128.69	
				490-492	610-612	883	970-986									
				600-609	635	885	988-994									
				613-620	640-641											
				622-631	644-647											
				633-634	649											
				636-639	660-662											
				648	664-666											
				650-658	668-672											
				667	674-681											
				673	683-691											
				705-706	730-731											
				710-714	735-739											
				716-729	746											
				733-734	763											
				740-741	768-769											
				743-745	788											
				747-762	790-797											
				764-767	881-882											
				770-787	884											
				789												

This table is provided to help you estimate ground shipping and handling charges for your orders. Please note that we have the right to change the price and the delivery method of shipments at any time.



Lee Fisher International, Inc.
 Address: 3922 W. Osborne Ave, Tampa, FL 33614
 Toll Free: (800) 356-5464, Tel: (813) 875-6296, Fax: (813) 874-8807
 Office Hours: Mon-Fri: 8:30am - 5:00pm (EST)
www.leefisherintl.com

LEE FISHER'S FAMOUS BRAND NAME PRODUCTS



Lee Fisher
INTERNATIONAL, INC.

Lee Fisher International, Inc.
Address: 3922 W. Osborne Ave, Tampa, FL 33614
Toll Free: 800-356-5464, Tel: 813-875-6296, Fax: 813-874-8807
Office Hours: Mon-Fri: 8:30am - 5:00pm (EST)
www.leefisherintl.com