

# CAMSO MEX HXD



MINI-EXCAVATORS



## EXTREME RESISTANCE TO SEVERE CONDITIONS

A purpose-built solution for mini-excavators in harsh or extreme heavy-duty applications. Engineered to protect against irreversible damages and maximize your uptime.

[camso.co](http://camso.co)

## PERFORMANCE

TREAD LIFE



FAILURE RESISTANCE



TRACTION



# CAMSO MEX HXD



FACTORY AUTHORIZED DISTRIBUTOR:


BOLTZ EQUIPMENT, INC.  
 JACKSONVILLE, FLORIDA USA  
 TOLL FREE USA/CANADA: +1 (888) 955-9779  
 INTERNATIONAL DIRECT: +1 (904) 232-4448  
 EMAIL: [SALES@BOLTZEQUIPMENT.COM](mailto:SALES@BOLTZEQUIPMENT.COM)  
 WEB: [BOLTZEQUIPMENTPARTS.COM](http://BOLTZEQUIPMENTPARTS.COM)

## PATENTED 3S INTERNAL IRON CORE

- Prevents detracking and minimizes vibrations for better ride quality and lower maintenance cost

## PREMIUM RUBBER COMPOUND AND EXTRA THICK CARCASS

- Improves damage resistance and promotes even tread wear for the longest track life



## HIGH-TENSILE, RUBBER SEALED STEEL CABLES PROTECTED BY HEAVY-DUTY CARCASS AND TREAD


- Resists carcass punctures and cable corrosion to extend service life

## CURBSHIELD TECHNOLOGY WITH HEAVY-DUTY CARCASS

- Maximizes service life prior to track degradation process triggered by edge cutting leading to iron core corrosion and lower maintenance cost

WIDTH	PITCH	TREAD	GUIDING	METAL PIECE NAME	CARCASS THICKNESS	LUG HEIGHT	METAL PIECE TYPE	METAL PIECE SPECIFICATION
230	48	AH	I	KA	26.5	24.5	3S	STANDARD
300	55	AH	I	SA	35	27.5	3S	NARROW
300	55	AH	I	WA	35	27.5	3S	WIDE
350	73	AH	J	EA	40	25	3S RAIL TYPE	STANDARD
400	72.5	AH	I	WA	43	27.5	3S	NARROW
400	72.5	AH	I	EA	43	27.5	3S	WIDE
400	72.5	AH	J	EA	45.5	27.5	3S RAIL TYPE	STANDARD
400	73	AH	J	EA	41	25	3S RAIL TYPE	STANDARD
400	75.5	AH	J	WA	47	27.5	3S OFFSET RAIL TYPE	STANDARD
450	71	AH	I	JA	48	30	3S	STANDARD
450	76	AH	I	JA	48	30	3S	STANDARD
450	81	AH	I	OA	46.5	30.5	3S	NARROW
450	81	AH	I	AA	46.5	30.5	3S	WIDE
450	83.5	AH	J	UA	47	27.5	3S OFFSET RAIL TYPE	STANDARD
485	92	AH	I	D	62.5	27	OFFSET	STANDARD
500	92	AB	I	D	58	30	STANDARD	STANDARD


## TREAD PATTERNS



AH


# TRACKS FOR MINI-EXCAVATORS

## TREAD WEAR TEST (150 hours)



Camso tracks are designed with much thicker tread than most OEM tracks. Maintaining more rubber around the carcass offers more protection on carcass puncture and edge cutting. This all translates in longer service life and less downtime. The end result of this test is: **Camso MEX HXD offers 30% more service life.**

## VIBRATION (m/s<sup>2</sup>)



Throughout the entire test, the vibration level was 42% lower with the Camso tracks than the OEM quality track regardless the speed and the direction.



FACTORY AUTHORIZED DISTRIBUTOR:

**BOLTZ EQUIPMENT, INC.**  
JACKSONVILLE, FLORIDA USA  
TOLL FREE USA/CANADA: +1 (888) 955-9779  
INTERNATIONAL DIRECT: +1 (904) 232-4448  
EMAIL: [SALES@BOLTZEQUIPMENT.COM](mailto:SALES@BOLTZEQUIPMENT.COM)  
WEB: [BOLTZEQUIPMENTPARTS.COM](http://BOLTZEQUIPMENTPARTS.COM)

