
ITEM	PART NO.	DESCRIPTION	QTY.
1	DG0646	GRATE: PERFORATED GALV. STEEL - 4FT	9
2	DA0642	LOCKING DEVICE	18
3	DP0602C	CLOSED INLET	1
4	DA0670F	CLOSED OUTLET (W/4" KNOCKOUT)	1
5	DA0633	INSTALLATION CHAIR	10
6	DP0610	CHANNEL SLOPED POLYCAST 600 - 48.00"	1
7	DP0609	CHANNEL SLOPED POLYCAST 600 - 48.00"	1
8	DP0608	CHANNEL SLOPED POLYCAST 600 - 48.00"	1
9	DP0607	CHANNEL SLOPED POLYCAST 600 - 48.00"	1
10	DP0606	CHANNEL SLOPED POLYCAST 600 - 48.00"	1

ITEM	PART NO.	DESCRIPTION			
11	DP0605	CHANNEL SLOPED POLYCAST 600 - 48.00"	1		
12	DP0604	CHANNEL SLOPED POLYCAST 600 - 48.00"	1		
13	DP0603	CHANNEL SLOPED POLYCAST 600 - 48.00"	1		
14	DP0602	CHANNEL SLOPED POLYCAST 600 - 48.00"	1		
15	LIT-PC8	INSTALLATION MANUAL	1		
	11 12 13 14	11 DP0605 12 DP0604 13 DP0603 14 DP0602	11 DP0605 CHANNEL SLOPED POLYCAST 600 - 48.00" 12 DP0604 CHANNEL SLOPED POLYCAST 600 - 48.00" 13 DP0603 CHANNEL SLOPED POLYCAST 600 - 48.00" 14 DP0602 CHANNEL SLOPED POLYCAST 600 - 48.00"		




DRILL SIZE 3.50" FOR 3.0" SCH 40 & 80 PVC DRILL SIZE 4.25" FOR 4.0" SCR-35 SEWER & DRAIN DRILL SIZE 4.50" FOR 4.0" SCH 40 & 80 PVC

CHANNEL OUTLET DETAILS

(SECURE CHAIR IN BOTTOM DIMPLES ON THE CHANNELS) 4.00" MIN. (TYP BOTH SIDES) SLAB #4 REBAR DEPTH INSTALLATION INITIAL CHAIR 4" MIN. TO BE DEVELOPED SLAB DESIGNER 14" MIN EXCAVATION WIDTH

STANDARD CHAIR INSTALLATION



	CUSTOMER APPROVAL
DATE:	
NAME:	
CICNIAT	LIDE.

SIGNATURE:

I HAVE REVIEWED THE SYSTEM DIMENSIONS PROVIDED AND APPROVE TDS TO PROCEED WITH RELEASING FOR PRODUCTION. I UNDERSTAND THAT ONCE RELEASED FOR PRODUCTION, ANY REVISION WILL RESULT IN ADDITIONAL CHARGES.

CUSTOM ITEMS ARE NON-RETURNABLE

DISCLAIMER - THE CUSTOMER AND THE CUSTOMER'S ARCHITECTS, ENGINEERS, CONSULTANTS, AND OTHER PROFESSIONALS ARE COMPLETELY RESPONSIBLE FOR THE SELECTION INSTALLATION AND MAINTENANCE OF ANY PRODUCT PURCHASED FROM TRENCH DRAIN SYSTEMS AND/OR ITS MANUFACTURERS. TRENCH DRAIN SYSTEMS MAKES NO WARRANTY, EXPRESS OR IMPLIED, AS TO THE SUITABILITY, DESIGN, MERCHANTIBILITY, OR FITNESS OF THE PRODUCT FOR CUSTOMERS APPLICATION. THE DRAWING AND INFORMATION PROVIDED REMAIN THE PROPERTY AND COPYRIGHT OF THE MANUFACTURER LISTED. THE MANUFACTURER RESERVES THE RIGHT TO MODIFY SPECIFICATION WITHOUT NOTICE.

REV	REV DESCRIPTION				DATE	
	Λ	DRAWN: CJP		DATE 0.47.40		
/ \ \		CHECKED:	Ľ	DATE: 6.13.19		
5	(U) JDS	POLYCAST 600 SYSTEM LENGTH; 36FT DG0646 GRATE				
	PO BOX 377 REMONT, OH 43420	DWG. NO. PCK6-DG0646-36				
	610-638-1221	DO NOT SCALE DRAWING WEIGHT:	 594#	s	HEET 1 OF 1	

PROPRIETARY AND CONFIDENTIAL; THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TDS. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF TDS IS PROHIBITED.