ITEM	PART NO.	DESCRIPTION	QTY.
1	DG0646	GRATE: PERFORATED GALV. STEEL - 4FT	4
2	DA0642	LOCKING DEVICE	8
3	DP0607C	CLOSED INLET	1
4	DA0670F	CLOSED OUTLET (W/4" KNOCKOUT)	1
5	DA0633	INSTALLATION CHAIR	5
6	DA0620A	CHANNEL EDGE PROTECTOR GALV - 48.00"	4PR
7	DP0610	CHANNEL SLOPED POLYCAST 600 - 48.00"	1
8	DP0609	CHANNEL SLOPED POLYCAST 600 - 48.00"	1
9	DP0608	CHANNEL SLOPED POLYCAST 600 - 48.00"	1
10	DP0607	CHANNEL SLOPED POLYCAST 600 - 48.00"	1


	-	16'-	-0"	-	1
INLET DEPTH 5.94"	DG0646 DA0620A 607 FLOW ——	DG0646 DA0620A 608 FLOW ——	DG0646 DA0620A 609 FLOW ——	DG0646 DA0620A 610 FLOW —	OUTLET
DP0500C	DAO	633 DAO	633	·	7.19" DP0500C DA0633
BOTTOM C				OUTLET	

DRILL SIZE 3.50" FOR 3.0" SCH 40 & 80 PVC
DRILL SIZE 4.25" FOR 4.0" SCR-35 SEWER & DRAIN
DRILL SIZE 4.50" FOR 4.0" SCH 40 & 80 PVC

STANDARD CHAIR INSTALLATION (SECURE CHAIR IN BOTTOM DIMPLES ON THE CHANNELS) A.00" (MYP BOTH SIDES) A" MIN. TO BE DEVELOPED BY THE SLAB DESIGNER 14" MIN EXCAVATION WIDTH

CHANNEL OUTLET DETAILS

(ALL END CAPS ARE TO BE SECURED WITH AN ADHESIVE)



ITEM	PART NO.	DESCRIPTION	QTY.
11	LIT-PC8	INSTALLATION MANUAL	1

CUSTOMER APPROVAL	
DATE:	
NAME:	
CICNATURE	

SIGNATURE: _

I HAVE REVIEWED THE SYSTEM DIMENSIONS PROVIDED AND APPROVE TDS TO PROCEED WITH RELEASING FOR PRODUCTION. I UNDERSTAND THAT ONCE RELEASED FOR PRODUCTION, ANY REVISION WILL RESULT IN ADDITIONAL CHARGES.

CUSTOM ITEMS ARE NON-RETURNABLE

DISCLAIMER — THE CUSTOMER AND THE CUSTOMER'S ARCHITECTS, ENGINEERS, CONSULTANTS, AND OTHER PROFESSIONALS ARE COMPLETELY RESPONSIBLE FOR THE SELECTION INSTALLATION AND MAINTENANCE OF ANY PRODUCT PURCHASED FROM TRENCH DRAIN SYSTEMS AND/OR ITS MANUFACTURERS. TRENCH DRAIN SYSTEMS MAKES NO WARRANTY, EXPRESS OR IMPLIED, AS TO THE SUITABILITY, DESIGN, MERCHANTIBILITY, OR FITNESS OF THE PRODUCT FOR CUSTOMERS APPLICATION. THE DRAWING AND INFORMATION PROVIDED REMAIN THE PROPERTY AND COPYRIGHT OF THE MANUFACTURER LISTED. THE MANUFACTURER RESERVES THE RIGHT TO MODIFY SPECIFICATION WITHOUT NOTICE.

REV	DESCRIPTION		BY	DATE		
	Λ	DRAWN: CJP		DATE .	0.47.40	
/ N		CHECKED:		DATE: 6.13.19		
5	(U) [DS	POLYCAST 600 SYSTEM LENGTH; 16FT GV EDGING — DG0646 GRATE				
	ENCH DRAIN SYSTEMS PO BOX 377 REMONT, OH 43420	DWG. NO. PCK6-DG0646-GE-16				
610-638-1221		DO NOT SCALE DRAWING	WEIGHT: 320	# s	HEET 1 OF 1	

PROPRIETARY AND CONFIDENTIAL; THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TOS. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF TDS IS PROHIBITED.