ITEM	PART NO.	DESCRIPTION	
1	DG0657	GRATE: PERFORATED STAINLESS - 4FT	
2	DA0642S	LOCKING DEVICE	10
3	DP0606C	CLOSED INLET	1
4	DA0670F	CLOSED OUTLET (W/4" KNOCKOUT)	1
5	DA0633	INSTALLATION CHAIR	6
6	DP0610	CHANNEL SLOPED POLYCAST 600 - 48.00"	1
7	DP0609	CHANNEL SLOPED POLYCAST 600 - 48.00"	1
8	DP0608	CHANNEL SLOPED POLYCAST 600 - 48.00"	1
9	DP0607	CHANNEL SLOPED POLYCAST 600 - 48.00"	1
10	DP0606	CHANNEL SLOPED POLYCAST 600 - 48.00"	1


	-		- 20'-0" -			-
T 1	DG0657	DG0657	DG0657	DG0657	DG0657	□
INLET DEPTH 5.63"	606	607	608	609	610	OUTLET DEPTH 7.19"
DP0500C —		ĺ '			4	↓₩ ———
DA0633				DP0500C DA0633		
					BOTTOM (BY CUS	

DRILL SIZE 3.50" FOR 3.0" SCH 40 & 80 PVC DRILL SIZE 4.25" FOR 4.0" SCR-35 SEWER & DRAIN DRILL SIZE 4.50" FOR 4.0" SCH 40 & 80 PVC

STANDARD CHAIR INSTALLATION (SECURE CHAIR IN BOTTOM DIMPLES ON THE CHANNELS) 4.00" MIN. (TYP BOTH SIDES) SLAB #4 REBAR DEPTH I INSTALLATION CHAIR 4" MIN. TO BE DEVELOPED BY THE SLAB DESIGNER 14" MIN EXCAVATION WIDTH

CHANNEL OUTLET DETAILS

(ALL END CAPS ARE TO BE SECURED WITH AN ADHESIVE)



ITEM	PART NO.	DESCRIPTION	QTY.
11	LIT-PC8	INSTALLATION MANUAL	1

1	CUSTOMER APPROVAL
DATE:	
NAME:	

SIGNATURE:

I HAVE REVIEWED THE SYSTEM DIMENSIONS PROVIDED AND APPROVE TDS TO PROCEED WITH RELEASING FOR PRODUCTION. I UNDERSTAND THAT ONCE RELEASED FOR PRODUCTION, ANY REVISION WILL RESULT IN ADDITIONAL CHARGES.

CUSTOM ITEMS ARE NON-RETURNABLE

DISCLAIMER - THE CUSTOMER AND THE CUSTOMER'S ARCHITECTS, ENGINEERS, CONSULTANTS, AND OTHER PROFESSIONALS ARE COMPLETELY RESPONSIBLE FOR THE SELECTION INSTALLATION AND MAINTENANCE OF ANY PRODUCT PURCHASED FROM TRENCH DRAIN SYSTEMS AND/OR ITS MANUFACTURERS. TRENCH DRAIN SYSTEMS MAKES NO WARRANTY, EXPRESS OR IMPLIED, AS TO THE SUITABILITY, DESIGN, MERCHANTIBILITY, OR FITNESS OF THE PRODUCT FOR CUSTOMERS APPLICATION. THE DRAWING AND INFORMATION PROVIDED REMAIN THE PROPERTY AND COPYRIGHT OF THE MANUFACTURER LISTED. THE MANUFACTURER RESERVES THE RIGHT TO

MODI	FY SPECIFICATION WITHO	OUT NOTICE.			
REV	DESCRIPTION			BY	DATE
	Λ	DRAWN: CJP		DATE: 10.21.19	
/ /		CHECKED:		DATE: 10.21.1	
		POLYCAST 600 SYSTEM LENGTH; 20FT DG0657 GRATE			
	PO BOX 377 REMONT, OH 43420	DWG. NO. PCK6-[)G065	57-2	20
610-638-1221		DO NOT SCALE DRAWING	WEIGHT: 369	# :	SHEET 1 OF 1

PROPRIETARY AND CONFIDENTIAL; THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TDS. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF TDS IS PROHIBITED.