
ITEM	PART NO.	DESCRIPTION	QTY.
1	DG0657	GRATE: PERFORATED STAINLESS - 4FT	8
2	DA0642S	LOCKING DEVICE	16
3	DP0603C	CLOSED INLET	1
4	DA0670F	CLOSED OUTLET (W/4" KNOCKOUT)	1
5	DA0633	INSTALLATION CHAIR	9
6	DP0610	CHANNEL SLOPED POLYCAST 600 - 48.00"	1
7	DP0609	CHANNEL SLOPED POLYCAST 600 - 48.00"	1
8	DP0608	CHANNEL SLOPED POLYCAST 600 - 48.00"	1
9	DP0607	CHANNEL SLOPED POLYCAST 600 - 48.00"	1
10	DP0606	CHANNEL SLOPED POLYCAST 600 - 48.00"	1

ITEM	PART NO.	DESCRIPTION		
11	DP0605	CHANNEL SLOPED POLYCAST 600 - 48.00"	1	
12	DP0604	CHANNEL SLOPED POLYCAST 600 - 48.00"	1	
13	DP0603	CHANNEL SLOPED POLYCAST 600 - 48.00"	1	
14	LIT-PC8	INSTALLATION MANUAL	1	




BOTTOM OUTLET (BY CUSTOMER)

DRILL SIZE 3.50" FOR 3.0" SCH 40 & 80 PVC
DRILL SIZE 4.25" FOR 4.0" SCR-35 SEWER & DRAIN
DRILL SIZE 4.50" FOR 4.0" SCH 40 & 80 PVC

STANDARD CHAIR INSTALLATION (SECURE CHAIR IN BOTTOM DIMPLES ON THE CHANNELS) **A NO" **MIN. **INSTALLATION **DAD633 **INSTALLATION **DAD633 **INSTALLATION **POUR CHAIR **POUR CHAIR **INSTALLATION **IN

CHANNEL OUTLET DETAILS

(ALL END CAPS ARE TO BE SECURED WITH AN ADHESIVE)



	CUSTOMER APPROVAL	
DATE:		
NAME:		
CIONATI	IDE.	

PRODUCTION, ANY REVISION WILL RESULT IN

SIGNATURE:

I HAVE REVIEWED THE SYSTEM DIMENSIONS PROVIDED AND APPROVE TDS TO PROCEED WITH RELEASING FOR PRODUCTION. I UNDERSTAND THAT ONCE RELEASED FOR

ADDITIONAL CHARGES.

CUSTOM ITEMS ARE NON-RETURNABLE

DISCLAIMER — THE CUSTOMER AND THE CUSTOMER'S ARCHITECTS, ENGINEERS, CONSULTANTS, AND OTHER PROFESSIONALS ARE COMPLETELY RESPONSIBLE FOR THE SELECTION INSTALLATION AND MAINTENANCE OF ANY PRODUCT PURCHASED FROM TRENCH DRAIN SYSTEMS AND/OR ITS MANUFACTURERS. TRENCH DRAIN SYSTEMS MAKES NO WARRANTY, EXPRESS OR IMPLIED, AS TO THE SUITABILITY, DESIGN, MERCHANTIBILITY, OR FITNESS OF THE PRODUCT FOR CUSTOMERS APPLICATION. THE DRAWING AND INFORMATION PROVIDED REMAIN THE PROPERTY AND COPYRIGHT OF THE MANUFACTURER LISTED. THE MANUFACTURER RESERVES THE RIGHT TO MODIFY SPECIFICATION WITHOUT NOTICE.

REV	REV DESCRIPTION			BY	DATE	
	٨	DRAWN: CJP		DATE	40.04.40	
TRENCH DRAIN SYSTEMS		CHECKED:		DATE:	10.21.19	
		DESCRIPTION				
		POLYCAST 600				
		SYSTEM LENGTH; 32FT				
		DG0657 GRATE				
		DWG. NO.				
FF	PO BOX 377 REMONT, OH 43420	PCK6-DG0657-32				
610-638-1221		DO NOT SCALE DRAWING	WEIGHT: 539	# 5	SHEET 1 OF 1	

PROPRIETARY AND CONFIDENTIAL; THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TDS. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF TDS IS PROHIBITED.