

Version: 1 (02/12/2025)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

Product: VEIL
Version: 1

### Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

Product identifier: VEIL (Contains:3 and 4-(4-Hydroxy-4-methylpentyl) -3-cyclohexene-1-carboxaldehyde,

Eugenol, Hexyl salicylate, Piperonal)

Other identifiers: 1404446

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: NATURAL STATE FRAGRANCE 568

Company address: Joseph Drive

Contact: EDWARDC435@YAHOO.COM

E-Mail address: Company phone:

1.4 Emergency telephone number

**Emergency phone**: 800-222-1222

#### Section 2. Hazards identification

# 2.1 Classification of the substance or mixture

Class and category of Skin Corrosion / Irritation Category 3 danger:

Eye Damage / Irritation Category 2

Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 2
Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H316, Causes mild skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Signal word: Warning

**Hazard statements:** H316, Causes mild skin irritation.

 ${\sf H317},$  May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.


Precautionary

P261, Avoid breathing vapour or dust.

statements: P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.



Version: 1 (02/12/2025)



# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

**Product: VEIL** 

1 Version:

P280, Wear protective gloves/eye protection/face protection.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P363, Wash contaminated clothing before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.



**Pictograms:** 

# 2.3 Other hazards

Other hazards: Hydrocarbon Concentration %: 0.0000%

# Section 3. Composition / information on ingredients

### 3.2 Mixtures

### Contains:

Name	CAS	%	GHS Classification
Ethyl vanillin	121-32-4	5-<10%	Acute Tox. 5-Eye Irrit. 2B-Aquatic Acute 3;H303-H320-H402
Vanillin	121-33-5	5-<10%	Acute Tox. 5-Acute Tox. 5-Eye Irrit. 2A-Aquatic Acute 3; H303-H313-H319-H402
Methyl dihydrojasmonate	24851-98-7	5-<10%	Aquatic Acute 2;H401
Hexyl salicylate	6259-76-3	1-<5%	Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H316-H317-H410
Benzyl alcohol	100-51-6	1-<5%	Acute Tox. 4-Eye Irrit. 2A;H302-H319
Piperonal	120-57-0	1-<5%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303-H317-H401
Eugenol	97-53-0	1-<5%	Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2;H303-H316-H317-H319-H401
6,7-Dihydro-1,1,2,3,3- pentamethyl-4(5H)-indanone	33704-61-9	1-<5%	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H303-H315-H317-H319-H411
alpha-Pinene	80-56-8	0.1-<1%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226-H302-H304-H315-H317-H410
3-(5,5,6-Trimethylbicyclo[2.2.1] hept-2-yl)cyclohexan-1-ol	3407-42-9	0.1-<1%	Repr. 2-Aquatic Acute 1-Aquatic Chronic 2;H361-H400-H411
Geraniol	106-24-1	0.1-<1%	Acute Tox. 5-Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1-Aquatic Acute 3;H303-H315-H317-H318-H402
d-Limonene	5989-27-5	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315- H317-H400-H412



Version: 1 (02/12/2025)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

Product: VEILS

Version: 1

Nerol	106-25-2	0.1-<1%	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2;H303-H315-H317-H319-H401
beta-Pinene	127-91-3	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410
3-Methylcyclopentadecenone	82356-51-2	0.1-<1%	Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 3; H317-H400-H412
3 and 4-(4-Hydroxy-4- methylpentyl)-3-cyclohexene-1- carboxaldehyde	31906-04-4	0.1-<1%	Skin Sens. 1A-Aquatic Acute 3;H317-H402
Linalyl acetate	115-95-7	0.1-<1%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3;H227-H315-H317-H320-H402
dl-Citronellol	106-22-9	0.1-<1%	Acute Tox. 5-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2;H303-H313-H315-H317-H319-H401
Terpinen-4-ol	562-74-3	0.1-<1%	Flam. Liq. 4-Acute Tox. 4-Acute Tox. 5-Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1-STOT SE 3-Aquatic Acute 2;H227-H302-H313-H315-H317-H320-H332-H336-H401
p-Mentha-1,4-diene	99-85-4	0.1-<1%	Flam. Liq. 3-Acute Tox. 5-Repr. 2-Asp. Tox 1-Aquatic Acute 2-Aquatic Chronic 2;H226-H303-H304-H361-H411
Acetyl cedrene	32388-55-9	0.1-<1%	Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H303-H317-H410
beta-Caryophyllene	87-44-5	0.1-<1%	Skin Sens. 1B-Asp. Tox 1;H304-H317
Linalool	78-70-6	0.1-<1%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317- H319-H402
Cinnamaldehyde	104-55-2	0.1-<1%	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1A-Aquatic Acute 2-Aquatic Chronic 3;H303-H315-H317-H319-H401-H412
p-Mentha-1,3-diene	99-86-5	0.1-<1%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 3-Eye Irrit. 2B-Skin Sens. 1-Asp. Tox 1-Aquatic Acute 2-Aquatic Chronic 2; H226-H302-H304-H316-H317-H320-H411
1-(2,6,6-Trimethylcyclohexa-1,3-dienyl)-2-buten-1-one	23696-85-7	<0.1%	Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1A-Aquatic Acute 2-Aquatic Chronic 2;H313-H315-H317-H411
Isoeugenol	97-54-1	<0.1%	Acute Tox. 4-Acute Tox. 4-Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1A-STOT SE 3-Aquatic Acute 2; H302-H312-H315-H317-H319-H332-H335-H401

# Substances with workplace exposure limits, not listed above:

Not Applicable

# Section 4. First-aid measures

# 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

**Skin exposure:** IF ON SKIN: Wash with plenty of soap and water.

**Ingestion:** Rinse mouth with water and obtain medical attention.

# 4.2 Most important symptoms and effects, both acute and delayed

Causes mild skin irritation.

May cause an allergic skin reaction.



Version: 1 (02/12/2025)

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: VEIL

Version: 1

Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

### **Section 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

# Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters



suffed state reconges

Issue date: 02/28/2025

Version: 1 (02/12/2025)

# SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: VEIL

Version: 1

Workplace exposure limits: Not Applicable

**8.2 Exposure Controls** 

**Eye / Skin Protection** 

Wear protective gloves/eye protection/face protection

### **Respiratory Protection**

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

#### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance: Free flowing liquid without sediment

Odour: Characteristic
Odour threshold: Not determined
pH: Not determined
Melting point / freezing point: Not determined
Initial boiling point / range: Not determined

Flash point: > 93 °C

**Evaporation rate:** Not determined Flammability (solid, gas): Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure: Not determined Not determined Vapour density: Relative density: 0.9730 - 0.9830Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined **Auto-ignition temperature:** Not determined **Decomposition temperature:** Not determined **Viscosity:** Not determined **Explosive properties:** Not expected Oxidising properties: Not expected

9.2 Other information:

Flash Point (Fahrenheit): > 200 °F

Refractive Index @ 20C: 1.4765 - 1.4795



NAMES AND TRACES AND TO

Issue date: 02/28/2025

Version: 1 (02/12/2025)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

Product: VEIL

Version: 1

Color Range: 2 Very Pale Yellow - Colorless

Calculated VOC: 0.00

### Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

### 10.2 Chemical stability:

Good stability under normal storage conditions.

### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

### 10.6 Hazardous decomposition products:

Not expected.

# Section 11. Toxicological information

#### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

**Acute Toxicity:**Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000
Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation:Skin Corrosion / Irritation Category 3Serious eye damage/irritation:Eye Damage / Irritation Category 2Respiratory or skin sensitisation:Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

# Information about hazardous ingredients in the mixture



Version: 1 (02/12/2025)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

Product: VEIL

Version: 1

Ingredient	CAS	LD50/ATE Oral (mg/kg)	LD50/ATE Dermal (mg/kg)	LC50/ATE Inhalation	LC50 Route
6,7-Dihydro-1,1,2,3,3- pentamethyl-4(5H)- indanone	33704-61-9	2900	Not available	Not available	Not available
Benzyl alcohol	100-51-6	1570	Not available	Not available	Not available
Ethyl vanillin	121-32-4	3000	Not available	Not available	Not available
Piperonal	120-57-0	2700	Not available	Not available	Not available
Vanillin	121-33-5	3300	2600	Not available	Not available

Refer to Sections 2 and 3 for additional information.

# **Section 12. Ecological information**

### 12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

**12.3 Bioaccumulative potential:** Not available

**12.4 Mobility in soil:** Not available

**12.5 Other adverse effects:** Not available

# Section 13. Disposal considerations

# 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### **Section 14. Transport information**

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate, alpha-Pinene)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate, alpha-Pinene) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexyl salicylate, alpha-Pinene)	9	-	III





Version: 1 (02/12/2025)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

Product: VEIL

Version: 1

ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS	9	_	III
		SUBSTANCE, LIQUID, N.O.S. (Hexyl			
		salicylate, alpha-Pinene)			

**14.5 Environmental hazards:** This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

**14.6 Special precautions for user:** None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

**Section 15. Regulatory information** 



Version:

Version: 1 (02/12/2025)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

Product: VEIL

# **Essential Oil Components:**

1

Name	CAS	%
Nutmeg oil	84082-68-8, 8008-45-5	1-<5%
Carrot seed oil	84929-61-3, 8015-88-1	0.1-<1%
Gurjun balsam oil	8030-55-5	0.1-<1%
Amyris oil	90320-49-3, 8015-65-4	<0.1%

# Components listed on California's Proposition 65:

Name	CAS	%
Myrcene	123-35-3	<0.1%

# Naturally-Occuring Materials exempt from Prop65:

Name	CAS	%
Eugenyl methyl ether	93-15-2	
Myrcene	123-35-3	
Safrole	94-59-7	

### Components listed on California's SB312

Name	CAS	%
Di-(2-ethylhexyl) adipate	103-23-1	50-100%
Benzyl alcohol	100-51-6	1-<5%
Eugenol	97-53-0	1-<5%
Geraniol	106-24-1	0.1-<1%
d-Limonene	5989-27-5	0.1-<1%
3 and 4-(4-Hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde	31906-04-4	0.1-<1%
Cinnamaldehyde	104-55-2	0.1-<1%
Linalool	78-70-6	0.1-<1%

# Additional formulation properties

Name	CAS	%
Ethyl vanillin	121-32-4	5-<10%
Vanillin	121-33-5	5-<10%

# **Section 16. Other information**

**Concentration % Limits:** SCI 3=19.30% EDI 2A=40.87% SS 1=25.51% EH A2=32.12% EH A3=3.

16% EH C2=47.27% EH C3=4.73%

**Total Fractional Values:** SCI 3=5.18 EDI 2A=2.45 SS 1=3.92 EH A2=3.11 EH A3=31.65 EH C2=2.

12 EH C3=21.16

Key to revisions:

Not applicable

Key to abbreviations:





Issue date: 02/28/2025 Version: 1 (02/12/2025)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

Product: VEIL

Version: 1

Abbreviation	Magning
	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Inhalation Category 4
Acute Tox. 4	Acute Toxicity - Dermal Category 4
Acute Tox. 5	Acute Toxicity - Oral Category 5
Acute Tox. 5	Acute Toxicity - Dermal Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Eye Irrit. 2B	Eye Damage / Irritation Category 2B
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Liq. 4	Flammable Liquid, Hazard Category 4
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child (exposure route).
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.





Version: 1 (02/12/2025)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

Product: VEIL

Version: 1

andle until all safety precautions have been read and understood.  By from heat, sparks, open flames and hot surfaces No smoking.  Itainer tightly closed.  Itainer and receiving equipment.  Itainer tightly closed.  Itainer tightly clos
tainer tightly closed.  ond container and receiving equipment.  psion-proof electrical, ventilating and lighting equipment.  non-sparking tools.  cautionary measures against static discharge.  athing vapour or dust.  nds and other contacted skin thoroughly after handling.  it, drink or smoke when using this product.  outdoors or in a well-ventilated area.  atted work clothing should not be allowed out of the workplace.
ond container and receiving equipment.  psion-proof electrical, ventilating and lighting equipment.  non-sparking tools.  cautionary measures against static discharge.  athing vapour or dust.  nds and other contacted skin thoroughly after handling.  att, drink or smoke when using this product.  outdoors or in a well-ventilated area.  atted work clothing should not be allowed out of the workplace.
psion-proof electrical, ventilating and lighting equipment.  non-sparking tools.  cautionary measures against static discharge.  athing vapour or dust.  nds and other contacted skin thoroughly after handling.  at, drink or smoke when using this product.  outdoors or in a well-ventilated area.  ated work clothing should not be allowed out of the workplace.
non-sparking tools. cautionary measures against static discharge. athing vapour or dust. nds and other contacted skin thoroughly after handling. it, drink or smoke when using this product. outdoors or in a well-ventilated area. ated work clothing should not be allowed out of the workplace.
cautionary measures against static discharge.  athing vapour or dust.  ands and other contacted skin thoroughly after handling.  att, drink or smoke when using this product.  outdoors or in a well-ventilated area.  ated work clothing should not be allowed out of the workplace.
athing vapour or dust.  Indicated skin thoroughly after handling.  It, drink or smoke when using this product.  Outdoors or in a well-ventilated area.  ated work clothing should not be allowed out of the workplace.
nds and other contacted skin thoroughly after handling.  It, drink or smoke when using this product.  Outdoors or in a well-ventilated area.  ated work clothing should not be allowed out of the workplace.
outdoors or in a well-ventilated area.  ated work clothing should not be allowed out of the workplace.
outdoors or in a well-ventilated area. ated work clothing should not be allowed out of the workplace.
ated work clothing should not be allowed out of the workplace.
ease to the environment.
tective gloves/eye protection/face protection.
onal protective equipment as required.
LOWED: Immediately call a POISON CENTER or doctor/physician.
LOWED: call a POISON CENTER or doctor/physician if you feel unwell.
IN: Wash with plenty of soap and water.
IN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
ED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
S: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to nue rinsing.
ed or concerned: Get medical advice/attention.
ely call a POISON CENTER or doctor/physician.
ISON CENTRE or doctor/physician if you feel unwell.
uth.
duce vomiting.
ration or rash occurs: Get medical advice/attention.
ation persists: Get medical advice/attention.
contaminated clothing and wash before reuse.
ntaminated clothing before reuse.
f fire: Use carbon dioxide, dry chemical, foam for extinction.
village.
well-ventilated place. Keep container tightly closed.
well-ventilated place. Keep container tightly closed. Keep cool.
well-ventilated place. Keep cool.
ked up.
of contents/container to approved disposal site, in accordance with local regulations.
Reproduction Category 2
arget Organ Toxicity (Single Exposure) Category 3
arget Organ Toxicity (Single Exposure) Category 3 arget Organ Toxicity (Single Exposure) Category 3
t a f





Version: 1 (02/12/2025)

# **SAFETY DATA SHEET**

In accordance with UN GHS latest edition

Product: VEIL

Version: 1

Skin Irrit. 3	Skin Corrosion / Irritation Category 3
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1A	Sensitization - Skin Category 1A
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.