## SAFETY DATA SHEET



#### 1. Identification

Product identifier EPA Method 525.3/UCMR-4 Pesticide Mixture 1

Other means of identification

ItemM-UCMR4PESTMIX1Recommended useFor Laboratory Use Only

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameChem Service, Inc.Address660 Tower Lane

West Chester, PA 19380

**United States** 

**Telephone** Toll Free 800-452-9994

Direct 610-692-3026

Website www.chemservice.com
E-mail info@chemservice.com

**Emergency phone number** Chemtrec US 800-424-9300

Chemtrec outside US +1 703-527-3887

## 2. Hazard(s) identification

Physical hazards Flammable liquids Category 2 **Health hazards** Acute toxicity, oral Category 3 Acute toxicity, dermal Category 3 Acute toxicity, inhalation Category 3 Serious eye damage/eye irritation Category 2A Carcinogenicity Category 2 Reproductive toxicity Category 1 Specific target organ toxicity, single exposure Category 1 Specific target organ toxicity, repeated Category 1

exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment,

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement**Highly flammable liquid and vapor. Toxic if swallowed. Toxic in contact with skin. Causes serious eye irritation. Toxic if inhaled. Suspected of causing cancer. Suspected of damaging the unborn

eye irritation. Toxic if inhaled. Suspected of causing cancer. Suspected of damaging the unborr child. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Category 1

Material name: EPA Method 525.3/UCMR-4 Pesticide Mixture 1

M-UCMR4PESTMIX1 Version #: 04 Revision date: 07-13-2018 Issue date: 04-05-2016

## **Precautionary statement**

#### Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

If swallowed: Immediately call a poison center/doctor. Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor. If eye irritation persists: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish. Collect spillage.

#### **Storage**

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

### **Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

## Hazard(s) not otherwise classified (HNOC)

Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

## Supplemental information

% of the mixture consists of component(s) of unknown acute oral toxicity. % of the mixture consists of component(s) of unknown acute dermal toxicity. % of the mixture consists of component(s) of unknown acute inhalation toxicity. 99% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 99% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Methanol		67-56-1	98.83
Profenofos		41198-08-7	0.38
Dimethipin		55290-64-7	0.25
Tebuconazole		107534-96-3	0.25
S,S,S-Tributyl phosphorotrithioate		78-48-8	0.09
Oxyfluorfen		42874-03-3	0.06
Permethrin		52645-53-1	0.05
Chlorpyrifos		2921-88-2	0.04
Prophos		13194-48-4	0.04
BHC (alpha isomer)		319-84-6	0.01

#### 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

> artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device. Call a POISON CENTER or doctor/physician.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical

advice/attention if you feel unwell. Get medical attention if irritation develops and persists. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting without

advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device.

**Most important** symptoms/effects, acute and delayed

Dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Prolonged exposure may cause chronic effects.

M-UCMR4PESTMIX1 Version #: 04 Revision date: 07-13-2018 Issue date: 04-05-2016

Indication of immediate medical attention and special treatment needed

**General information** 

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Take off immediately all contaminated clothing. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

Suitable extinguishing media

Alcohol resistant foam. Water fog. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. This liquid may accumulate static electricity when filling properly grounded containers. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants. Material will float and may ignite on surface of water. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods
General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

Highly flammable liquid and vapor.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases. Use appropriate containment to avoid environmental contamination.

Material name: EPA Method 525.3/UCMR-4 Pesticide Mixture 1

M-UCMR4PESTMIX1 Version #: 04 Revision date: 07-13-2018 Issue date: 04-05-2016 3 / 12

#### 7. Handling and storage

#### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

For additional information on equipment bonding and grounding, refer to the Canadian Electrical Code in Canada, (CSA C22.1), or the American Petroleum Institute (API) Recommended Practice 2003, "Protection Against Ignitions Arising out of Static, Lightning, and Stray Currents" or National Fire Protection Association (NFPA) 77, "Recommended Practice on Static Electricity" or National Fire Protection Association (NFPA) 70. "National Electrical Code".

# Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Avoid spark promoters. Ground/bond container and equipment. These alone may be insufficient to remove static electricity. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS). Store in refrigerator (0°C to 5°C).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

Components	Туре	Value	
Methanol (CAS 67-56-1)	PEL	260 mg/m3	
		200 ppm	
Permethrin (CAS 52645-53-1)	PEL	5 mg/m3	
US. ACGIH Threshold Limit Value	es		
Components	Туре	Value	Form
Chlorpyrifos (CAS 2921-88-2)	TWA	0.1 mg/m3	Inhalable fraction and vapor.
Methanol (CAS 67-56-1)	STEL	250 ppm	•
	TWA	200 ppm	
Permethrin (CAS 52645-53-1)	TWA	5 mg/m3	
US. NIOSH: Pocket Guide to Che	mical Hazards		
Components	Туре	Value	
Chlorpyrifos (CAS 2921-88-2)	STEL	0.6 mg/m3	
	TWA	0.2 mg/m3	
Methanol (CAS 67-56-1)	STEL	325 mg/m3	
		250 ppm	
	TWA	260 mg/m3	
		200 ppm	
Permethrin (CAS 52645-53-1)	TWA	5 mg/m3	

Material name: EPA Method 525.3/UCMR-4 Pesticide Mixture 1

M-UCMR4PESTMIX1 Version #: 04 Revision date: 07-13-2018 Issue date: 04-05-2016 4 / 12

#### **Biological limit values**

#### **ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
Methanol (CAS 67-56-1)	15 mg/l	Methanol	Urine	*

\* - For sampling details, please see the source document.

#### **Exposure guidelines**

#### US - California OELs: Skin designation

Chlorpyrifos (CAS 2921-88-2)

Methanol (CAS 67-56-1)

Can be absorbed through the skin.

Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Chlorpyrifos (CAS 2921-88-2) Skin designation applies. Methanol (CAS 67-56-1) Skin designation applies.

US - Tennessee OELs: Skin designation

Chlorpyrifos (CAS 2921-88-2)

Methanol (CAS 67-56-1)

Can be absorbed through the skin.

Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation** 

Chlorpyrifos (CAS 2921-88-2)

Methanol (CAS 67-56-1)

Can be absorbed through the skin.

Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Chlorpyrifos (CAS 2921-88-2)

Methanol (CAS 67-56-1)

Can be absorbed through the skin.

Can be absorbed through the skin.

Appropriate engineering controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** Chemical respirator with organic vapor cartridge and full facepiece.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SDS US

#### 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid.
Color Not available.
Odor Not available.
Odor threshold Not available.
ph Not available.

Melting point/freezing point -144.04 °F (-97.8 °C) estimated Initial boiling point and boiling 148.46 °F (64.7 °C) estimated

range

Flash point 53.6 °F (12.0 °C) estimated

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

7.3 % estimated

Flammability limit - upper

(%)

36 % estimated

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 169.3 hPa estimated

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

**Auto-ignition temperature** 867.2 °F (464 °C) estimated

Decomposition temperatureNot available.ViscosityNot available.

Other information

**Density** 0.79183 g/cm3 estimated

**Explosive properties** Not explosive.

Flammability class Flammable IB estimated

Oxidizing propertiesNot oxidizing.Percent volatile98.83 % estimatedSpecific gravity0.79 estimatedVOC98.83 % estimated

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardousHazardous polymerization does not occur.

reactions

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

Information on likely routes of exposure

**Inhalation** Toxic if inhaled. May cause damage to organs by inhalation. May cause damage to organs

through prolonged or repeated exposure by inhalation.

Skin contactToxic in contact with skin.Eye contactCauses serious eye irritation.

**Ingestion** Toxic if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Headache. Dizziness. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging,

tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity Toxic if inhaled. Toxic in contact with skin. Toxic if swallowed.

Material name: EPA Method 525.3/UCMR-4 Pesticide Mixture 1

**Test Results** Components **Species** BHC (alpha isomer) (CAS 319-84-6) **Acute Dermal** LD50 Rat 0.9 mg/kg Oral LD50 Rat 177 mg/kg Chlorpyrifos (CAS 2921-88-2) **Acute** Dermal LD50 Rat 202 mg/kg Inhalation LC50 Rat > 0.2 mg/l, 4 Hours Oral LD50 Rat 82 mg/kg Dimethipin (CAS 55290-64-7) **Acute** Oral Rat LD50 500 mg/kg Permethrin (CAS 52645-53-1) **Acute** Inhalation LC50 Rat 3.4 mg/l, 4 Hours Oral LD50 Rat 430 mg/kg Profenofos (CAS 41198-08-7) **Acute** Inhalation LC50 Rat 3 mg/l, 4 Hours Oral LD50 Rat 400 mg/kg Prophos (CAS 13194-48-4) Acute **Dermal** LD50 Rabbit 8.5 mg/kg S,S,S-Tributyl phosphorotrithioate (CAS 78-48-8) **Acute** Inhalation LC50 Rat 2.46 mg/l, 4 Hours Oral LD50 Rat 150 mg/kg Tebuconazole (CAS 107534-96-3)

**Acute** 

Inhalation

LC50 Rat 0.82 mg/l, 4 Hours

\* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer. Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Suspected of causing cancer. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

BHC (alpha isomer) (CAS 319-84-6) 2B Possibly carcinogenic to humans.

Permethrin (CAS 52645-53-1) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

BHC (alpha isomer) (CAS 319-84-6) Reasonably Anticipated to be a Human Carcinogen.

Suspected of damaging the unborn child. Reproductive toxicity

Specific target organ toxicity -

single exposure

Causes damage to organs.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be

harmful.

## 12. Ecological information

Very toxic to aquatic life with long lasting effects. **Ecotoxicity** 

BHC (alpha isomer) (CAS 319-84-6)           Aquatic         Crustacea         EC50         Water flea (Daphnia magna)         0.6 - 1 mg/l, 48 hours           Fish         LC50         Zebra danio (Danio rerio)         0.82 - 1.51 mg/l, 96 hours           Chlorpyrifos (CAS 2921-88-2)           Aquatic           Crustacea         EC50         Scud (Gammarus pulex)         0.0002 - 0.0005 mg/l, 48 hours           Fish         LC50         Tidewater silverside (Menidia peninsulae)         0.0007 - 0.0011 mg/l, 96 hours           Methanol (CAS 67-56-1)           Aquatic           Crustacea         EC50         Water flea (Daphnia magna)         > 10000 mg/l, 48 hours           Permethrin (CAS 52645-53-1)           Aquatic           Crustacea         EC50         Water flea (Daphnia magna)         0.0006 - 0.0025 mg/l, 48 hours           Fish         LC50         Apache trout (Oncorhynchus gilae apache)         0.0013 - 0.0022 mg/l, 96 hours           Profenofos (CAS 41198-08-7)           Aquatic           Crustacea         EC50         Water flea (Daphnia magna)         0.0004 - 0.0006 mg/l, 48 hours           Prophos (CAS 13194-48-4)           Aquatic         Fish	Components		Species	Test Results
Crustacea         EC50         Water flea (Daphnia magna)         0.6 - 1 mg/l, 48 hours           Fish         LC50         Zebra danio (Danio rerio)         0.82 - 1.51 mg/l, 96 hours           Chlorpyrifos (CAS 2921-88-2)           Aquatic           Crustacea         EC50         Scud (Gammarus pulex)         0.0002 - 0.0005 mg/l, 48 hours           Fish         LC50         Tidewater silverside (Menidia peninsulae)         0.0007 - 0.0011 mg/l, 96 hours           Methanol (CAS 67-56-1)           Aquatic           Crustacea         EC50         Water flea (Daphnia magna)         > 10000 mg/l, 48 hours           Fish         LC50         Fathead minnow (Pimephales promelas)         > 100 mg/l, 96 hours           Permethrin (CAS 52645-53-11           Aquatic           Crustacea         EC50         Water flea (Daphnia magna)         0.0006 - 0.0025 mg/l, 48 hours           Fish         LC50         Apache trout (Oncorhynchus gilae apache)         0.0013 - 0.0022 mg/l, 96 hours           Profenofos (CAS 41198-08-7)           Aquatic           Fish         LC50         Bluegill (Lepomis macrochirus)         0.0004 - 0.0006 mg/l, 48 hours           Fish         LC50         Bluegill	BHC (alpha isomer) (0	CAS 319-84-6)		
Fish	Aquatic			
Chlorpyrifos (CAS 2921-88-2)           Aquatic         Crustacea         EC50         Scud (Gammarus pulex)         0.0002 - 0.0005 mg/l, 48 hours           Fish         LC50         Tidewater silverside (Menidia peninsulae)         0.0007 - 0.0011 mg/l, 96 hours           Methanol (CAS 67-56-1)           Aquatic         Crustacea         EC50         Water flea (Daphnia magna)         > 10000 mg/l, 48 hours           Fish         LC50         Fathead minnow (Pimephales promelas)         > 100 mg/l, 96 hours           Permethrin (CAS 52645-53-1)           Aquatic         Crustacea         EC50         Water flea (Daphnia magna)         0.0006 - 0.0025 mg/l, 48 hours           Fish         LC50         Apache trout (Oncorhynchus gilae apache)         0.0013 - 0.0022 mg/l, 96 hours           Profenofos (CAS 41198-08-7)           Aquatic           Crustacea         EC50         Water flea (Daphnia magna)         0.0004 - 0.0006 mg/l, 48 hours           Prophos (CAS 13194-48-4)           Aquatic         LC50         Bluegill (Lepomis macrochirus)         0.0101 - 0.0181 mg/l, 96 hours           S,S,S-Tributyl phosphorotrithoate (CAS 78-48-8)	Crustacea	EC50	Water flea (Daphnia magna)	0.6 - 1 mg/l, 48 hours
Aquatic         Crustacea         EC50         Scud (Gammarus pulex)         0.0002 - 0.0005 mg/l, 48 hours           Fish         LC50         Tidewater silverside (Menidia peninsulae)         0.0007 - 0.0011 mg/l, 96 hours           Methanol (CAS 67-56-1)           Aquatic         Crustacea         EC50         Water flea (Daphnia magna)         > 10000 mg/l, 48 hours           Fish         LC50         Fathead minnow (Pimephales promelas)         > 100 mg/l, 96 hours           Permethrin (CAS 52645-53-1)           Aquatic         Crustacea         EC50         Water flea (Daphnia magna)         0.0006 - 0.0025 mg/l, 48 hours           Fish         LC50         Apache trout (Oncorhynchus gilae apache)         0.0013 - 0.0022 mg/l, 96 hours           Profenofos (CAS 41198-08-7)           Aquatic           Crustacea         EC50         Water flea (Daphnia magna)         0.0004 - 0.0006 mg/l, 48 hours           Fish         LC50         Bluegill (Lepomis macrochirus)         0.0101 - 0.0181 mg/l, 96 hours           Prophos (CAS 13194-48-4)           Aquatic         Carp (Cyprinus carpio)         0.47 - 0.88 mg/l, 96 hours           S,S,S-Tributyl phosphorotrithoatet (CAS 78-48-8)         Aquatic	Fish	LC50	Zebra danio (Danio rerio)	0.82 - 1.51 mg/l, 96 hours
Crustacea         EC50         Scud (Gammarus pulex)         0.0002 - 0.0005 mg/l, 48 hours           Fish         LC50         Tidewater silverside (Menidia peninsulae)         0.0007 - 0.0011 mg/l, 96 hours           Methanol (CAS 67-56-1)           Aquatic           Crustacea         EC50         Water flea (Daphnia magna)         > 10000 mg/l, 48 hours           Fish         LC50         Fathead minnow (Pimephales promelas)         > 100 mg/l, 96 hours           Permethrin (CAS 52645-53-1)           Aquatic           Crustacea         EC50         Water flea (Daphnia magna)         0.0006 - 0.0025 mg/l, 48 hours           Fish         LC50         Apache trout (Oncorhynchus gilae apache)         0.0013 - 0.0022 mg/l, 96 hours           Profenofos (CAS 41198-08-7)           Aquatic           Crustacea         EC50         Water flea (Daphnia magna)         0.0004 - 0.0006 mg/l, 48 hours           Fish         LC50         Bluegill (Lepomis macrochirus)         0.0101 - 0.0181 mg/l, 96 hours           Prophos (CAS 13194-48-4)           Aquatic         Fish         LC50         Carp (Cyprinus carpio)         0.47 - 0.88 mg/l, 96 hours           S,S,S-Tributyl phosphorotrithiotate (CAS 78-48-8)	Chlorpyrifos (CAS 292	21-88-2)		
Fish LC50 Tidewater silverside (Menidia peninsulae)  Methanol (CAS 67-56-1)  Aquatic Crustacea EC50 Water flea (Daphnia magna) > 10000 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours  Permethrin (CAS 52645-53-1)  Aquatic Crustacea EC50 Water flea (Daphnia magna) 0.0006 - 0.0025 mg/l, 48 hours  Fish LC50 Apache trout (Oncorhynchus gilae apache)  Profenofos (CAS 41198-08-7)  Aquatic Crustacea EC50 Water flea (Daphnia magna) 0.0013 - 0.0022 mg/l, 96 hours apache)  Profenofos (CAS 41198-08-7)  Aquatic Crustacea EC50 Water flea (Daphnia magna) 0.0004 - 0.0006 mg/l, 48 hours Fish LC50 Bluegill (Lepomis macrochirus) 0.0101 - 0.0181 mg/l, 96 hours  Prophos (CAS 13194-48-4)  Aquatic Fish LC50 Carp (Cyprinus carpio) 0.47 - 0.88 mg/l, 96 hours  S,S,S-Tributyl phosphorotrithioate (CAS 78-48-8)  Aquatic	Aquatic			
Methanol (CAS 67-56-1)   Aquatic	Crustacea	EC50	Scud (Gammarus pulex)	0.0002 - 0.0005 mg/l, 48 hours
Aquatic         Crustacea         EC50         Water flea (Daphnia magna)         > 10000 mg/l, 48 hours           Fish         LC50         Fathead minnow (Pimephales promelas)         > 100 mg/l, 96 hours           Permethrin (CAS 52645-53-1)           Aquatic           Crustacea         EC50         Water flea (Daphnia magna)         0.0006 - 0.0025 mg/l, 48 hours           Fish         LC50         Apache trout (Oncorhynchus gilae apache)         0.0013 - 0.0022 mg/l, 96 hours           Profenofos (CAS 41198-08-7)           Aquatic           Crustacea         EC50         Water flea (Daphnia magna)         0.0004 - 0.0006 mg/l, 48 hours           Fish         LC50         Bluegill (Lepomis macrochirus)         0.0101 - 0.0181 mg/l, 96 hours           Prophos (CAS 13194-48-4)           Aquatic         Fish         LC50         Carp (Cyprinus carpio)         0.47 - 0.88 mg/l, 96 hours           S,S,S-Tributyl phosphorotrithoate (CAS 78-48-8)           Aquatic         Carp (Cyprinus carpio)         0.47 - 0.88 mg/l, 96 hours	Fish	LC50		0.0007 - 0.0011 mg/l, 96 hours
Crustacea         EC50         Water flea (Daphnia magna)         > 10000 mg/l, 48 hours           Fish         LC50         Fathead minnow (Pimephales promelas)         > 100 mg/l, 96 hours           Permethrin (CAS 52645-53-1)           Aquatic           Crustacea         EC50         Water flea (Daphnia magna)         0.0006 - 0.0025 mg/l, 48 hours           Fish         LC50         Apache trout (Oncorhynchus gilae apache)         0.0013 - 0.0022 mg/l, 96 hours           Profenofos (CAS 41198-08-7)           Aquatic         Crustacea         EC50         Water flea (Daphnia magna)         0.0004 - 0.0006 mg/l, 48 hours           Fish         LC50         Bluegill (Lepomis macrochirus)         0.0101 - 0.0181 mg/l, 96 hours           Prophos (CAS 13194-48-4)           Aquatic         C50         Carp (Cyprinus carpio)         0.47 - 0.88 mg/l, 96 hours           S,S,S-Tributyl phosphorotrithiotate (CAS 78-48-8)         Aquatic	Methanol (CAS 67-56-	-1)		
Fish         LC50         Fathead minnow (Pimephales promelas)         > 100 mg/l, 96 hours           Permethrin (CAS 52645-53-1)           Aquatic           Crustacea         EC50         Water flea (Daphnia magna)         0.0006 - 0.0025 mg/l, 48 hours           Fish         LC50         Apache trout (Oncorhynchus gilae apache)         0.0013 - 0.0022 mg/l, 96 hours           Aquatic           Crustacea         EC50         Water flea (Daphnia magna)         0.0004 - 0.0006 mg/l, 48 hours           Fish         LC50         Bluegill (Lepomis macrochirus)         0.0101 - 0.0181 mg/l, 96 hours           Prophos (CAS 13194-48-4)           Aquatic           Fish         LC50         Carp (Cyprinus carpio)         0.47 - 0.88 mg/l, 96 hours           S,S,S-Tributyl phosphorotrithiotate (CAS 78-48-8)           Aquatic	Aquatic			
Permethrin (CAS 52645-53-1)           Aquatic           Crustacea         EC50         Water flea (Daphnia magna)         0.0006 - 0.0025 mg/l, 48 hours           Fish         LC50         Apache trout (Oncorhynchus gilae apache)         0.0013 - 0.0022 mg/l, 96 hours           Profenofos (CAS 41198-08-7)           Aquatic           Crustacea         EC50         Water flea (Daphnia magna)         0.0004 - 0.0006 mg/l, 48 hours           Fish         LC50         Bluegill (Lepomis macrochirus)         0.0101 - 0.0181 mg/l, 96 hours           Prophos (CAS 13194-48-4)           Aquatic         Fish         LC50         Carp (Cyprinus carpio)         0.47 - 0.88 mg/l, 96 hours           S,S,S-Tributyl phosphorotrithioate (CAS 78-48-8)           Aquatic         Aquatic	Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
Aquatic         Crustacea         EC50         Water flea (Daphnia magna)         0.0006 - 0.0025 mg/l, 48 hours           Fish         LC50         Apache trout (Oncorhynchus gilae apache)         0.0013 - 0.0022 mg/l, 96 hours           Profenofos (CAS 41198-08-7)           Aquatic           Crustacea         EC50         Water flea (Daphnia magna)         0.0004 - 0.0006 mg/l, 48 hours           Fish         LC50         Bluegill (Lepomis macrochirus)         0.0101 - 0.0181 mg/l, 96 hours           Prophos (CAS 13194-48-4)           Aquatic         Fish         LC50         Carp (Cyprinus carpio)         0.47 - 0.88 mg/l, 96 hours           S,S,S-Tributyl phosphorotrithioate (CAS 78-48-8)           Aquatic         Aquatic	Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours
Crustacea EC50 Water flea (Daphnia magna) 0.0006 - 0.0025 mg/l, 48 hours Fish LC50 Apache trout (Oncorhynchus gilae apache) 0.0013 - 0.0022 mg/l, 96 hours  Profenofos (CAS 41198-08-7)  Aquatic Crustacea EC50 Water flea (Daphnia magna) 0.0004 - 0.0006 mg/l, 48 hours Fish LC50 Bluegill (Lepomis macrochirus) 0.0101 - 0.0181 mg/l, 96 hours  Prophos (CAS 13194-48-4)  Aquatic Fish LC50 Carp (Cyprinus carpio) 0.47 - 0.88 mg/l, 96 hours  S,S,S-Tributyl phosphorotrithioate (CAS 78-48-8)  Aquatic	Permethrin (CAS 5264	15-53-1)		
Fish LC50 Apache trout (Oncorhynchus gilae apache)  Profenofos (CAS 41198-08-7)  Aquatic Crustacea EC50 Water flea (Daphnia magna) 0.0004 - 0.0006 mg/l, 48 hours Fish LC50 Bluegill (Lepomis macrochirus) 0.0101 - 0.0181 mg/l, 96 hours  Prophos (CAS 13194-48-4)  Aquatic Fish LC50 Carp (Cyprinus carpio) 0.47 - 0.88 mg/l, 96 hours  S,S,S-Tributyl phosphorotrithioate (CAS 78-48-8)  Aquatic	Aquatic			
Aquatic	Crustacea	EC50	Water flea (Daphnia magna)	0.0006 - 0.0025 mg/l, 48 hours
Aquatic Crustacea EC50 Water flea (Daphnia magna) 0.0004 - 0.0006 mg/l, 48 hours Fish LC50 Bluegill (Lepomis macrochirus) 0.0101 - 0.0181 mg/l, 96 hours  Prophos (CAS 13194-48-4)  Aquatic Fish LC50 Carp (Cyprinus carpio) 0.47 - 0.88 mg/l, 96 hours  S,S,S-Tributyl phosphorotrithioate (CAS 78-48-8)  Aquatic	Fish	LC50		0.0013 - 0.0022 mg/l, 96 hours
Crustacea EC50 Water flea (Daphnia magna) 0.0004 - 0.0006 mg/l, 48 hours Fish LC50 Bluegill (Lepomis macrochirus) 0.0101 - 0.0181 mg/l, 96 hours  Prophos (CAS 13194-48-4)  Aquatic Fish LC50 Carp (Cyprinus carpio) 0.47 - 0.88 mg/l, 96 hours  S,S,S-Tributyl phosphorotrithioate (CAS 78-48-8)  Aquatic	Profenofos (CAS 4119	98-08-7)		
Fish LC50 Bluegill (Lepomis macrochirus) 0.0101 - 0.0181 mg/l, 96 hours  Prophos (CAS 13194-48-4)  Aquatic  Fish LC50 Carp (Cyprinus carpio) 0.47 - 0.88 mg/l, 96 hours  S,S,S-Tributyl phosphorotrithioate (CAS 78-48-8)  Aquatic	Aquatic			
Prophos (CAS 13194-48-4)  Aquatic  Fish LC50 Carp (Cyprinus carpio) 0.47 - 0.88 mg/l, 96 hours  S,S,S-Tributyl phosphorotrithioate (CAS 78-48-8)  Aquatic	Crustacea	EC50	Water flea (Daphnia magna)	0.0004 - 0.0006 mg/l, 48 hours
Aquatic Fish LC50 Carp (Cyprinus carpio) 0.47 - 0.88 mg/l, 96 hours S,S,S-Tributyl phosphorotrithioate (CAS 78-48-8) Aquatic	Fish	LC50	Bluegill (Lepomis macrochirus)	0.0101 - 0.0181 mg/l, 96 hours
Fish LC50 Carp (Cyprinus carpio) 0.47 - 0.88 mg/l, 96 hours S,S,S-Tributyl phosphorotrithioate (CAS 78-48-8)  Aquatic	Prophos (CAS 13194-	48-4)		
S,S,S-Tributyl phosphorotrithioate (CAS 78-48-8)  Aquatic	Aquatic			
Aquatic	Fish	LC50	Carp (Cyprinus carpio)	0.47 - 0.88 mg/l, 96 hours
•	S,S,S-Tributyl phosph	orotrithioate (CAS	78-48-8)	
Crustacea EC50 Water flea (Daphnia magna) 0.0037 - 0.013 mg/l, 48 hours	Aquatic			
	Crustacea	EC50	Water flea (Daphnia magna)	0.0037 - 0.013 mg/l, 48 hours

Material name: EPA Method 525.3/UCMR-4 Pesticide Mixture 1

SDS US 8 / 12

**Test Results** Components **Species** LC50 0.24 - 0.4 mg/l, 96 hours Fish Rainbow trout, donaldson trout

(Oncorhynchus mykiss)

Persistence and degradability No data is available on the degradability of this product.

#### Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

BHC (alpha isomer)	3.8
Chlorpyrifos	5.27
Dimethipin	-0.17
Methanol	-0.77
Permethrin	6.5
Profenofos	4.68
Prophos	3.59
S,S,S-Tributyl phosphorotrithioate	5.7

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

UN1230 **UN** number

**UN proper shipping name** Methanol, solution (Methanol RQ = 5059 LBS) (S,S,S-Tributyl phosphorotrithioate, Prophos)

Transport hazard class(es)

**Class** 3 Subsidiary risk Label(s) 3 Ш Packing group

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IB2, T7, TP2 Special provisions

150 Packaging exceptions 202 Packaging non bulk 242 Packaging bulk

IATA

**UN** number UN1230

**UN** proper shipping name Methanol solution (Methanol)

Transport hazard class(es)

Class

6.1(PGI, II) Subsidiary risk

Packing group Ш **Environmental hazards** No. **ERG Code** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Material name: EPA Method 525.3/UCMR-4 Pesticide Mixture 1

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Other information

Passenger and cargo Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

**IMDG** 

UN number UN1230

UN proper shipping name METHANOL SOLUTION (Methanol)

Not established.

Transport hazard class(es)

Class 3

Subsidiary risk 6.1(PGI, II)

Packing group

**Environmental hazards** 

Marine pollutant No. EmS F-E, S-D

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

DOT



IATA; IMDG



General information IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

## 15. Regulatory information

**US federal regulations**This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

One or more components are not listed on TSCA.

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

## **CERCLA Hazardous Substance List (40 CFR 302.4)**

BHC (alpha isomer) (CAS 319-84-6)

Chlorpyrifos (CAS 2921-88-2)

Methanol (CAS 67-56-1)

Permethrin (CAS 52645-53-1)

Listed.

Listed.

SARA 304 Emergency release notification

Prophos (CAS 13194-48-4) 1000 LBS
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Material name: EPA Method 525.3/UCMR-4 Pesticide Mixture 1

M-UCMR4PESTMIX1 Version #: 04 Revision date: 07-13-2018 Issue date: 04-05-2016 10 / 12

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

**CAS** number Chemical name Reportable **Threshold Threshold Threshold** quantity planning quantity planning quantity, planning quantity, (pounds) (pounds) lower value upper value (pounds) (pounds)

**Prophos** 13194-48-4 1000 1000 No

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Chemical name CAS number % by wt. Methanol 67-56-1 98.83

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Methanol (CAS 67-56-1)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US state regulations**

#### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

BHC (alpha isomer) (CAS 319-84-6) Listed: October 1, 1989 Prophos (CAS 13194-48-4) Listed: February 27, 2001 S,S,S-Tributyl phosphorotrithioate (CAS 78-48-8) Listed: February 25, 2011

US - California Proposition 65 - CRT: Listed date/Developmental toxin

Methanol (CAS 67-56-1) Listed: March 16, 2012

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Methanol (CAS 67-56-1)

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

## 16. Other information, including date of preparation or last revision

04-05-2016 Issue date **Revision date** 07-13-2018

Version # 04

Material name: EPA Method 525.3/UCMR-4 Pesticide Mixture 1

SDS US

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**NFPA** ratings

Health: 4 Flammability: 3 Instability: 0

Disclaimer

The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded SDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.

Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.

This Safety Data Sheet (SDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an SDS for a solution or mixture the user should refer to the SDS for every component of the solution or mixture. Chem Service warrants that this SDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This SDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.

Copyright © 2000-2014 Chem Service, Inc. All rights reserved except that this SDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire SDS is printed. The SDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.

This product is furnished FOR LABORATORY USE ONLY.

Material name: EPA Method 525.3/UCMR-4 Pesticide Mixture 1

M-UCMR4PESTMIX1 Version #: 04 Revision date: 07-13-2018 Issue date: 04-05-2016 12 / 12