



LR Series Dynamic Digital Rolling LED Display



Plug & Play



High Protection



Fine Display




Long Lifespan



Easy Maintenance



Wide Viewing Angle





Features

Pixel Pitch option: P0.7, P1.2, P1.5, P1.9, P2.6, P3.9

Super slim 15~20mm installation thickness


Super light 15KGS per sqm, easy to carry

Simple wiring connection, plug and play

Front & rear service

GOB technology, anti-collision and waterproof IP63 (front)

Centralized power management, maintenance no need to be removed the module



Module front




Module back



Specifications

LR Series P/N	LR-A125	LR-A156	LR-A195	LR-A261
Configuration	SMD1010	SMD1010	SMD1010	SMD1515
Surface Treatment	GOB	GOB	GOB	GOB
Pixel Pitch	1.25mm	1.5625mm	1.953mm	2.604mm
Module Size (mm)	W500 x H62.5 x D14mm	W500 x H62.5 x D14mm	W500 x H62.5 x D14mm	W500 x H62.5 x D14mm
Module Resolution (pixels)	400 x 50 pixels	320 x 40 pixels	256 x 32 pixels	192 x 24 pixels
Color Depth	12-16 bit	12-16 bit	12-16 bit	12-16 bit
Colors	4096-65536	4096-65536	4096-65536	4096-65536
Refresh Rate (Hz)	≥3840 Hz	≥3840 Hz	≥3840 Hz	≥3840 Hz
Scan Mode	1/50	1/40	1/32	1/24
Brightness(cd/m2)	>600cd/m2	>600cd/m2	>600cd/m2	700~800cd/m2
Viewing Distance (meter)	≥ 1.2m	≥ 1.5m	≥ 1.9m	≥ 2.6m
Screen Weight (kg/m²)	16kg/m²	16kg/m²	16kg/m²	16kg/m²
Viewing Angle (°)	140°	140°	140°	140°
Input Voltage (V)	DC 24V/36V	DC 24V/36V	DC 24V/36V	DC 24V/36V
Max Power Consumption	512w/sqm	512w/sqm	512w/sqm	512w/sqm
Ave Power Consumption	170w/sqm	170w/sqm	170w/sqm	170w/sqm
Temperature	-20 °C/+50°C (working)	-20 °C/+50°C (working)	-20 °C/+50°C (working)	-20 °C/+50°C (working)
	-40 °C/ +60°C (storage)	-40 °C/ +60°C (storage)	-40 °C/ +60°C (storage)	-40 °C/ +60°C (storage)
IP Level	IP65/IP21	IP65/IP21	IP65/IP21	IP65/IP21
Humidity	10%~90% (working)	10%~90% (working)	10%~90% (working)	10%~90% (working)
	10%~90% (storage)	10%~90% (storage)	10%~90% (storage)	10%~90% (storage)
Lifespan (hours)	100000	100000	100000	≥100,000
Maintenance Way	Rear	Rear	Rear	Rear

Single Rolling Screen



NO
Area
Weight
Dimensions:
1m W * 2m H

Single Set Packaging
Flight Case Dimensions
Flight Case Volume
Total Weight

L1080*H450*W450mm
0.22CBM
43KGS

