



H584 - ADA Camera Mount
for Jabra PanaCast



IN THE BOX

- A** 1x ADA Camera Mount
- B** 1x Wall Anchor
- C** 1x Hex Key, 5/32"
- D** 1x Mounting Screw



B



C



D



TOOLS NEEDED



Tape Measure



Pen



Power Drill



Phillips
head Bit




1/2" Spade
Drill Bit

COMPONENTS NEEDED (Not Included)



Jabra PanaCast




Jabra PanaCast
USB Cable

If you have any questions, please contact
service@hecklerdesign.com.

STEP 1

Locate mounting position





Important Notes:

Locate and mark the ideal location for your ADA Camera Mount. It could be mounted underneath, above or beside the display.

STEP 2

Install the wall anchor




Optional

Mark and drill the hole





Important:

Drill a 1/2-inch hole for the cable to pass through the wall.





Optional

Route the USB-C cable through the wall




STEP 3

Fasten the ADA Camera Mount




STEP 4


Install the Jabra PanaCast



1. Connect the USB-C cable to Jabra PanaCast Camera.




2. Fasten the camera to the ADA Camera Mount with the hex key.



STEP 5

Adjust and set camera orientation.



Loosen the screw with the hex key to adjust camera orientation, and then tighten it.

