Yealink

All-In-One Room Panel for Scheduling

Certified for Microsoft Teams

Yealink RoomPanel is an all-in-one 8" interactive room panel, providing the easiest and most convenient way for meeting room scheduling and using. Its two full RGB LED bars allow viewers to know the room availability at a glance from a distance. Its ability to connect to the room sensor without an extra gateway can automatically update the room status in real-time. Its provided various mounting brackets enable you to deploy the panel on any wall with only one cable. Moreover, it is featured with a built-in NFC/RFID reader, microphone arrays, stereo speakers, and PoE or DC power adapter, which can meet all modern workspace demands.

Key features and benefits

8-Inch 10-Point Interactive Panel
Keep UI Friendly. Easy and quick to book rooms or check-in/out at room panel.

Anti Fingerprint Screen
Keep the screen clean and free from fingerprints and oil stains.

High Visibility LED Bars out Room Status
Full RGB LED bars for immediate all-round visible communication of room status.

Ambient Light & Proximity Sensor Embedded
Environment self-adaptation. Automatically adjust the screen brightness and automatically wake up the screen.

Any Walls, and Tilt Optional
Provide brackets and 3M glue. Compliant with VESA. Compatible with electrical box, glass and wood, etc., with optional parallel or tilt angle.

Orientation Optional
Easy to mount with portrait or landscape.

PoE or DC Power
Minimalist and flexible installation, keep workspace tidy and modern.

Remote Device Management
Easily monitor, manage, and diagnose by Yealink Management Cloud Server.

Dual-band Wi-Fi
Support wireless network deployment and anti-jamming dual-band Wi-Fi.

Bluetooth 5.0 & BLE
Directly connect to room sensors without extra gateways and support proximity features in the future.

RFID & NFC Embedded
Enhance ID authorization security and track meeting attendees.

Actions with Occupancy Sensor
Actions with the room occupancy sensor, such as automatic release, automatic check-in, etc.

Specifications

Basic

- Operating System: Android 9
- Processor: Octa-core ARM

Display

- Size: 8" LCD Panel (16:10)
- Resolution: 1280x800
- Contrast: 1000:1
- Viewing Angle(H/V): ±80°/±80°
- 10 points capacitive multi-touch
- Anti-fingerprint Coating
- Proximity Sensor: Yes
- Ambient Light Sensor: Yes

Connectivity

- Ethernet: 1 x Fast ethernet port (10/100Mbps)
- Wi-Fi: 2x2 MIMO, 802.11a/b/g/n/ac
- Bluetooth: 5.0
- RFID/NFC: 13.56MHz
- USB Port: 1 x USB-C port
- Button: 1 x Reset pin hole

Audio

- Microphone: 2 x Array Microphones
- Speaker: 2 x 1 Watt Speakers

Power Supply

- Power over Ethernet (IEEE 802.3af)
- 12V Power Adapter

Mounting Options

- Surface mount for 2-gang US electrical box
- 20° tilt mount kit for wall or glass
- Flush mount kit for wall or glass

Dimensions

- Display size (mm): 209 x 146 (8.23" x 4.06")
- Weight: 0.53kg (1.168 lb)

Environmental

- Operating humidity: 10~95%
- Operating temperature: 0~40°C (+32~104°F)
- Storage temperature: -30~70°C (-22~158°F)

Certifications

About Yealink

Yealink (Stock Code: 300628) is a global brand that specializes in video conferencing, voice communications and collaboration solutions with best-in-class quality, innovative technology and user-friendly experience. As one of the best providers in more than 140 countries and regions, Yealink ranks No.1 in the global market share of SIP phone shipments (Global IP Desktop Phone Growth Excellence Leadership Award Report, Frost & Sullivan, 2019).

Copyright

Technical Support

Visit Yealink WIKI (http://support.yealink.com/) for firmware downloads, product documents, FAQ, and more. For better service, we sincerely recommend you to use Yealink Ticketing system (https://ticket.yealink.com) to submit all your technical issues.