

Declaration of Conformity

In accordance with ANSI/ASSP Z359.7-2019

16412 Revision: A
dress: 3M FALL PROTECTION 3833 SALA WAY RED WING, MN 55066
ERGY ABSORBING LANYARD
t the product listed above is in conformity with the requirements of the following
act was tested and for which conformity is claimed, designation and year.
aboratory address and contact information:
ANAB, certificate number L2209
29751, 29752, 29753, 29841, 29842, 29843, 30086, 30087, 30088, 30451, 30452,
30453, 32596, 32597, 32775, 32776, 40858, 41685, 29842, 29841, 29843, 29754,
29755, 29756, 29844, 29845, 29846, 30083, 30084, 30085, 30454, 30455, 30456,
31957, 32777, 32778, 40858, 41685,29847, 29848, 29849, 32767, 32768, 40858,
41865,29835, 29836, 29837, 30092, 30093, 30094, 30445, 30446, 30447, 30542,
30543, 30544, 31955, 32771, 32772, 40858, 41685,29748, 29749, 29750, 30095,

Authorized Signature:

Ampr 4

Name (printed):	James P. Gardner Jr., Ph.D
Title (printec	Global Laboratory Manager
Date:	10/14/2019

30090, 30091, 29832, 29833, 29834, 29742, 29743, 29744, 30442, 30443, 30444,