

NBS DATA

HYPERION

 C L A D D I N G

PIONEER

IFC	
IfcExportAs IfcCoveringType	IfcExportAs IfcCoveringType
IfcExportType CLADDING	IfcExportType CLADDING
NBS Data	
Accessories	50 x 50 x 3100mm plastic battens, 72 x 12mm fascia boards, 54 x 40mm corner trims
CoefficientOfExpansion	0.032 mm/m/°C - (-30°C to +30°C)
ColourOptions	Oak, Walnut, Granite, Stone
ImpactStrength	86 J/m Izod Unnotched
LengthOptions	3.6m
Profile	Shiplap Cladding
Recyclability	100%
RecycledContent	90% (60% wood fibre and 30% HDPE)
SectionSize	20 x 140 mm
WaterAbsorption	1.04%
AcousticRating	n/a
Combustible	TRUE
Finish	Brushed grain surface
FireRating	D – s1, d0 (EN 13501-1)
FlammabilityRating	n/a
FragilityRating	n/a
Material	ood (FSC 100%) polymer composite (WPC)
Reference	Pioneer Cladding
TotalThickness	20 mm
HasAntiStaticSurface	FALSE
HasNonSkidSurface	TRUE
TechnicalContact	info@envirobuild.com

HYPERION

 C L A D D I N G

PIONEER

FASCIA BOARD

IFC	
IfcExportAs IfcCoveringType	IfcExportAs IfcCoveringType
IfcExportType FLOORING	IfcExportType CLADDING
NBS Data	
Accessories	50 x 50 x 3100mm plastic battens, 72 x 12mm fascia boards, 54 x 40mm corner trims
CoefficientOfExpansion	0.032 mm/m/°C - (-30°C to +30°C)
ColourOptions	Oak, Walnut, Granite, Stone, White Ash
ImpactStrength	86 J/m Izod Unnotched
LengthOptions	2.2 m
Profile	Uniform Plank
Recyclability	100%
RecycledContent	90% (60% wood fibre and 30% HDPE)
SectionSize	72 x 12 mm
WaterAbsorption	1.04%
AcousticRating	n/a
Combustible	TRUE
Finish	Brushed flat grain surface
FlammabilityRating	n/a
FragilityRating	n/a
Material	Wood (FSC 100%) polymer composite (WPC)
Reference	Pioneer Fascia Board
TotalThickness	12 mm
HasAntiStaticSurface	FALSE
HasNonSkidSurface	TRUE
TechnicalContact	info@envirobuild.com

HYPERION

 C L A D D I N G

PIONEER

CORNER NOSING TRIM

IFC	
IfcExportAs IfcCoveringType	IfcExportAs IfcCoveringType
IfcExportType FLOORING	IfcExportType CLADDING
NBS Data	
Accessories	50 x 50 x 3100mm plastic battens, 72 x 12mm fascia boards, 54 x 40mm corner trims
CoefficientOfExpansion	0.032 mm/m/°C - (-30°C to +30°C)
ColourOptions	Oak, Walnut, Granite, Stone, White Ash
ImpactStrength	86 J/m Izod Unnotched
LengthOptions	2.2 m
Profile	Uniform L Trim
Recyclability	100%
RecycledContent	90% (60% wood fibre and 30% HDPE)
SectionSize	54 x 40 mm
WaterAbsorption	1.04%
AcousticRating	n/a
Combustible	TRUE
Finish	Brushed flat grain surface
FlammabilityRating	n/a
FragilityRating	n/a
Material	Wood (FSC 100%) polymer composite (WPC)
Reference	Pioneer Fascia Board
TotalThickness	5 mm
HasAntiStaticSurface	FALSE
HasNonSkidSurface	TRUE
TechnicalContact	info@envirobuild.com