

PIG® Overpack Salvage Drum

#PAK708 - 20 gal. • UN1H2/X75/S, UN1H2/Y100/S • .125" Thick



Tough enough for rough handling, guaranteed. Ship your haz waste in our UN Rated overpacks to stay compliant with regs.

- Tough UN Rated overpack is built to withstand rough handling. Guaranteed.
- X-rated for Packing Groups I, II and III, so it's ideal for regulated packaging applications, including shipping hazardous waste by land, sea or rail
- Polypropylene material with UV inhibitors is durable, lightweight and chemical-resistant
- Containers are nestable when empty to save storage space
- Designed and proven to withstand the abuse of shipping to help keep hazardous waste safely contained
- Specifically designed and sized for leaking cans, bottles or 5-gallon pails
- Leakproof, twist-on lid is notched so you can easily tighten it with a 2x4 or pole
- Integrated ledges and handles molded into container let you move overpack with a forklift or by hand

Always in stock. Ships within 24 hours.



By Phone:
+1-814-684-0101

Online:
newpig.com/International

Email:
hothogs@newpig.com

New Pig International

One Pork Avenue • Tipton PA 16684-0304
© 2016 New Pig Corporation. All rights reserved.
PIG and the PIG logo are trademarks in the U.S. and other countries.

ITEM: PAK708 - Pg 1 of 3

PAK708 Product Option Information

Item #	Description	Dimensions	Weight
PAK708-WH	White	ext. dia. 22.5" x 19" H	13 lbs.

Metric Equivalent Item #	Description	Dimensions	Weight
PAK708-WH	White	ext. dia. 57.2cm x 48.3cm H	5.9 kg



By Phone:
+1-814-684-0101

Online:
newpig.com/International

Email:
hothogs@newpig.com

New Pig International

One Pork Avenue • Tipton PA 16684-0304
© 2016 New Pig Corporation. All rights reserved.
PIG and the PIG logo are trademarks in the U.S. and other countries.

ITEM: PAK708 - Pg 2 of 3

PAK708 Specifications

Size:	20 gal.
Storage Capacity:	20 gal.
Bung Type:	No Bung Holes
Container Type:	Overpack & Salvage Drums
Drum Lid Closure:	Open-Head
Drum Type:	Plastic
Interior Dimensions:	17.25" Dia. x 17.4" H Interior
Lid Type:	Screw-Top
Lining:	Unlined
Thickness:	.125" Thick
Sold as:	1 each
# per Pallet:	12
Composition:	Copolymer Polypropylene
UNSPSC:	24112109

Technical Information

Warnings & Restrictions:

This product can ONLY be shipped to the United States or Canada.

Certifications, Approvals and Ratings:

UN1H2/Y100/S
UN1H2/X75/S

Regulations and Compliance:

49 CFR 173.3(c)(1) - If a container of hazardous waste is damaged or leaking, it can be placed in a compatible salvage drum that meets UN criteria for shipping.

Technical Documents:

(Available at newpig.com/International)
Product Data Sheet (PDS)

PAK708 Metric Equivalent

Storage Capacity:	75.7 L
--------------------------	--------



By Phone:
+1-814-684-0101

Online:
newpig.com/International

Email:
hothogs@newpig.com

New Pig International

One Pork Avenue • Tipton PA 16684-0304
© 2016 New Pig Corporation. All rights reserved.
PIG and the PIG logo are trademarks in the U.S. and other countries.

ITEM: PAK708 - Pg 3 of 3