

PIG® Overpack Salvage Drum

#PAK725 - 95 gal. • UN1H2/X227/S • .25" Thick



Tough enough for rough handling, guaranteed. Ship your haz waste in our UN Rated overpacks to stay compliant with regs.

- Tough UN Rated overpack is built to withstand rough handling. Guaranteed.
- X-rated for Packing Groups I, II and III, so it's ideal for regulated packaging applications, including shipping hazardous waste by land, sea or rail
- Polyethylene material with UV inhibitors is durable, lightweight and chemical-resistant
- Containers are nestable when empty to save storage space
- Designed and proven to withstand the abuse of shipping to help keep hazardous waste safely contained
- Specifically designed and sized for leaking drums up to 55 gallons
- Leakproof, twist-on lid is notched so you can easily tighten it with a 2x4 or pole
- Integrated ledges molded into container let you move overpack with a forklift

Always in stock. Ships within 24 hours.



By Phone:
+1-814-684-0101

Online:
newpig.com/International

Email:
hothogs@newpig.com

New Pig International

One Pork Avenue • Tipton PA 16684-0304
© 2016 New Pig Corporation. All rights reserved.
PIG and the PIG logo are trademarks in the U.S. and other countries.

ITEM: PAK725 - Pg 1 of 3

PAK725 Product Option Information

Item #	Description	Dimensions	Weight
PAK725-WH	White	ext. dia. 31.38" x 41.5" H	48 lbs.

Metric Equivalent Item #	Description	Dimensions	Weight
PAK725-WH	White	ext. dia. 79.7cm x 105.4cm H	21.8 kg



By Phone:
+1-814-684-0101

Online:
newpig.com/International

Email:
hothogs@newpig.com

New Pig International

One Pork Avenue • Tipton PA 16684-0304
© 2016 New Pig Corporation. All rights reserved.
PIG and the PIG logo are trademarks in the U.S. and other countries.

ITEM: PAK725 - Pg 2 of 3

PAK725 Specifications

Size:	95 gal.
Storage Capacity:	95 gal.
Bung Type:	No Bung Holes
Container Type:	Overpack & Salvage Drums
Drum Lid Closure:	Open-Head
Drum Type:	Plastic
Interior Dimensions:	24.75" Dia.x 37" H Interior
Lid Type:	Screw-Top
Lining:	Unlined
Thickness:	.25" Thick
Sold as:	1 each
# per Pallet:	4
Composition:	Polyethylene
UNSPSC:	24112109

Technical Information

Warnings & Restrictions:

This product can ONLY be shipped to the United States or Canada.

Certifications, Approvals and Ratings:

UN1H2/X227/S

Regulations and Compliance:

49 CFR 173.3(c)(1) - If a container of hazardous waste is damaged or leaking, it can be placed in a compatible salvage drum that meets UN criteria for shipping.

Technical Documents:

(Available at newpig.com/International)

Product Data Sheet (PDS)

PAK725 Metric Equivalent

Storage Capacity:	359.6 L
--------------------------	---------



New Pig International

By Phone:
+1-814-684-0101

Online:
newpig.com/International

Email:
hothogs@newpig.com

One Pork Avenue • Tipton PA 16684-0304
© 2016 New Pig Corporation. All rights reserved.
PIG and the PIG logo are trademarks in the U.S. and other countries.

ITEM: PAK725 - Pg 3 of 3