

# PIG® Poly Loading Ramp

#PAK726 - For 5.75" H Poly Spill Containment Decks • 600 lb. Load Capacity • 1 each



You don't need a forklift to load drums onto decks. A simple hand truck will do the job when you add our Poly Loading Ramp.

- 
- Light-weight polyethylene construction is chemical-resistant and easy to position
- Edge guards guide drum trucks and help prevent them from rolling off the sides
- Note: Ramp must be detached to close doors
- Steel clamps securely attach ramp to pallet or deck



By Phone:  
**+1-814-684-0101**

Online:  
**[newpig.com/International](http://newpig.com/International)**

Email:  
**[hothogs@newpig.com](mailto:hothogs@newpig.com)**

**New Pig International**

One Pork Avenue • Tipton PA 16684-0304  
© 2016 New Pig Corporation. All rights reserved.  
PIG and the PIG logo are trademarks in the U.S. and other countries.

ITEM: PAK726 - Pg 1 of 3

# PAK726 Product Option Information

Item #	Description	Dimensions	Weight
PAK726-BK	Black	33.5" W x 24" L	17 lbs.

Metric Equivalent Item #	Description	Dimensions	Weight
PAK726-BK	Black	85.1cm W x 61cm L	7.7 kg



By Phone:  
**+1-814-684-0101**

Online:  
**[newpig.com/International](http://newpig.com/International)**

Email:  
**[hothogs@newpig.com](mailto:hothogs@newpig.com)**

**New Pig International**

One Pork Avenue • Tipton PA 16684-0304  
© 2016 New Pig Corporation. All rights reserved.  
PIG and the PIG logo are trademarks in the U.S. and other countries.

ITEM: PAK726 - Pg 2 of 3

## PAK726 Specifications

<b>Use With:</b>	5.75" H Poly Spill Containment Decks
<b>Load Capacity UDL:</b>	600 lbs.
<b>Containment Type:</b>	Ramp
<b>Usable Width:</b>	29.5" W
<b>Sold as:</b>	1 each
<b># per Pallet:</b>	24
<b>Composition:</b>	Polyethylene
<b>UNSPSC:</b>	24101615

## Technical Information

### Warnings & Restrictions:

There are no known warnings and restrictions for this product.

### Technical Documents:

(Available at [newpig.com/International](http://newpig.com/International))  
Product Data Sheet (PDS)

## PAK726 Metric Equivalent

<b>Load Capacity UDL:</b>	272.2 kg
---------------------------	----------



By Phone:  
**+1-814-684-0101**

Online:  
**[newpig.com/International](http://newpig.com/International)**

Email:  
**[hothogs@newpig.com](mailto:hothogs@newpig.com)**

**New Pig International**

One Pork Avenue • Tipton PA 16684-0304  
© 2016 New Pig Corporation. All rights reserved.  
PIG and the PIG logo are trademarks in the U.S. and other countries.

ITEM: PAK726 - Pg 3 of 3