

# PIG® Roll Top Hardcover Spill Pallet

#PAK901 - Containment Shed • Use With Plastic & Steel Drums • 75 gal. Sump Capacity



Load your drums into our roomy roll top hardcovers for all-weather protection and liquid containment. You don't even have to remove pumps and funnels!

- Roll top slides up for easy access to drum tops while the rest of the unit stays closed; store drums with pumps or funnels in place
- Low-profile pallet with sump catches leaks, drips and spills while keeping drum tops and accessories within reach
- Weather-resistant design prevents contaminants from entering stormwater
- Heavy-duty construction allows hardcover and pallet to be lifted by a forklift with drums in place
- Low-density polyethylene (LDPE) with UV inhibitors resists UV rays, rust, corrosion and most chemicals for long, trouble-free life
- Ergonomically designed roll top only goes down to waist height to eliminate bending and reaching
- Doors and roll top can be secured with a padlock (sold separately)
- Durable swing-out doors on front and rear provide easy access from both sides



By Phone:  
**+1-814-684-0101**

Online:  
**[newpig.com/International](http://newpig.com/International)**

Email:  
**[hothogs@newpig.com](mailto:hothogs@newpig.com)**

**New Pig International**

One Pork Avenue • Tipton PA 16684-0304  
© 2016 New Pig Corporation. All rights reserved.  
PIG and the PIG logo are trademarks in the U.S. and other countries.

ITEM: PAK901 - Pg 1 of 3

# PAK901 Product Option Information

Item #	Description	Dimensions	Weight
PAK901-BWG-AWD	Black with Gray, Assembled - With Drain	65" W x 62" D x 79" H	440 lbs.
PAK901-BWG-AWO	Black with Gray, Assembled - Without Drain	65" W x 62" D x 79" H	440 lbs.
PAK901-BWG-KWD	Black with Gray, Knocked Down - With Drain	65" W x 62" D x 79" H	460 lbs.
PAK901-BWG-KWO	Black with Gray, Knocked Down - Without Drain	65" W x 62" D x 79" H	460 lbs.

## Metric Equivalent

Item #	Description	Dimensions	Weight
PAK901-BWG-AWD	Black with Gray, Assembled - With Drain	165.1cm W x 157.5cm D x 2m H	199.6 kg
PAK901-BWG-AWO	Black with Gray, Assembled - Without Drain	165.1cm W x 157.5cm D x 2m H	199.6 kg
PAK901-BWG-KWD	Black with Gray, Knocked Down - With Drain	165.1cm W x 157.5cm D x 2m H	208.7 kg
PAK901-BWG-KWO	Black with Gray, Knocked Down - Without Drain	165.1cm W x 157.5cm D x 2m H	208.7 kg



By Phone:  
**+1-814-684-0101**

Online:  
**[newpig.com/International](http://newpig.com/International)**

Email:  
**[hothogs@newpig.com](mailto:hothogs@newpig.com)**

# PAK901 Specifications

<b>Recycled Content:</b>	17% Post-Industrial Recycled Polyethylene
<b>Load Capacity UDL:</b>	9000 lbs.
<b>Sump Capacity:</b>	75 gal.
<b>Access:</b>	2 Hinged Doors, 1 Sliding Door
<b>Containment Type:</b>	Containment Shed
<b>Fork Truck Access:</b>	Two-Way Fork Truck Access
<b>Groundable for Flammables:</b>	No
<b>Interior Dimensions:</b>	57" W x 66" H x 51" D
<b>Number of Containers:</b>	4 Drums
<b>Type of Container:</b>	Plastic & Steel Drums
<b>Sold as:</b>	1 each
<b># per Pallet:</b>	1
<b>Composition:</b>	Pallet, Cover - LDPE with UV Inhibitor Grate - Polyethylene
<b>UNSPSC:</b>	24101905

# PAK901 Metric Equivalent

<b>Load Capacity UDL:</b>	4082.4 kg
<b>Sump Capacity:</b>	283.9 L

# Technical Information

## Warnings & Restrictions:

**Flammables Notice**  
If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services.

## Regulations and Compliance:

40 CFR 264.175 - Hazardous waste containment systems must be free of structural cracks or gaps, be designed to keep spilled liquids from remaining in contact with the container, prevent run-on and "have sufficient capacity to contain 10% of the volume of the containers, or the volume of the largest container, whichever is greater."

40 CFR 122.26 - When applying for a National Pollutant Discharge Elimination System (NPDES) permit, facilities must have a plan in place that describes actions, procedures, control techniques, management practices and equipment available to prevent illegal discharge of pollutants into waterways.

40 CFR 112.7 - SPCC planning requirements state that facilities subject to these regulations must have written plans in place discussing the products, countermeasures and procedures that are in place, or will be taken by the facility to prevent discharge of oil into waters of the United States.

## Technical Documents:

(Available at [newpig.com/International](http://newpig.com/International))

Product Data Sheet (PDS)

Chemical Compatibility (CCG)



# PAK901 Accessories

## You might like...



PIG® Steel Loading Ramp With Non-Slip Poly Grate

## Item Number

PAK603



By Phone:  
**+1-814-684-0101**

Online:  
**[newpig.com/International](http://newpig.com/International)**

Email:  
**[hothogs@newpig.com](mailto:hothogs@newpig.com)**