

## PIG® HazMat Spill Kit in 50-Gallon Wheeled Overpack Salvage Drum

KIT365 Absorbs up to 27 gal., Absorbs Acids;  
Bases; Unknowns, UN1H2/X125/S

Mobile overpack is strong enough to earn a UN  
rating for shipping chemical spill cleanup waste.



- Comply with Spill Plan regs, avoid fines and be ready to respond with the #1 kit for chemical spills
- Overpack drum container is UN Rated for shipping waste after spill cleanup
- 6" olefin wheels make spill kit highly mobile for speedy response anywhere in your facility
- Lift-out, prepacked baskets speed access and guard contents from UV
- PIG HazMat Socks stop spreading spills; PIG HazMat Pads and Pillows absorb quickly
- PIG HazMat Absorbents are specially treated for unsurpassed performance with concentrated corrosives, such as 98% sulfuric acid and 30% sodium hydroxide
- Overpack is X-rated in Packing Groups I, II and III for shipping spill cleanup waste by land, sea or rail
- Lightweight, polyethylene container resists chemicals and keeps contents clean and dry
- Leakproof, twist-on lid is notched for easy removal or tightening with a 2x4 or pole
- Bold "Spill Kit" lettering for quick identification
- Ledges molded into container make kit easy to move by forklift
- Tamperproof seals help prevent pilfering of spill response supplies
- Note: A PIG Overpack Protection Cover (available separately) is suggested for outdoor storage to protect container from UV degradation
- Only PIG Spill Kits feature PIG HazMat Absorbents that handle highly concentrated corrosives better than any other absorbent on the market
- For information on custom spill kits, just call 1-800-HOT-HOGS (468-4647)
- Spill Kit dimensions are approximate

## Specifications

<b>Wheels Included</b>	Yes
<b>Container Type</b>	Overpack
<b>Fluid Absorbed</b>	Acids; Bases; Unknowns
<b>Color</b>	White
<b>Dimensions</b>	ext. dia. 23" x 45.4" H
<b>Absorbency</b>	Up to 27 gal.
<b>Brand</b>	PIG
<b>High Visibility</b>	No
<b>See-Through</b>	No
<b>Sold as</b>	1 each
<b>Weight</b>	80 lbs.
<b># per Pallet</b>	2
<b>Composition</b>	Container - Polyethylene (MDPE) Mats, Socks & Pillows - Polypropylene

<b>Includes</b>	5 - ext. dia. 3" x 46" L PIG® HazMat Chemical Absorbent Sock (124CR) 5 - ext. dia. 3" x 10' L PIG® HazMat Chemical Absorbent Sock (PIG301) 40 - 15" W x 20" L PIG® HazMat Chemical Absorbent Mat Pad (MAT301) 4 - 17" W x 16" L x 2" H PIG® HazMat Chemical Absorbent Pillow (HR7015) 5 - 18" W x 30" H Polyethylene Disposal Bags (BAG201-S) 6 - 2" W x 6" L Tamperproof Seal Label (LBL100) 1 - Instructions 40 - 12.25" W x 13" L Polypropylene Wipers 1 - ext. dia. 23" x 45.4" H PIG® Wheeled Overpack Salvage Drum (PAK489-WH)
-----------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>UNSPSC</b>	47131905
<b>UV Resistant</b>	Yes
<b>Wheels</b>	(2) 6" Polyolefin Wheels
<b>Pigalog® Page Number</b>	<u>Page 118</u>

## Metric Equivalent

<b>Absorbency</b>	Up to 102.2 L
<b>Dimensions</b>	ext. dia. 58.4cm x 115.3cm H
<b>Weight</b>	36.3 kg

## Technical Information

<b>Certifications, Approvals and Ratings</b>
----------------------------------------------

UN1H2/X125/S

## Technical Documents

[PIG Spill Kits](#)

[PIG Hazardous Chemical Absorbents](#)

[LDPE Products](#)

[Instructions for PIG Spill Kits](#)

[PIG® HAZ-MAT Absorbents](#)

[29 CFR 1910.120\(j\)\(1\)\(vii\)](#)

[49 CFR 173.3\(c\)\(1\)](#)

## Disclaimers

[HAZ-MAT Notice](#)

To ensure effectiveness and your safety, we recommend that you conduct compatibility and absorption testing of your chemicals with PIG® HAZ-MAT products prior to purchase. If you have any questions or need samples to test, please call Technical Services.



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)