

PIG® Fuel Station Spill Kit in Bucket

KIT4000 Absorbs up to 8.2 gal., Absorbs Oils, Fuels, Other Oil-Based Liquids Only, UN1H2/Y40/S

Store this bucket kit at a fuel island and use the static-dissipative PIG Absorbents to safely clean up small-to-medium sized fuel spills.



- The only kits designed for fueling stations — tough, grime-hiding containers packed with absorbents specifically made for gasoline, diesel, jet fuel and kerosene
- Packed with absorbent, static-dissipative mats and socks that pass NFPA99 standards for static decay and surface resistivity
- Also contains PIG Loose Absorbent, PPE, caution tape and clean-up tools
- Absorbs and retains fuels and oil-based fluids without taking in a drop of water
- 12-gallon polyethylene bucket has easy-open, screw-on lid and is weatherproof and UV resistant
- Bucket is UN Rated 1H2/Y40/S for shipping waste after cleanup
- Opaque black bucket has reflective labeling for easy visibility at night, blends into most surroundings and hides grime from fueling operations
- Ideal for use anywhere there are fueling operations: marinas, garages, commercial facilities, military sites, airports, tanker terminals, construction sites, industrial facilities and remote operations
- Only PIG Spill Kits feature PIG Absorbents — the world's #1 selling brand
- For information on custom spill kits, call 1-800-HOT-HOGS (468-4647)
- Spill Kit dimensions are approximate



Specifications

Wheels Included	No
Container Type	Bucket
Fluid Absorbed	Oils, Fuels, Other Oil-Based Liquids Only
Color	Black
Dimensions	ext. dia. 16" x 21.125" H

Absorbency	Up to 8.2 gal.
Brand	PIG
High Visibility	No
See-Through	No
Sold as	1 each
Weight	30 lbs.
# per Pallet	18
Composition	Mats and Socks - Polypropylene Loose Absorbent-100% Post-Consumer Recycled Cellulose Bucket-Polyethylene
Includes	4 - ext. dia. 3" x 48" L PIG® Static-Dissipative Absorbent Sock (SKM700) 25 - 15" W x 20" L PIG® Stat-Mat® Absorbent Pad (MAT215) 4 - PIG® Dri Loose Absorbent in Spill Pouch (PLP220) 1 - Economy Goggle (GLS290-AF) 1 - 14" L SHOWA 3415 Neoprene Gloves (GLV1208-XL) 1 - Apron 1 - Dustpan/Broom 5 - 18" W x 30" H Polyethylene Disposal Bags (BAG201-S) 1 - Caution Tape 1 - Instructions 1 - 12 Gal Bucket
UNSPSC	47131905
UV Resistant	Yes
Pigalog® Page Number	Page 117

Metric Equivalent

Absorbency	Up to 31 L
Dimensions	ext. dia. 40.6cm x 53.7cm H
Weight	13.6 kg

Technical Information

Certifications, Approvals and Ratings

UN1H2/Y40/S

CountryNoShip

This product is subject to export restrictions and cannot be shipped to the European Union.

Certifications, Approvals and Ratings

UN1H2/Y40/S

CountryNoShip

This product is subject to export restrictions and cannot be shipped to the European Union.

Technical Documents

[PIG Spill Kits](#)

Instructions for PIG Fuel Station Kit in Bucket

Instructions for PIG Spill Kits

PIG® Oil-Only Absorbents

PIG® DRI Loose Absorbent

40 CFR 112.7

40 CFR 122.26



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com