

PIG® Fuel Station Spill Kit in Overpack

KIT4002 Absorbs up to 41.7 gal., Absorbs Oils, Fuels, Other Oil-Based Liquids Only, UN1H2/Y345/S

Store this 95-gallon Spill Kit in Overpack at your fuel island and you'll be ready to safely respond and clean up any fuel spills.



- The only kits designed for fueling stations — tough, grime-hiding containers packed with absorbents specifically made for gasoline, diesel, jet fuel and kerosene
- Packed with absorbent, static-dissipative mats and socks that pass NFPA99 standards for static decay and surface resistivity
- Also contains PIG Loose Absorbent, PPE, caution tape and clean-up tools
- Absorbs and retains fuels and oil-based fluids without taking in a drop of water
- Overpack container is UN Rated 1H2/Y345/S for shipping waste after cleanup and is weatherproof and UV resistant
- Opaque black container has reflective labeling for easy visibility at night, blends into most surroundings and hides grime from fueling operations
- Lift-out, prepacked baskets allow easy access to spill kit contents, and can be restocked
- Ledges molded into the container make it easy to move by forklift
- Ideal for use anywhere there are fueling operations: marinas, garages, commercial facilities, military sites, airports, tanker terminals, construction sites, industrial facilities and remote operations
- Only PIG Spill Kits feature PIG Absorbents — the world's #1 selling brand
- For information on custom spill kits, call 1-800-HOT-HOGS (468-4647)
- Spill Kit dimensions are approximate



Specifications

Wheels Included	No
Container Type	Overpack
Fluid Absorbed	Oils, Fuels, Other Oil-Based Liquids Only

Color	Black
Dimensions	ext. dia. 31.75" x 41.5" H
Absorbency	Up to 41.7 gal.
Brand	PIG
High Visibility	No
See-Through	No
Sold as	1 each
Weight	116 lbs.
# per Pallet	2
Composition	Mats and Socks - Polypropylene Loose Absorbent-100% Post-Consumer Recycled Cellulose Overpack-Polyethylene

Includes	<p>8 - ext. dia. 3" x 48" L PIG® Static-Dissipative Absorbent Sock (SKM700)</p> <p>6 - ext. dia. 3" x 10' L PIG® Static-Dissipative Absorbent Sock (SKM701)</p> <p>150 - 15" W x 20" L PIG® Stat-Mat® Absorbent Pad (MAT215)</p> <p>6 - PIG® Dri Loose Absorbent in Spill Pouch (PLP220)</p> <p>4 - Economy Goggle (GLS290-AF)</p> <p>4 - 14" L SHOWA 3415 Neoprene Gloves (GLV1208-XL)</p> <p>4 - Apron</p> <p>10 - 36" W x 60" H Polyethylene Disposal Bags (BAG201-L)</p> <p>2 - Dustpan/Broom</p> <p>2 - Caution Tape</p> <p>1 - Instructions</p> <p>1 - Overpack-95 Gallon</p>
-----------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

UNSPSC	47131905
UV Resistant	Yes
Pigalog® Page Number	Page 115

Metric Equivalent

Absorbency	Up to 157.8 L
Dimensions	ext. dia. 80.6cm x 105.4cm H
Weight	52.6 kg

Technical Information

Certifications, Approvals and Ratings

UN1H2/Y345/S

CountryNoShip

This product is subject to export restrictions and cannot be shipped to the European Union.

Certifications, Approvals and Ratings

UN1H2/Y345/S

CountryNoShip

This product is subject to export restrictions and cannot be shipped to the European Union.

Technical Documents

[PIG Spill Kits](#)

[LDPE Products](#)

[Instructions for PIG Spill Kits](#)

[PIG® Oil-Only Absorbents](#)

[PIG® DRI Loose Absorbent](#)

[40 CFR 112.7](#)

[40 CFR 122.26](#)



New Pig

World's best stuff for leaks, drips and spills.

One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com