


PIG® Oil-Only Spill Kit in 95-Gallon Overpack Salvage Drum

KIT402 Absorbs up to 52 gal., Absorbs Oils, Fuels, Other Oil-Based Liquids Only, UN1H2/X295/S

Strong enough to earn a UN rating for shipping spill cleanup waste.



- Comply with Spill Plan regs, avoid fines and be ready to respond with the #1 kit for oil-based spills
- Overpack drum container is UN Rated for shipping waste after oil spill cleanup
- Lift-out, prepacked baskets speed access and guard contents from UV
- PIG Oil-Only Booms stop spreading spills; PIG Stat-Mat absorbs quickly
- Absorbents meet NFPA 99 standards for static decay to allow use with fuels and flammables
- Overpack is X-rated in Packing Groups I, II and III for shipping spill cleanup waste by land, sea or rail
- Lightweight, polyethylene container resists chemicals and keeps contents clean and dry
- Leakproof, twist-on lid is notched for easy removal or tightening with a 2x4 or pole
- Bold "Spill Kit" lettering for quick identification
- Ledges molded into container make kit easy to move by forklift
- Tamperproof seals help prevent pilfering of spill response supplies
- Note: A PIG Overpack Protection Cover (available separately) is suggested for outdoor storage to protect container from UV degradation and weathering
- Only PIG Spill Kits feature PIG Absorbents - the world's #1 selling brand
- For information on custom spill kits, just call 1-800-HOT-HOGS (468-4647)
- Spill Kit dimensions are approximate



Specifications

Wheels Included	No
Container Type	Overpack
Fluid Absorbed	Oils, Fuels, Other Oil-Based Liquids Only

Color	White
Dimensions	ext. dia. 31.38" x 41.5" H
Absorbency	Up to 52 gal.
High Visibility	No
See-Through	No
Sold as	1 each
Weight	95 lbs.
# per Pallet	2

Composition	<p>Container - Polyethylene (MDPE)</p> <p>Booms - Co-Poly Outer Skin w/ Polypropylene Inner Skin and Filler</p> <p>Mats - Polypropylene</p>
Includes	<p>3 - ext. dia. 5" x 10' L PIG® Oil-Only Absorbent Boom (BOM405)</p> <p>10 - ext. dia. 3" x 10' L PIG® Oil-Only Absorbent Boom (BOM406)</p> <p>60 - 15" W x 20" L PIG® STAT-MAT® Absorbent Pad (MAT214)</p> <p>10 - 36" W x 60" H Polyethylene Disposal Bags (BAG201-L)</p> <p>6 - 2" W x 6" L Tamperproof Seal Label (LBL100)</p> <p>1 - Instructions</p> <p>1 - ext. dia. 31.38" x 41.5" H PIG® Overpack Salvage Drum (PAK725-WH)</p>

UNSPSC	47131905
UV Resistant	Yes

Pigalog® Page Number [Page 102](#)

Metric Equivalent

Absorbency	Up to 196.8 L
Dimensions	ext. dia. 79.7cm x 105.4cm H
Weight	43.1 kg

Technical Information

Certifications, Approvals and Ratings

UN1H2/X295/S

Technical Documents

[PIG Spill Kits](#)

[LDPE Products](#)

[White paper – Spills Happen. 10 Things you need to know about Spill Kits](#)

[Instructions for Overpack Containers](#)

[Instructions for PIG Spill Kits](#)

PIG® Oil-Only Absorbents

29 CFR 1910.120(j)(1)(vii)

40 CFR 112.7

49 CFR 173.3(c)(1)



New Pig

World's best stuff for leaks, drips and spills.

One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com