

PIG® Oil-Only Spill Kit in 95-Gallon Wheeled Overpack Salvage Drum

KIT441 Absorbs up to 52 gal., Absorbs Oils, Fuels, Other Oil-Based Liquids Only, UN1H2/X113/S

Mobile overpack is strong enough to earn a UN rating for shipping spill cleanup waste.

- Comply with Spill Plan regs, avoid fines and be ready to respond with the #1 kit for oil-based spills
- Overpack drum container is UN Rated for shipping waste after oil spill cleanup
- 6" olefin wheels make spill kit highly mobile for speedy response anywhere in your facility
- Lift-out, prepacked baskets speed access and quard contents from UV
- PIG Oil-Only Booms stop spreading spills; PIG Stat-Mat absorbs quickly
- Absorbents meet NFPA 99 standards for static decay to allow use with fuels and flammables
- Overpack is X-rated in Packing Groups I, II and III for shipping spill cleanup waste by land, sea or rail
- Lightweight, polyethylene container resists chemicals and keeps contents clean and dry
- Leakproof, twist-on lid is notched for easy removal or tightening with a 2x4 or pole
- Bold "Spill Kit" lettering for quick identification
- Ledges molded into container make kit easy to move by forklift
- Tamperproof seals help prevent pilfering of spill response supplies
- Note: A PIG Overpack Protection Cover (available separately) is suggested for outdoor storage to protect
- Only PIG Spill Kits feature PIG Absorbents the world's #1 selling brand
- For information on custom spill kits, just call 1-800-HOT-HOGS (468-4647)
- Spill Kit dimensions are approximate



Item#	Description	Dimensions	Weight
KIT441-WH	White	ext dia 31.4" x 47.25" H	121 lbs

Item#	Description	Difficitations	Weight
KIT441-WH	White,	ext. dia. 79.8cm x 120cm H	54.9 kg
Specifications			
Wheels Included		Yes	
Container Type		Overpack	
Fluid Absorbed		Oils, Fuels, Other Oil-Based I	Liquids Only
Dimensions		ext. dia. 31.4" x 47.25" H	
Absorbency		Up to 52 gal.	
High Visibility		No	
See-Through		No	
Sold as		1 each	
Weight		121 lbs.	
# per Pallet		1	
Composition		Container - Polyethylene (MD Mats, Socks & Pillows - Polyp	'
Includes		10 - ext. dia. 3" x 10' L PIG® Oil-Only Absorbent Boom (BOM406) 3 - ext. dia. 5" x 10' L PIG® Oil-Only Absorbent Boom (BOM405) 60 - 15" W x 20" L PIG® STAT-MAT® Absorbent Pad (MAT214) 10 - 36" W x 60" H Polyethylene Disposal Bags (BAG201-L) 6 - 2" W x 6" L Tamperproof Seal Label (LBL100) 1 - Instructions 1 - ext. dia. 31.4" x 47.5" H PIG® Wheeled Overpack Salvage Drum (PAK710-WH)	
UNSPSC		47131905	
UV Resistant		Yes	
Wheels		(2) 6" Polyolefin Wheels	
Pigalog® Page Number		Page 102	
Metric Equivalent			
Absorbency		Up to 196.8 L	
Dimensions		ext. dia. 79.8cm x 120cm H	
Weight		54.9 kg	
Technical Information			
Certifications, Approvals a	nd Ratings		

Dimensions

Weight

Description

Item#

PIG Spill Kits

UN1H2/X113/S

Technical Documents

LDPE Products

White paper - Spills Happen. 10 Things you need to know about Spill Kits

White paper – Slip & Fall Prevention Secrets

Instructions for PIG Spill Kits

PIG® Oil-Only Absorbents

29 CFR 1910.120(j)(1)(vii)

40 CFR 112.7

49 CFR 173.3(c)(1)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com